



Boise Cascade®  
MILLWORK



Boise Cascade®  
MILLWORK

# DENVER MILLWORK



[millwork.bc.com](http://millwork.bc.com)

11011 E 104th Ave, Suite 1000

Commerce City, CO 80640

720-653-3333

[DenverMillwork@bc.com](mailto:DenverMillwork@bc.com)

# STOCK CATALOG



# WHY BOISE CASCADE MILLWORK?

Boise Cascade® Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With ten locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



## TABLE OF CONTENTS

## PAGE #

PrismaGuard® Prefinish	1
PrismaGuard® Premium Paint	2
Therma-Tru Doors	
Classic Craft Mahogany Common Arch	3
Classic Craft®	4-7
Fiber-Classic® Oak	8
Fiber-Classic® Mahogany/Oak	9
Smooth-Star®	10-13
Steel-Profiles™/Traditions	14
Advanta Lite Frame	15
Glass	
Calix	16
Echelon	16
Kensington	17
Wellesley	18
Latitude	19
Texas Star	19
Homeward™	20
Augustine®	20
Borrassa®	21
Lucerna®	21
Saratoga™	22
Riserva®	23
Pembroke™	23
Axis®	24
Internal Blinds	25
Reeded	26
Satin Etch	27
Chord	28
Chinchilla	29
Rainglass	30
Granite	31
Divided Lites	32
Clear Glass	33
Grilles	34
Frames	35
Fasteners Setting Tool & Screw Plug Covers	35
Composite Entry Mullion	36
Composite Patio Mullion	36
Cove Mould	36
Brickmould	36
Sills	37-39
Door Bottoms	40
Astragals	41
Endrail	41
Weatherstrip	42
Exterior Hinges	43-44
Interior Hinges	45-46
Handlesets	47-48
Hardware	49
Door & Lite Divider Bars	49
Dentil Shelves	50
Simpson Doors	
Douglas Fir Exterior	51
Knotty Alder Exterior	52
Redi-Prime® Interior	53
Douglas Fir Interior	54
Knotty Alder Interior	55-56
Pine Interior	57
Knotty Pine Interior	58
Steve's	
Molded and Flush Interior Doors	59-62
Exterior Frames & Jambs	63-64
Mouldings	65
Bard Door Hardware	66
Eclipse Pocket Door Frames	67
On Site Door Shop Services	68




Boise Cascade®  
MILLWORK

## PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

### PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



### PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



Durable Topcoat



Professional Application

## PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

### PrismaGuard® Paint Options



Boise Cascade®  
MILLWORK

# SYMPHONY COLLECTION™

## Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.



Durable Topcoat



Professional Application



Boise Cascade®  
MILLWORK

millwork.bc.com

11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com

# THERMA-TRU® DOORS



Boise Cascade<sup>®</sup>  
MILLWORK

## CLASSIC CRAFT MAHOGANY COMMON ARCH<sup>††</sup>



## CLASSIC CRAFT<sup>®</sup>

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

<sup>††</sup> = QUICK SHIP  
SDLF6 = SIMULATED DIVIDED LITES

SDL = SIMULATED DIVIDED LITES  
SDLF3 = SIMULATED DIVIDED LITES

**THERMA TRU<sup>®</sup>**  
DOORS

thermatru.com | 1-800-THERMA-TRU | 4



# CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



**CCA211-1D\*\***  
Homeward Glass  
3'0" x 6'8"



**CCA8211-1D\*\***  
Homeward Glass  
3'0" x 8'0"



**CCA210-LE**  
Low-E Glass  
3'0" x 6'8"



**CCA8210-LE**  
Low-E Glass  
3'0" x 8'0"



**CCA220-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA8220-SDLLE**  
Low-E Glass  
3'0" x 8'0"



**CCA1100**  
3'0" x 6'8"



**CCA81100**  
3'0" x 8'0"



**CCA4905-DDBF3**  
3'0" x 6'8"



**CCA84905-DDBF3**  
3'0" x 8'0"



**CCA4915L-DDBF3**  
3'0" x 6'8"



**CCA84915L-DDBF3**  
3'0" x 8'0"



**CCA230-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA8230-SDLLE**  
Low-E Glass  
3'0" x 8'0"



**CCA240-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA8240-SDLLE**  
Low-E Glass  
3'0" x 8'0"



**CCA260-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA8260-SDLLE**  
Low-E Glass  
3'0" x 8'0"



**CCA4915R-DDBF3**  
3'0" x 6'8"



**CCA84915R-DDBF3**  
3'0" x 8'0"

Available in Full Light:

Low-E



Satin Etch



**CCA87100-LE**  
Low-E Glass  
3'6" x 8'0"



**CCA87200-SDLLE**  
Low-E Glass  
3'6" x 8'0"



**CCA87300-SDLLE**  
Low-E Glass  
3'6" x 8'0"



**CCA87400-SDLLE**  
Low-E Glass  
3'6" x 8'0"



**CCA87600-SDLLE**  
Low-E Glass  
3'6" x 8'0"

Other Available Glass Options:

Granite



Chinchilla



Rainglass



Chord



**1D** = BLACK NICKEL CAMING  
**1C** = BRUSHED NICKEL CAMING  
**SDL** = SIMULATED DIVIDED LITES  
**SDLF3** = SIMULATED DIVIDED LITES  
**DDBF3** = DOOR DIVIDER BARS






**Boise Cascade**  
MILLWORK

## CLASSIC CRAFT® (CONTINUED)

Choose from our many door selections to complement the architectural style of the home. Choose from premium fiberglass entryways in four wood grains or a smooth paintable surface that all rival custom wood.



## FIBER-CLASSIC® OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



† = TWO WEEK LEAD  
\*\* = QUICK SHIP



**Boise Cascade**  
MILLWORK

millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com


**THERMA TRU**  
DOORS



Boise Cascade  
MILLWORK


## FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



## SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



† = TWO WEEK LEAD



Boise Cascade  
MILLWORK

millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com


Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

THERMA TRU  
DOORS



## SMOOTH-STAR<sup>®</sup>

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



## SMOOTH-STAR<sup>®</sup>



† = TWO WEEK LEAD



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com








Boise Cascade  
MILLWORK

## SMOOTH-STAR® 1/2 LITES†



### Other Available Glass Options:



## STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

† = TWO WEEK LEAD TIME



Boise Cascade  
MILLWORK

millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com


THERMA-TRU  
DOORS

thermatru.com | 1-800-THERMA-TRU | 14



## ADVANTA LITE FRAME


A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



## CALIX

Glass Privacy Rating 1 10


Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.



## ECHELON


Glass Privacy Rating 1 10

Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.







### KENSINGTON



### WELLESLEY






Boise Cascade<sup>®</sup>  
MILLWORK

## LATITUDE

Glass Privacy Rating 1 **2** 10


Bending tradition. Latitude showcases 1 seeded glass and simple curved details in a half-moon geometric design.



## HOMeward™†

Glass Privacy Rating 1 **4** 10



The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive clear bevels, seeded glass and gray antique glass. An ideal complement for a Transitional home design.



## TEXAS STAR†

Glass Privacy Rating 1 **5** 10


Beautifully crafted with clear bevels, curved bevels, clear waterglass, granite glass, glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



## AUGUSTINE®†

Glass Privacy Rating 1 **10**

Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com

11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

THERMA TRU<sup>®</sup>  
DOORS

† = TWO WEEK LEAD TIME  
PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

thermatru.com | 1-800-THERMA-TRU | 20



## BORRASSA®†



Glass Privacy Rating 1 10

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

### Caming Options



Wrought Iron




## LUCERNA®†



Glass Privacy Rating 1 10

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of curved, diamond and rectangular bevels surrounded by smooth, swirling barn wood and heavily textured diamond border glass.

### Caming Options



Black Nickel (1D)      Brushed Nickel (1C)



## SARATOGA™


Glass Privacy Rating 1 10

Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reed glass and caming. The geometric pattern bridges both modern and traditional designs.

### Caming Options



Black Nickel (1D)      Brushed Nickel (1C)



FC = BUFF  
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

† = TWO WEEK LEAD TIME  
PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.





## RISERVA®



Glass Privacy Rating 1 10

Riserva combines oceana glass with linear and curved wrought iron elements to create a simple yet elegant design. A perfect way to let natural light in while achieving ultimate privacy.

### Caming Options



Wrought Iron



## AXIS®



Glass Privacy Rating 1 10

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass bevels completes this linear design, ideal for Modern home styles.

### Caming Options



Black Nickel (1D)



## PEMBRIDGE™

Glass Privacy Rating 1 10

Simplistic in its design, Pembridge features a field of hammered glass framed by gray baroque glass and multifaceted bevels. A central diamond shape adds a decorative touch.



### Caming Options



Black Nickel (1D)



Brushed Nickel (1C)



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

CE = LOW-E  
FC = BUFF  
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.





















thermatru.com | 1-800-THERMA-TRU |



## INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.





22 x 80 	20 x 80 	22 x 64 	20 x 64 	
VBRFC-2280 VBRFC-2280-CE VBRSS-2280 VBRSS-2280-CE	VBRFC-2080 VBRFC-2080-CE VBRSS-2080 VBRSS-2080-CE	VBRFC-2264 VBRFC-2264-CE VBRSS-2264 VBRSS-2264-CE	VBRFC-2064 VBRFC-2064-CE VBRSS-2064 VBRSS-2064-CE	
				
16 x 64 	07 x 64 	22 x 47 	22 x 36 	20 x 36 
VBRSS-1664 VBRSS-1664-CE	VBRSS-0764 VBRSS-0764-CE	VBRFC-2247 VBRFC-2247-CE VBRSS-2247 VBRSS-2247-CE	VBRFC-2236 VBRFC-2236-CE VBRSS-2236 VBRSS-CE	VBRSS-2036
				



## REEDED

Glass Privacy Rating 1 **7** 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.

21 x 15 	8 x 6 
XKSSZ2115-A	XKSS0806-X
	



FC = BUFF  
SS = SMOOTH  
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

CE = LOW-E  
FC = BUFF  
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.





## SATIN ETCH

22 x 80  
XESS2280

07 x 80  
XESSZ0780

22 x 64  
XESS2264

07 x 64  
XFCZ0764  
XSS0764  
XSSZ0764



22 x 47  
XESS2247

22 x 36  
XESS2236

21 x 15  
XFCZ2115  
XSS2115  
XSSZ2115

21 x 15  
XEMBK2115-A

8 x 6  
XFCZ0806  
XSS0806  
XSSZ0806

## CHORD

Glass Privacy Rating 1  10

A vertical flowing pattern reminiscent of waves on the water.

07 x 80  
XCSSZ0780

22 x 64  
XCSS2264

07 x 64  
XFCZ0764  
XCSS0764  
XCSSZ0764

22 x 47  
XCSS2247

22 x 36  
XCSS2236

21 x 15  
XCSS2115  
XCSSZ2115

8 x 6  
XFCZ0806  
XCSS0806  
XCSSZ0806







## CHINCHILLA

22 x 80  
XESS2280

07 x 80  
XESSZ0780

22 x 64  
XESS2264

07 x 64  
XEF CZ0764  
XESS0764  
XESSZ0764




22 x 47  
XESS2247

22 x 36  
XESS2236

21 x 15  
XEF CZ2115  
XESS2115  
XESSZ2115

8 x 6  
XEF CZ0806  
XESS0806  
XESSZ0806




## RAINGLASS

22 x 80  
XESS2280

07 x 80  
XESSZ0780

22 x 64  
XESS2264

07 x 64  
XEF CZ0764  
XESS0764  
XESSZ0764



22 x 47  
XESS2247

22 x 36  
XESS2236

21 x 15  
XEF CZ2115  
XESS2115  
XESSZ2115

8 x 6  
XEF CZ0806  
XESS0806  
XESSZ0806






# GRANITE

Glass Privacy Rating 1 10

A coarse-grained arrangement with surface detail over the entirety of the glass.

**22 x 64**  
XNSS2264

**07 x 64**  
XNSS0764  
XNSSZ0764

**22 x 47**  
XNSS2247



**22 x 36**  
XNSS2236

**21 x 15**  
XNSS2115  
XNSSZ2115

**8 x 6**  
XNSS0806  
XNSSZ0806



# DIVIDED LITES

Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)




Fixed Grilles (FXG)



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.




FC = BUFF  
SS = SMOOTH  
Z = FLAT FRAME


PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



## CLEAR GLASS



## GRILLES



CE = LOW-E  
FC = BUFF  
SS = SMOOTH  
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com

Stock status is subject to availability, please contact your  
Boise Cascade Millwork Representative with any questions.





## FRAMES

### Composite Frames - Smooth



Description	Material	Part #	Size
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG*	8/0 4-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG*	8/0 4-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG*	8/0 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG*	8/0 6-9/16
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B*	3/0 4-9/16 U1
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B*	9/0 4-9/16 U1
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B*	3/0 6-9/16 U1
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B*	9/0 6-9/16 U1

### Composite Frames - Grained

Description	Material	Part #	Size
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG*	6/8 4-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG*	6/8 4-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG*	8/0 4-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG*	8/0 4-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG*	6/8 6-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG*	6/8 6-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG*	8/0 6-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG*	8/0 6-9/16
FRAME COMPOSITE GRAINED RAW TRIPLE W/ MULL BK SKID JCGN490WMU1B JCGN490WMU1B-S	Composite	JCGN490WMU1B*	9/0 4-9/16 U1
FRAME COMPOSITE GRAINED RAW TRIPLE W/ MULL BK JCGN690WMU1B JCGN690WMU1B-S	Composite	JCGN690WMU1B*	9/0 6-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN430U1B JCGN430U1B-S	Composite	JCGN430U1B*	3/0 4-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN630U1B JCGN630U1B-S	Composite	JCGN630U1B*	3/0 6-9/16 U1

### Other Frames


Description	Material	Part #	Size
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR636U1WP	3/6 6-9/16 U1

## FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Part #	Size
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB	JPCSN
JAMB PLUG INSTALLATION SCREWS	JAMB	JPSCREW
JAMB PLUG INSTALLATION TOOL	JAMB	JPTOOL



## COMPOSITE ENTRY MULLION



2" Entry Narrow   
 2-1/2" Entry Wide

Description	Material	Part #	Size
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2 1/2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2 1/2"

## COMPOSITE PATIO MULLION



2" Patio Narrow

Description	Material	Part #	Size
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNI80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNI80HHSG*	8/0 X 2 1/2"

## COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0

## BRICKMOULD



2" Brickmould WM180

Description	Application	Material	Part #	Size
BRICKMOULD COMPOSITE SMOOTH RAW IS HEAD	Inswing	Composite	BMCSNI30U1	3/0 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS LH U1	Inswing	Composite	BMCSNIL68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS RH U1	Inswing	Composite	BMCSNIR68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS HEAD	Inswing	Composite	BMCSNI28U1	2/8 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK U1	Inswing	Composite	BMCSNIB90WBK	9/0
BRICKMOULD COMPOSITE SMOOTH RAW IS LH U1	Inswing	Composite	BMCSNIL80H	8/0
BRICKMOULD COMPOSITE SMOOTH RAW IS RH U1	Inswing	Composite	BMCSNIR80H	8/0

### Additional Brickmould:

Description	Material	Part #	Size
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH30U1A	3/0 U1
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH36U1A	3/6 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH30U1R	3/0 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH36U1R	3/6 U1

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.

\*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.

† - TWO WEEK LEAD TIME





## SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

### Sill Finishes



Mill



Bronze

### Cap Colors



Darkwood

### Inswing Composite Adjustable Sill




#### Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush stainless steel screws.

Continuous length with spread mullion capability to fill 49"-75" rough openings.\*

Description	Application	Part #	Size
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNBD	5/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EF607UNBD	6/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE LINEAL MILL FINISH LIGHT WOOD CAP NO SCREEN RAIL	Inswing	ISL3AS5EN90UNML	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNBD*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNBD*	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP	Inswing	ISL3AS5ES36UNBD	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50ULNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50URNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54ULNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54URNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58ULNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58URNBD	5/8 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60ULNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60URNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5PN90UNBD	9/0 5-3/4 U1

### Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Part #	Size
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE28USF5MDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE28USF5MLB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5MDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE30USF5MLB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE507USF5BDB	5/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE607USF5BDB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE607USF5MLB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP CONTINUOUS PATIO OS	Outswing	OSE60USF5MLB	6/0 5-3/4 U1

### Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1





**Boise Cascade**<sup>®</sup>  
MILLWORK

### Public Access Sill With or Without Thermal Break (For ADA Applications\*\*)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S430PATBU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S430PATU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S460PATBU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S460PATU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S630PATBU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S630PATU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S660PATBU1	6/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S660PATU1	6/0 6-9/16 U1


### Sill Pan (Recommended) ❖



- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Description	Part #	Size
SILL PAN MAX FRAME	TTSLPAN430	3/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN460	6/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN490	9/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN630	3/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN660	6/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN690	9/0 6-9/16

### Sill Covers (Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4

### Sill Extenders



Finishes:  
Darkwood (Premium)

Sizes:  
3/4"  
2"

Description	Finish	Part #	Size
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1

### DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

#### Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Color:  
Bronze

Description	Application	Part #	Size
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1

#### Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU300B	3/0 U1


#### Single Bulb Kerf-Applied Door Bottom for Basic Fixed, Moderate Climate Sills



Sills:  
Basic Fixed  
Color:  
Bronze

Description	Part #	Size
DOOR BOTTOM KERF	DB30316	35.81"

#### Inactive Door Bottoms for Composite Inswing Sills ❖



Sills:  
Composite Adjustable  
Hardwood Adjustable  
Color:  
Bronze

Description	Application	Part #	Size
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0

#### Additional Door Bottoms Available:

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6

❖ TRU-DEFENSE ELIGIBLE

\*\*DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com





## ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

### Aluminum Astragal ✦

Coastal option also available.



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"  
**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Grain Options:**  
Bronze  
White  
**Weatherstrip:**  
Bronze

Description	Application	Part #	Size
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/6
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS7SAAL	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS7SAAR	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	8/0

## END RAIL

Description	Part #	Size
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0
CC REPLACEMENT KERF END RAIL	RPCCER36SS	3/6
REPLACEMENT END RAIL	RPER36C	3/6
REPLACEMENT KERF ENDRAIL STEEL	RPER30C	3/0
SS REPLACEMENT KERF END RAIL	RPSSFCER30C	3/0

## WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

### Medium-Reach Weatherstrip ✦



Colors:  
Bronze  
White

### Long-Reach Weatherstrip ✦



Colors:  
Bronze  
White

Description	Part #	Size	Color
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze
WEATHERSTRIP SIDE SHORT REACH	WS8FB6	8/0	Bronze





**Boise Cascade**  
MILLWORK

## EXTERIOR HINGES


Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft  
Ball-Bearing Staggered  
Hole Pattern Hinge




Description	Finish	Part #	Size
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCSR5NRP-1H	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8"
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8"
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8"
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8"
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8"

Self-Aligning  
Ball-Bearing Hinge




Description	Finish	Part #	Size
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"

Self-Aligning  
Hinge



Description	Finish	Part #	Size
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"

Spring-Loaded  
Hinge



Description	Finish	Part #	Size
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"



**Boise Cascade**  
MILLWORK

millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com





## INTERIOR HINGES

We can special order anything and in any color – need another color/size? Just ask!



### 3.5" Radius Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME SI 3.5x3.5 5/8	Satin Chrome		5/8

### Ball Bearing

Description	Finish	Part #	Size
US15 SATIN NICKLE BALL BEARING HINGE SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS BALL BEARING SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME BALL BEARING SI 3.5x3.5 5/8	Satin Chrome		5/8

### Radius 4.0" Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME SI 4X4 5/8	Satin Chrome		5/8"

### Ball Bearing Radius 4.0" Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS BALL BEARING SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS BALL BEARING SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME BALL BEARING SI 4X4 5/8	Satin Chrome		5/8"

### Self Closing Hinge

Description	Finish	Part #	Size
SELF CLOSING US15 SATIN NICKLE RADIUS SC 4X4 5/8	Satin Nickel		5/8"
SELF CLOSING US10B OIL RUBBED BRONZE RADIUS SC 4X4 5/8	Oil-Rubbed Bronze		5/8"
SELF CLOSING US1D BLACK RADIUS SC 4X4 5/8	Black Nickel		5/8"
SELF CLOSING US26D SATIN CHROME RADIUS SC 4X4 5/8	Satin Chrome		5/8"

### NRP 4.0" Hinge

Description	Finish	Part #	Size
NRP US15 SATIN NICKLE RADIUS NRP 4X4 5/8	Satin Nickel		5/8"
NRP US10B OIL RUBBED BRONZE RADIUS NRP 4X4 5/8	Oil-Rubbed Bronze		5/8"
NRP US1D BLACK RADIUS NRP 4X4 5/8	Black Nickel		5/8"
NRP US26D SATIN CHROME RADIUS NRP 4X4 5/8	Satin Chrome		5/8"





# HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

### Available Handleset Finishes



### Grip Style Handlesets

#### Forte



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active

#### Prospect



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active

### Lever Style Handlesets

#### Heirloom



Description	Finish	Part #	Locking	Backplate
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide

#### Millennium



Backplates:  
Wide  
Narrow  
Locking:  
Active  
Inactive

Description	Finish	Part #	Locking	Backplate
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide

#### Venture



Description	Finish	Part #	Locking	Backplate
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide






Boise Cascade<sup>®</sup>  
MILLWORK

## HARDWARE

### Security Strike Plate


Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Finish	Part #
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Black Nickel	MS00SSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Brushed Nickel	MS00SSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Oil-Rubbed Bronze	MS00SSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Yellow Zinc	MS00SSPTD-1Z

## DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



Description	Part #	Width
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L4-1	1.6"
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L6-1	1.6"
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDLSLH-20	1.6"

## DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf



Classic Craft<sup>®</sup> Canvas 4-Block Dentil Shelf



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf  
(Pairs with 3'6" wide doors.)

Description	Part #	Size
FC DENTIL SHELF	DSB4BLK	26.2"
SS DENTIL SHELF	DSW4BLK	25.4"



Fiber-Classic<sup>®</sup> 4-Block Dentil Shelf\*



Smooth-Star<sup>®</sup> 4-Block Dentil Shelf\*



❖ TRU-DEFENSE ELIGIBLE

\* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.

THERMA TRU<sup>®</sup>  
DOORS



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com

11011 E 104th Ave, Suite 1000

Commerce City, CO 80640

720-653-3333

DenverMillwork@bc.com



Boise Cascade®  
MILLWORK

## DOUGLAS FIR EXTERIOR DOORS\*

All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**7002**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8",  
2'0", 2'6", 2'8",  
3'0" x 8'0"

**7701**  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"

**7002 Shaker**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8",  
2'0", 2'6", 2'8",  
3'0" x 8'0"

**7701 Shaker**  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"

**7501**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"

**7801**  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"

**37598**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"

**7002**  
WaterBarrier®  
with Low-E  
2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37506**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"

**37803**  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"

**37508**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"

**37804**  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"

**7044**  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"

**37444**  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"

**37944**  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"



**7130**  
DHRP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"

**37010**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8",  
2'6", 2'8",  
3'0" x 8'0"

**37010 Shaker**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8",  
2'6", 2'8",  
3'0" x 8'0"

**37010**  
WaterBarrier®  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"

**37010 Shaker**  
WaterBarrier®  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"

**9541**  
Dentil Shelf  
for 3'0" and 3'6" doors



## KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**7002**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8",  
2'0", 2'6", 2'8",  
3'0" x 8'0"

**37010**  
Low-E, SDL  
2'0", 2'6", 2'8",  
3'0" x 6'8",  
2'6", 2'8", 3'0" x 8'0"

**7501**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"

**7801**  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"

**7501**  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"

**37504**  
DHRP and  
Low-E, SDL  
3'0" x 6'8"  
3'0", 3'6" x 8'0"

**37802**  
DHRP and  
Low-E, SDL  
12", 14" x 6'8"  
12", 14" x 8'0"

**37504**  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



© Great NW Homes



**37504**  
DHRP and White  
Laminate IG, SDL  
3'0" x 6'8"  
3'0" x 8'0"

**37506**  
DHRP and  
Low-E, SDL  
3'0" x 6'8"  
3'0", 3'6" x 8'0"

**37803**  
DHRP and  
Low-E, SDL  
12", 14" x 6'8"  
12", 14" x 8'0"

**37506**  
DHRP and Seedy  
Baroque IG, SDL  
3'0" x 6'8"  
3'0" x 8'0"

**37508**  
DHRP and  
Low-E, SDL  
3'0" x 6'8"  
3'0", 3'6" x 8'0"

**37804**  
DHRP and  
Low-E, SDL  
12", 14" x 6'8"  
12", 14" x 8'0"

**37508**  
DHRP and Seedy  
Baroque IG, SDL  
3'0" x 6'8"  
3'0" x 8'0"

**36806**  
DHRP and  
Low-E, SDL  
3'0" x 6'8"  
3'0" x 8'0"

**36806 Shaker**  
FP and Low-E,  
SDL  
3'0" x 6'8"  
3'0" x 8'0"

**36806**  
DHRP and Seedy  
Baroque IG, SDL  
3'0" x 6'8"  
3'0" x 8'0"

**36806**  
DHRP and White  
Laminate IG, SDL  
3'0" x 6'8"  
3'0" x 8'0"

**36806 Shaker**  
FP and White  
Laminate IG, SDL  
3'0" x 6'8"  
3'0" x 8'0"

**6801 Shaker**  
Low-E, DHRP and  
Seedy Baroque  
IG  
3'0" x 6'8"  
3'0" x 8'0"

**9541**  
Dentil Shelf  
for 3'0" and 3'6" doors

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
FP = 3/4" FLAT PANEL  
IG = 3/4" INSULATED GLAZING  
SG = 1/8" SINGLE GLAZED

\* = TWO-THREE WEEK LEAD TIME

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com







SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



**Boise Cascade**  
MILLWORK

















## REDI-PRIME® INTERIOR DOORS

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.

						
<b>8720 Shaker</b> 3/8" FP 1'3", 1'4", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'4", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>89320 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>8782 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'4", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>89382 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>8730 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'4", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>89330 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	
						
<b>8760 Shaker</b> 3/8" FP 1'3", 1'4", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>89360 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>8755 Shaker</b> 3/8" FP 1'4", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'4", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>89355 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>89801 Shaker†</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"	<b>89812 Shaker†</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"	<b>89815 Shaker†</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"
						
<b>8001</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>8411</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>8010</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>8012</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"			
						
<b>8733 Shaker</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>8733 Shaker</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>8735 Shaker</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>8735 Shaker</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"			

## DOUGLAS FIR INTERIOR DOORS

All Douglas Fir interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.

						
<b>782 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9382 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	<b>730 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9330 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	<b>755 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>9355 Shaker</b> 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	
						
<b>55†</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9255†</b> 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8"	<b>1501†</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1643 Shaker†</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1643 Shaker†</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1645 Shaker</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1645 Shaker</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"
						
<b>66</b> 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9266</b> 2'8", 3'0" x 6'8"					

† = TWO WEEK LEAD TIME  
SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com



SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



**Boise Cascade**  
MILLWORK

## KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.  
Fire-rated doors are stocked 1-3/4" thick.



**720 Shaker**  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9320 Shaker**  
1-3/4" Fire-  
Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**782 Shaker**  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9382 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**730 Shaker**  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9330 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**760 Shaker**  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9360 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**755 Shaker**  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9355 Shaker**  
1-3/4" Fire-  
Rated 3/4" FP  
2'8", 3'0" x 6'8"



**82**  
3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9282**  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**82**  
V-Groove 3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9282**  
1-3/4" Fire-Rated  
V-Groove 1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**7282**  
1-3/4"  
1-7/16" RP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"



**7282**  
1-3/4"  
V-Groove 1-7/16" RP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"



**465**  
3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9265**  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**465**  
V-Groove 3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8", 16",  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**9265**  
1-3/4" Fire-Rated  
V-Groove 1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**7465**  
1-3/4"  
1-7/16" RP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"



**7465**  
1-3/4"  
V-Groove 1-7/16" RP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"

## KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.  
Fire-rated doors are stocked 1-3/4" thick.



**80801 Shaker**  
Full Plank  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0",  
3'0", 3'6" x 8'4"



**80812 Shaker**  
Z Pattern  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0",  
3'0", 3'6" x 8'4"



**80815 Shaker**  
K Pattern  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0",  
3'0", 3'6" x 8'4"



**1501**  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL

Stock status is subject to availability, please contact your  
Boise Cascade Millwork Representative with any questions.



**Boise Cascade**  
MILLWORK

millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com

**Simpson**  
Door Company




































SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade<sup>®</sup>  
MILLWORK

## PINE INTERIOR DOORS†

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application.

								
<b>720 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>70720 Shaker</b> 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	<b>782 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>70782 Shaker</b> 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	<b>760 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>70760 Shaker</b> 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	<b>755 Shaker</b> 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>70755 Shaker</b> 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	<b>82</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
								
<b>7282</b> 1-3/4" House-to- Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>82</b> V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7282</b> 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>465</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7465</b> 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>465</b> V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7465</b> 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>44</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>7344</b> 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8"
								
<b>66</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7130</b> 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>1501</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1501 Shaker</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1501</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1501 Shaker Quirk</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1590</b> Pantry 2'0", 2'4", 2'6" x 6'8"		
								
<b>1590 (8'0")</b> Pantry with 3/4" RP 2'0", 2'4", 2'6" x 8'0"	<b>1593</b> Laundry 2'8", 3'0" x 6'8"	<b>1593 (8'0")</b> Laundry with 3/4" RP 2'8", 3'0" x 8'0"	<b>1310</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1312 (8'0")</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1315</b> Clear SG 2'6", 2'8", 3'0" x 6'8"	<b>1318</b> Clear SG 2'6", 2'8", 3'0" x 8'0"	<b>1318</b> Clear SG 2'6", 2'8", 3'0" x 8'0"	

## KNOTTY PINE INTERIOR DOORS†

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application.



							
<b>1501</b> Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1501</b> White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1590</b> Pantry 2'0", 2'4", 2'6" x 6'8"					
							
<b>82</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7282</b> 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>82</b> V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7282</b> 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>465</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"			
							
<b>7465</b> 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>465</b> V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7465</b> 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>66</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>7130</b> 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>80801 Shaker Full Plank</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	<b>80812 Shaker Z Pattern</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	<b>80815 Shaker K Pattern</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"

† = TWO WEEK LEAD TIME

SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com

11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com

Simpson<sup>®</sup>  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR




**Boise Cascade**  
MILLWORK

## MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O

In Stock - •




### Molded Hollow Core 6'8" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

### Molded Hollow Core 8'0" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

## STICKING PROFILES



### Molded Solid Core 6'8" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

### Molded Solid Core 6'8" 1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'8" 20 min U1 Height	3'0" 20 min U1 Height
2 Panel Arch Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Square Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
5 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Arch V-Groove	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•

### Molded Solid Core 8'0" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

### Molded Solid Core 8'0" 1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'8" 20 min U1 Height	3'0" 20 min U1 Height
2 Panel Arch Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Square Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
5 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Arch V-Groove	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•



[millwork.bc.com](http://millwork.bc.com)  
 11011 E 104th Ave, Suite 1000  
 Commerce City, CO 80640  
 720-653-3333  
[DenverMillwork@bc.com](mailto:DenverMillwork@bc.com)







## MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O  
In Stock - •



Birch



Lauan



Primed Hardboard



Textured Primed

### Flush Hollow Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured Primed	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O

### Flush Solid Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

### Flush Solid Core 8'0"

1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O

### Flush Solid Core 6'8"

1-3/4"

20 min 20 min

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'8"	3'0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•

### Flush Solid Core 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O





## EXTERIOR FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

### Exterior Frames

Description	Primed	Knotty Alder	Douglas Fir
4-9/16" 6/8	•	•	•
4-9/16" 8/0	•	•	•
4-9/16" 2/8H	•	N/S	N/S
4-9/16" 3/0H	•	N/S	N/S
4-9/16" 6/0H	•	N/S	N/S
4-7/8" 6/8	•	•	N/S
4-7/8" 8/0	•	•	N/S
5-1/4" 6/8	•	N/S	N/S
5-1/4" 8/0	•	N/S	N/S
6-9/16" 6/8	•	•	•
6-9/16" 8/0	•	•	•
6-9/16" 2/8H	•	N/S	N/S
6-9/16" 3/0H	•	N/S	N/S
6-9/16" 6/0H	•	N/S	N/S
6-7/8" 6/8	•	•	N/S
6-7/8" 8/0	•	•	N/S
7-1/4" 6/8	•	•	N/S
7-1/4" 8/0	•	•	N/S
Mull Post 3-9/16" 6/8	•	•	•
Mull Post 3-9/16" 8/0	•	•	•
Mull Post 4-3/8" 6/8	•	•	•
Mull Post 4-3/8" 8/0	•	•	•
Mull Post 4-3/8" Wide 6/8	•	N/S	N/S
Mull Post 4-3/8" Wide 8/0	•	N/S	N/S
Radius Head 4-9/16" 5/4	N/S	N/S	N/S
Radius Head 4-9/16" 6/0	N/S	N/S	N/S
Radius Head 4-9/16" 3/0	N/S	N/S	N/S
Radius Head 4-9/16" 3/6	N/S	N/S	N/S
Radius Head 6-9/16" 5/4	N/S	N/S	N/S
Radius Head 6-9/16" 6/0	N/S	N/S	N/S
Radius Head 6-9/16" 3/0	N/S	N/S	N/S
Radius Head 6-9/16" 3/6	N/S	N/S	N/S
T-Astragal 1-3/4" W/S Kerf 6/8	N/S	•	•
T-Astragal 1-3/4" W/S Kerf 8/0	N/S	•	•
WM180 Brickmold 6/8	•	•	•
WM180 Brickmold 8/0	•	•	•
WM180 Brickmold 3/0H	•	N/S	N/S
WM180 Brickmold 2/8H	•	N/S	N/S



### Interior Jambs

Description	Primed	Knotty Alder	Douglas Fir
4-9/16" 6/8	•	•	•
4-9/16" 8/0	•	•	•
4-7/8" 6/8	•	•	N/S
4-7/8" 8/0	•	•	N/S
5-1/4" 6/8	•	N/S	N/S
5-1/4" 8/0	•	N/S	N/S
6-9/16" 6/8	•	•	•
6-9/16" 8/0	•	•	•
6-7/8" 6/8	•	•	N/S
6-7/8" 8/0	•	•	N/S
7-1/4" 6/8	•	•	N/S
7-1/4" 8/0	•	•	N/S
WM887 Stop 6/8	•	•	•
WM887 Stop 8/0	•	•	•
T-astragal 1-3/8" 6/8	•	N/S	N/S
T-astragal 1-3/8" 8/0	•	•	•
T-astragal 1-3/4" 8/0	N/S	•	•



Standard Flat Jamb  
with Applied Stop



Rabbet Jamb



Flat Jamb



[millwork.bc.com](http://millwork.bc.com)  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
[DenverMillwork@bc.com](mailto:DenverMillwork@bc.com)


Stock status is subject to availability, please contact your  
Boise Cascade Millwork Representative with any questions.





## MOULDINGS


### CASING-BULLNOSE



413  
11/16" X 3-1/4" X 17'



473  
9/16" X 2-1/4" X 17'



494  
1/2" X 3-1/4" X 17'

### BASE-BULLNOSE



433  
1/2" X 3-1/4" X 16'



603  
1/2" X 5" X 16'



803  
1/2" X 7-1/4" X 16'

### ANDERSEN




346  
9/16" X 2-1/4" X 17'

### COLONIAL



623  
1/2" X 3-1/4" X 16'

### 1X BOARDS



- |                              |                                |
|------------------------------|--------------------------------|
| 1X2<br>11/16" X 1-3/4" X 16' | 1X6<br>11/16" X 5-1/2" X 16'   |
| 1X3<br>11/16" X 2-1/2" X 17' | 1X8<br>11/16" X 7-1/4" X 16'   |
| 1X4<br>11/16" X 3-1/2" X 16' | 1X12<br>11/16" X 11-1/4" X 16' |

## BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL





**Boise Cascade**<sup>®</sup>  
MILLWORK

## ECLISSE POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712680**	1468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/4X6/8 BUILT UP PDF 4-5/8"
7712682	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/6X6/8 BUILT UP PDF 4-5/8"
7712684	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X6/8 BUILT UP PDF 4-5/8"
7712686	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X6/8 BUILT UP PDF 4-5/8"
7712688	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X6/8 BUILT UP PDF 4-5/8"
7712690	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X6/8 BUILT UP PDF 4-5/8"
7712692	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X6/8 BUILT UP PDF 4-5/8"
7712693**	4068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0 x 6/8 BUILT UP PDF 4-5/8"
7712694**	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X8/0 BUILT UP PDF 4-5/8"
7712696**	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X8/0 BUILT UP PDF 4-5/8"
7712698**	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X8/0 BUILT UP PDF 4-5/8"
7712700**	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X8/0 BUILT UP PDF 4-5/8"
7712702**	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X8/0 BUILT UP PDF 4-5/8"
7712706**	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0X8/0 BUILT UP PDF 4-5/8"
7712730**	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	1/6X6/8 BUILT UP PDF 6-5/8"
7712732**	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X6/8 BUILT UP PDF 6-5/8"
7712734**	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X6/8 BUILT UP PDF 6-5/8"
7712736**	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X6/8 BUILT UP PDF 6-5/8"
7712738**	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X6/8 BUILT UP PDF 6-5/8"
7712740**	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X6/8 BUILT UP PDF 6-5/8"
7712742**	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X8/0 BUILT UP PDF 6-5/8"
7712744**	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X8/0 BUILT UP PDF 6-5/8"
7712746**	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X8/0 BUILT UP PDF 6-5/8"
7712748**	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X8/0 BUILT UP PDF 6-5/8"
7712750**	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X8/0 BUILT UP PDF 6-5/8"
7712754**	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	4/0X8/0 BUILT UP PDF 6-5/8"

## ON SITE DOOR SHOP SERVICES

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it.. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.

### Our Custom Service Offerings:

- Lock Prep
- Cutouts
- SDLs
- Card Reader Prep
- Cut Down Services
- Bore Prep
- Hinge Prep
- Pet Doors
- Access Doors
- Hidden Hinge Prep
- Prefinish - Custom Paint & Stain,



millwork.bc.com  
11011 E 104th Ave, Suite 1000  
Commerce City, CO 80640  
720-653-3333  
DenverMillwork@bc.com