

**TRANSCEND THE  
THRESHOLD OF  
EXPECTATIONS**



**BOISE CASCADE MILLWORK  
TULSA**

9999 EAST 58TH STREET  
TULSA, OK 74146  
1-800-299-5768

[millwork.bc.com](http://millwork.bc.com)

Edition 3

**TULSA STOCK CATALOG**





**Boise Cascade**<sup>®</sup>  
MILLWORK

## TABLE OF CONTENTS

## PAGE #

Prisma Gard	
Prefinish	1
Paint	2
Therma Tru	
Classic Craft	3-5
Fiber Classic Oak	6
Fiber Classic Mahogany/Oak	7
Smooth Star	8-12
Steel Profiles/Traditions	13-14
Advanta Frame Deco Glass	15-16
Augustine Glass	17
Borrassa Glass	18
Axis	19
Internal Blinds	20
Reeded Glass	21
Satin Etch	22
Chord	23
Granite - Rainglass	24
Clear - LowE Glass	25
Glass with Grilles - Clear LowE	26
Jambs - Frames - Brickmould	27-28
Sills	29-31
Door Bottoms	32
Astragals - End Rail	33
Weatherstrip	34
Hinges	35-36
Handlesets	37-38
Hardware	39
Door & Lite Divider Bars	40
Accessories	41
Door Hanging Guide	42
Pre Hung Specs	43-44
Simulated Divider Lite Bars	45
Interior Door Prep	46
Simpson	
Mahogany Exteriors Doors	47-48
Western Hemlock Exteriors Doors	49-50
Knotty Alder Exteriors Doors	51
REDI-PRIME <sup>®</sup> Interior Doors	52-53
Western Hemlock Interior Doors	53-54
Knotty Alder Interior Doors	55-56
Pine Interior Doors	57
Knotty Pine Interior Doors	58
Steves	59-60
GM Wood Products	
Exterior Frames & Jambs	61
Interior Jambs	62
Penrod Barn Door Hardware	62
Attic Stairs	63
Pocket Door Frames	63

## DOORWAY TO EXCELLENCE: EXPLORE BOISE CASCADE<sup>®</sup> MILLWORK

Boise Cascade<sup>®</sup> Millwork, a leader in building materials and a division of Boise Cascade, transcends the threshold of conventional service. With over 60 years of experience in residential and commercial construction, we empower builders, contractors, developers, and homeowners through our expert millwork solutions. We operate in the nation's fastest-growing markets, we offer premium exterior and interior door solutions. If you can envision it, we will source or create it. At Boise Cascade Millwork, we don't just meet expectations; we go beyond, transforming vision into reality.

Only Boise Cascade Millwork leverages the unparalleled buying power and reach of Boise Cascade Building Materials Distribution to deliver the best value and access to challenging-to-find inventory. We understand that it's more than just a door; it's a partnership built on reliability with brands you and your customer's trust. Transcend the threshold of expectations at Boise Cascade Millwork—where surpassing your needs is our ultimate dedication.



Tulsa Millwork is adding additional truck routes to our service area in effort to better serve our customers!






Boise Cascade®  
MILLWORK

## PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.


### PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



### PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Durable Topcoat



Professional Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



Boise Cascade®  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

## PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

### PrismaGuard® Paint Options



SYMPHONY  
COLLECTION™

## Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



10 YEAR LIMITED WARRANTY  
TRANSFERABLE  
Classic Craft



10 YEAR LIMITED WARRANTY



Durable Topcoat



Professional Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.

THERMA-TRU®  
DOORS



Boise Cascade  
MILLWORK

## CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



## CLASSIC CRAFT®



1D = BLACK NICKEL CAMING  
1C = BRUSHED NICKEL CAMING  
SDL = SIMULATED DIVIDED LITES  
SDLF3 = SIMULATED DIVIDED LITES  
DDBF3 = DOOR DIVIDER BARS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com







**Boise Cascade**  
MILLWORK



## CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



## FIBER-CLASSIC® OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



1D = BLACK NICKEL CAMING  
1C = BRUSHED NICKEL CAMING  
SDL = SIMULATED DIVIDED LITES  
SDLF3 = SIMULATED DIVIDED LITES  
DDBF3 = DOOR DIVIDER BARS



millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com







Boise Cascade®  
MILLWORK

## FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



## SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel. Enliten Flush Glazed designs provide a simple profile with no added embellishments around the glass.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

THERMA TRU®  
DOORS






Boise Cascade®  
MILLWORK

## SMOOTH-STAR®

All doors are Flush Glazed designs.



## SMOOTH-STAR®

All doors are Flush Glazed designs.



Boise Cascade®  
MILLWORK


millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

THERMA TRU®  
DOORS






## SMOOTH-STAR®



## SMOOTH-STAR®







**Boise Cascade**  
MILLWORK

## STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



HD = HIGH DEFINITION  
TS = TRADITIONS STEEL



**Boise Cascade**  
MILLWORK

[millwork.bc.com](http://millwork.bc.com)  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
[tulsamillwork@bc.com](mailto:tulsamillwork@bc.com)

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

**THERMA TRU**  
DOORS





## ADVANTA LITE FRAME


A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



## CALIX

Glass Privacy Rating 1 10


Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.



## ECHELON

Glass Privacy Rating 1 10


Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.



## LATITUDE

Glass Privacy Rating 1 10

Bending tradition. Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.








Boise Cascade®  
MILLWORK

## AUGUSTINE®

Glass Privacy Rating 1 10


Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.



## BORRASSA®

Glass Privacy Rating 1 10

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.



Boise Cascade®  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

THERMA TRU®  
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

thermatru.com | 1-800-THERMA-TRU | 18





Boise Cascade<sup>®</sup>  
MILLWORK

# AXIS<sup>®</sup>

Glass Privacy Rating 1 7 10

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass bevels completes this linear design, ideal for Modern home styles.

### Caming Options



Black Nickel  
(1D)



# INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.

22 x 80	20 x 80	22 x 64	20 x 64	16 x 64	07 x 64
VBRFC-2280 VBRFC-2280-CE VBRSS-2280 VBRSS-2280-CE	VBRFC-2080 VBRFC-2080-CE VBRSS-2080 VBRSS-2080-CE	VBRFC-2264 VBRFC-2264-CE VBRSS-2264 VBRSS-2264-CE ADVANTA VBRMBK-2264 ADVANTA VBRMBK-2264-CE	VBRFC-2064 VBRFC-2064-CE VBRSS-2064 VBRSS-2064-CE	VBRSS-1664 VBRSS-1664-CE	VBRSS-0764 VBRSS-0764-CE
22 x 47	22 x 36	20 x 36			
VBRFC-2247 VBRFC-2247-CE VBRSS-2247 VBRSS-2247-CE ADVANTA VBRMBK-2247 ADVANTA VBRMBK-2247-CE	VBRFC-2236 VBRFC-2236-CE VBRSS-2236 ADVANTA VBRMBK-2236 ADVANTA VBRMBK-2236-CE	VBRFC-2036 VBRFC-2036-CE VBRSS-2036			

CE = LOW-E  
FC = BUFF  
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



THERMA TRU<sup>®</sup>  
DOORS



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com






Boise Cascade®  
MILLWORK

## REEDED




Glass Privacy Rating 1 7 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.



## SATIN ETCH

Advanta Lite Frames provides a seamless appearance on the frame.



FC = BUFF  
SS = SMOOTH  
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

THERMA TRU®  
DOORS

thermatru.com | 1-800-THERMA-TRU | 22





Boise Cascade<sup>®</sup>  
MILLWORK

## CHORD

Glass Privacy Rating 1 10


A vertical flowing pattern reminiscent of waves on the water. Advanta Lite Frames provides a seamless appearance on the frame.




22 x 64



XCSS2264  
XCFC2264



22 x 47



21 x 15



XCSS2115  
XCFC2115




## GRANITE

Glass Privacy Rating 1 10

A coarse-grained arrangement with surface detail over the entirety of the glass. Advanta Lite Frames provides a seamless appearance on the frame.




22 x 64



22 x 47



XNSS2247  
XNFC2247



21 x 15



XNSS2115



## RAINGLASS


22 x 64



22 x 47



XESS2247  
ADVANTA XRMBK2247



21 x 15



FC = BUFF  
SS = SMOOTH  
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com



Boise Cascade<sup>®</sup>  
MILLWORK

THERMA TRU<sup>®</sup>  
DOORS

thermatru.com | 1-800-THERMA-TRU | 24





## CLEAR GLASS

 DL818 DL818E DLFC-2280-CE	 DL8084N DL818EN DL818N DLFC-2080-CE	 DLFC-2264 DLFC-2264-CE DLSS-2264 DLSS-2264-CE ADVANTA DLMBK-2264 ADVANTA DLMBK-2264-CE	 DLFC-2064-CE DLSS-2064	 DLSS-1664-E	 DLFC-0764 DLFC-0764-CE DLFC-0764-E DLSS-0764 DLSS-0764-CE	 DL2247 DLFC2247 DLFC-2247-CE DLSS-2247-CE ADVANTA DLMBK-2247 ADVANTA DLMBK-2247-CE



## GRILLES

 DLSSG-2264-CE-3W5H DWSS-2264-3W5HF1W DWSS-2264-CE-3W5HF1W	 DWSS-0764-CE-1W5H	 DLSSG-2236-3W3H DLSSG-2236-CE-3W3H DWSS-2236-3W3HF1W DWSS-2236-CE-3W3HF1W	 DLSSG-0836-1W3H



CE = LOW-E  
FC = BUFF  
SS = SMOOTH  
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

THERMA TRU®  
DOORS





**Boise Cascade**  
MILLWORK

## FRAMES

### Composite Frames



Description	Material	Part #	Size
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG*	6/8 4-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG*	6/8 4-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG*	6/8 4-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG*	6/8 4-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG*	8/0 4-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG*	8/0 4-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG*	8/0 4-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG*	8/0 4-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG*	6/8 6-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG*	6/8 6-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG*	6/8 6-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG*	6/8 6-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG*	8/0 6-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG*	8/0 6-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG*	8/0 6-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG*	8/0 6-9/16
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B*	3/0 4-9/16 U1
JAMB COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B*	9/0 4-9/16 U1
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B*	3/0 6-9/16 U1
JAMB COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B*	9/0 6-9/16 U1
JAMB COMPOSITE GRAINED RAW TRIPLE W/ MULL BK SKID JCGN490WMU1B JCGN490WMU1B-S	Composite	JCGN490WMU1B*	9/0 4-9/16 U1
JAMB COMPOSITE GRAINED RAW TRIPLE W/ MULL BK JCGN690WMU1B JCGN690WMU1B-S	Composite	JCGN690WMU1B*	9/0 6-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN430U1B JCGN430U1B-S	Composite	JCGN430U1B*	3/0 4-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN630U1B JCGN630U1B-S	Composite	JCGN630U1B*	3/0 6-9/16 U1

### Other Frames

Description	Material	Part #	Size
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1

## FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Part #	Size
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB	JPCSN
JAMB PLUG INSTALLATION SCREWS	JAMB	JPSCREW
JAMB PLUG INSTALLATION TOOL	JAMB	JPTOOL



## COMPOSITE ENTRY MULLION



2" Entry Narrow   
 2-1/2" Entry Wide

Description	Material	Part #	Size
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2 1/2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2 1/2"

## COMPOSITE PATIO MULLION



2" Patio Narrow

Description	Material	Part #	Size
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2 1/2"

## COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0

## BRICKMOULD



2" Brickmould WM180

Description	Application	Material	Part #	Size
BRICKMOULD COMPOSITE SMOOTH RAW IS SKID	Inswing	Composite	BMCSNI30U1	3/0 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSNIB90WBK	9/0
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL80H	8/0
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR80H	8/0

### Additional Brickmould:

Description	Material	Part #	Size
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH30U1A	3/0 U1
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH36U1A	3/6 U1
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.

\*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.



**Boise Cascade**  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

**THERMA-TRU**  
DOORS

thermatru.com | 1-800-THERMA-TRU |





# SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

### Sill Finishes




Mill



Bronze

### Cap Colors



Darkwood



Lightwood

### Inswing Composite Adjustable Sill



- Composite Adjustable Sill (Premium)**
- Thick wood-grained composite cap and nosing.
  - U-shaped weather seal.
  - Adjustable flush stainless steel screws.
- Continuous length with spread mullion capability to fill 49"-75" rough openings.\*

Description	Application	Part #	Size
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNML	5/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EF607UNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EF607UNML	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 2 1/4" SIDELITES MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EL30UD14NML	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE LINEAL MILL FINISH LIGHT WOOD CAP NO SCREEN RAIL	Inswing	ISL3AS5EN90UNML	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNBD*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNML*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNBD*	3/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNML*	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP	Inswing	ISL3AS5ES36UNBD	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES36UNML	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50ULNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD50ULNML	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50URNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD50URNML	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54ULNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD54ULNML	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54URNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD54URNML	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58ULNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD58ULNML	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58URNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD58URNML	5/8 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60ULNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD60ULNML	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60URNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD60URNML	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5PN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO LINEAL MILL FINISH LIGHT WOOD CAP W/ SCREEN RAIL	Inswing	ISL3AS5PN90UNML	9/0 5-3/4 U1

### Inswing Basic Composite Adjustable Sill (Economy)



- Basic Composite Adjustable Sill (Economy)**
- Wood-grained composite cap and nosing.
  - Adjustable zinc dichromate screws with removable screw caps.

Description	Application	Part #	Size
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE BRONZE DARK WOOD CAP	Inswing	ISL3BP5ES28UBD*	2/8 5-3/4 U1
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH DARK WOOD CAP	Inswing	ISL3BP5ES28UMD*	2/8 5-3/4 U1
IS SILL ECON-STANDARD NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH LIGHT WOOD CAP	Inswing	ISL3BP5ES28UML*	2/8 5-3/4 U1
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE BRONZE DARK WOOD CAP	Inswing	ISL3BP5ES30UBD*	3/0 5-3/4 U1
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH DARK WOOD CAP	Inswing	ISL3BP5ES30UMD*	3/0 5-3/4 U1
IS SILL ECON-STANDARD NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH LIGHT WOOD CAP	Inswing	ISL3BP5ES30UML*	3/0 5-3/4 U1

### Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Part #	Size
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE28USF5MDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE28USF5MLB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5MDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE30USF5MLB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE507USF5BDB	5/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE607USF5BDB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE607USF5MLB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP CONTINUOUS PATIO OS	Outswing	OSE60USF5MLB	6/0 5-3/4 U1

### Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1








Boise Cascade<sup>®</sup>  
MILLWORK

### Public Access Sill With or Without Thermal Break (For ADA Applications\*\*)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S430PATBU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S430PATU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S460PATBU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S460PATU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S630PATBU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S630PATU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S660PATBU1	6/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S660PATU1	6/0 6-9/16 U1


### Sill Pan (Recommended) ❖



- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Description	Part #	Size
SILL PAN MAX FRAME	TTSLPAN430	3/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN460	6/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN490	9/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN630	3/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN660	6/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN690	9/0 6-9/16

### Sill Covers (Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4

### Sill Extenders



Finishes:  
Darkwood (Premium)


Sizes:  
3/4"  
2"

Description	Finish	Part #	Size
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1

### DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

#### Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Color:  
Bronze

Description	Application	Part #	Size
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1

#### Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU300B	3/0 U1


#### Single Bulb Kerf-Applied Door Bottom for Basic Fixed, Moderate Climate Sills



Sills:  
Basic Fixed  
Color:  
Bronze

Description	Part #	Size
DOOR BOTTOM KERF	DB30316	35.81"

#### Inactive Door Bottoms for Composite Inswing Sills ❖



Sills:  
Composite Adjustable  
Hardwood Adjustable  
Color:  
Bronze

Description	Application	Part #	Size
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0

#### Additional Door Bottoms Available:

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6

❖ TRU-DEFENSE ELIGIBLE

\*\*DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com







**Boise Cascade**<sup>®</sup>  
MILLWORK

## ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

### Aluminum Astragal

Coastal option also available.



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"  
**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Grain Options:**  
Bronze  
White  
**Weatherstrip:**  
Bronze

Description	Application	Part #	Size
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/6
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS7SAAL	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS7SAAR	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	8/0

## END RAIL

Description	Part #	Size
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0
CC REPLACEMENT KERF END RAIL	RPCCER36SS	3/6
REPLACEMENT END RAIL	RPER36C	3/6
REPLACEMENT KERF ENDRAIL STEEL	RPER30C	3/0
SS REPLACEMENT KERF END RAIL	RPSSF30C	3/0

## WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

### Medium-Reach Weatherstrip



Colors:  
Bronze  
White

### Long-Reach Weatherstrip



Colors:  
Bronze  
White

Description	Part #	Size	Color
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze
WEATHERSTRIP SIDE SHORT REACH	WS8FB6	8/0	Bronze



**THERMA TRU**<sup>®</sup>  
DOORS

TRU-DEFENSE ELIGIBLE

thermatru.com | 1-800-THERMA-TRU |

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



**Boise Cascade**<sup>®</sup>  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com





## HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

### Classic Craft Ball-Bearing Staggered Hole Pattern Hinge




Description	Finish	Part #	Size
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCSR5NRP-1H	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8"
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8"
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8"
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8"
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8"

### Self-Aligning Ball-Bearing Hinge



Description	Finish	Part #	Size
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"

### Self-Aligning Hinge



Description	Finish	Part #	Size
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"

### Spring-Loaded Hinge



Description	Finish	Part #	Size
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"







# HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

### Available Handleset Finishes



### Grip Style Handlesets

#### Forte



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active

#### Prospect



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active

### Lever Style Handlesets

#### Heirloom



Description	Finish	Part #	Locking	Backplate
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide

#### Millennium



Backplates:  
Wide  
Narrow  
Locking:  
Active  
Inactive

Description	Finish	Part #	Locking	Backplate
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide

#### Venture



Description	Finish	Part #	Locking	Backplate
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide








# HARDWARE

## Security Strike Plate

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-1Y
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MS00SSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MS00SSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil-Rubbed Bronze	MS00SSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MS00SSPTD-1Y
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil-Rubbed Bronze	MPMSBASIS3-1H
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil-Rubbed Bronze	MPMSBOSIS-1H
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJJSSP-1D
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJJSSP
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJJSSP-1C
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJJSSP-1H
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Black Nickel	MPGSGTCS-1D
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Brushed Nickel	MPGSGTCS-1C
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Oil-Rubbed Bronze	MPGSGTCS-1H
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil-Rubbed Bronze	MPMARTS-1H

## Storm Door Adaptor

6-9/16" Base Adaptor



Description	Part #	Size
LONG STORM DOOR ADAPTOR	BACSN680L	8/0 6-9/16

## Rain Protection

Helps repel moisture away from areas exposed to wind-driven moisture infiltration enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.




**Rain Deflector**  
(Inswing):  
Colors:  
Bronze  
White

Description	Part #	Size	Color
RAIN DEFLECTOR BRONZE	HPRD30UB	3/0 U1	Bronze
RAIN DEFLECTOR WHITE	HPRD30UW	3/0 U1	White

## DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



Description	Part #	Width
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L4-1	1.6"
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L6-1	1.6"
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDLH-20	1.6"








## ACCESSORIES

### SPEAKEASY'S

Iron


Item	Description
809029001	Hand Forged Iron with Glass
809029008	Heavy Duty Metal with Seedy Glass



### Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes Pyramid and round clavos as well as strap hinges.

Description	Part #	Size
CLAVOS SQUARE BLACK	CLVSBL100SAB20	1"
CLAVOS SQUARE BLACK	CLVSBL125SAB20	1-1/4"
CLAVOS ROUND BLACK	CLVSBL100RAB20	1"
CLAVOS ROUND BLACK	CLVSBL125RAB20	1-1/4"
STRAP HINGE BLACK	STRPHSD183	18"




### Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf



Classic Craft<sup>®</sup> Canvas 4-Block Dentil Shelf



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf  
(Pairs with 3/8" wide doors.)

Description	Part #	Size
FC DENTIL SHELF	DSB4BLK	26.2"
SS DENTIL SHELF	DSW4BLK	25.4"



Fiber-Classic<sup>®</sup> 4-Block Dentil Shelf\*




Smooth-Star<sup>®</sup> 4-Block Dentil Shelf\*




## HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



\*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

### Recommended Specs For Best Results and Warranty.

1. Therma-Tru<sup>®</sup> Tru-Guard<sup>™</sup> full composite frame and brickmould with hidden fastener system with lifetime warranty
2. Therma-Tru<sup>®</sup> Bronze door sweep and Tru-Defense<sup>®</sup> adjustable sill with stainless steel adjustment screws
3. Therma-Tru<sup>®</sup> 7-shape corner seal pads (inswing systems only)
4. 4x4 Ball-bearing hinges
5. Adjustable security strike plate on each bore
6. Sill cover to protect still finish during construction
7. Sill pan under sill to protect from water intrusion

\*Other variables may apply that adds or reduces this list, depending on customer specifications



\* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.

F = Fixed Panel  
A = Astragal  
L = Left Hand  
R = Right Hand





## PRE-HUNG FEATURES

Standard Boise Cascade Pre-hung features include:

Inswing, Fiberglass Slab, Double Bore, 4-9/16" Primed Duraframe Frame and Brickmould (Rot-Free; limited lifetime warranty), 4x4 Brushed Nickel Ball Bearing Radius/Square Hinges, Composite Cap Adjustable Mill Sill, Compression Bronze Weatherstrip, Bronze Sweep, Transport Clip, Longer Installation screws to go into stud, Corner Seal Pads, installation instructions.

### Inswing Door Systems

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 15/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 15/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 15/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 15/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 15/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 15/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 15/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
	4'8"	58 1/2" x 81 13/16"	59 1/4" x 82 5/16"	61" x 83 1/16"
	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

### Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/(1) 10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/(1) 12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/(1) 14" SIDELITE	3'0"	52 1/2" x 81 13/16"	53 1/4" x 82 5/16"	55" x 83 1/16"
W/(2) 10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/(2) 12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"
W/(2) 14" SIDELITE	3'0"	67 1/2" x 81 13/16"	68 1/4" x 82 5/16"	70" x 83 1/16"

#### Lock Preparation:

2-3/8" Backset, 2-1/8" face bore, 2-1/4" edge prep. Standard passage bore is 44" from top of the door to center of the bore for 6'8" doors and 60" from top of the door to center of bore for 8' doors. Dead Bolt spacing is 5-1/2" center to center.

### Outswing Door Systems

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28 1/2" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32 1/2" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34 1/2" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36 1/2" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38 1/2" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40 1/2" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46 1/2" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
	4'8"	58 1/2" x 81 3/16"	59 1/4" x 81 11/16"	61 1/2" x 82 11/16"
	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

### Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/(1) 10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/(1) 12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/(1) 14" SIDELITE	3'0"	52 1/2" x 81 3/16"	53 1/4" x 81 11/16"	55 1/2" x 82 11/16"
W/(2) 10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/(2) 12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"
W/(2) 14" SIDELITE	3'0"	67 1/2" x 81 3/16"	68 1/4" x 81 11/16"	70 1/2" x 82 11/16"

### Slab Sizes

Description	Size	Actual Size
FIBER-CLASSIC, SMOOTH-STAR AND STEEL	2'0"	23 13/16"
	2'4"	27 13/16"
	2'6"	29 13/16"
	2'8"	31 13/16"
	2'10"	33 13/16"
	3'0"	35 13/16"
CLASSIC-CRAFT	3'0"	35 3/4"

### Retro Door Systems

Description	Size	Actual Size (Inswing)	Actual Size (Outswing)
RETRO DOUBLE DOOR	4'8"	58 3/16" X 79 1/4"	58 3/16" X 78 5/8"
	5'8"	70 3/16" X 79 1/4"	70 3/16" X 78 5/8"
RETRO PATIO DOOR	4'8"	58 1/2" X 79 1/4"	59" X 78 5/8"
	5'8"	70 1/2" X 79 1/4"	71" X 78 5/8"

### Standard Hinge Prep

Door Slab	1st Hinge	2nd Hinge	3rd Hinge	4th Hinge
6/8	8 1/4"	38"	67 3/4"	N/A
8/0	8 1/4"	33 1/4"	58 3/4"	83 3/4"

#### Important Additional Information:

- For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
- 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- Half round transoms are half the size of the actual unit width, add accordingly.
- For units with public access sills, subtract 13/16" from inswing height.







## SIMULATED DEVIDED LITES (SDL)

For our Therma-Tru doors we stock:

Wood grained or smooth SDL bars that are adhered to the panes of the tempered glass with unlimited designs and layouts. They can be stained or painted any color to complement the door and home. Lineal bars widths are: 1 1/8", 3 1/2", and 5 1/2".


We also carry lineal 7/8" bars for wood doors in Knotty Alder, Hemlock, and Okume (Mahogany).

### SDL Bar Options



## INTERIOR DOOR PREP

Hinge: Top of door to top of hinge



### Slab Dementions

Height	Width
79 1/2" Steve's Molded	Full Width
80" Simpson	Full Width

House to Garage Slabs (20min) will be U4 Exterior Spec Steve's & Simpson

Height	Width
79 1/4"	-3/16" from full width

Dead Bolt: 38-1/2" Top Door to Center Bore  
Handle Set: 44" Top Door to Center Bore  
Standard 2 3/8" backset

### Slab Dementions

Height	Width
95-1/2" Steve's Molded	Full Width
96" Simpson	Full Width

House to Garage Slabs (20min) will be U4 Exterior Spec Steve's & Simpson

Height	Width
95 1/4"	-3/16" from full width

Dead Bolt: 54-1/2" Top Door to Center Bore  
Handle Set: 60" Top Door to Center Bore  
Standard 2 3/8" backset

## STOCK DOOR SPECS

### Steve's Doors

Hollow Core	Stiles	Rails	Width	Height	Bevel/Sides	Lock Blocks
Molded 1-3/8"	Fiber (FW)	Fiber (FW)	Full	- 1/2"	BBS	2 LB
Hardboard 1-3/8"	Fiber (FW)	Fiber (FW)	Full	- 1/2"	BIS	1 LB
Hardboard 1-3/4"	Fiber (FW)	Fiber (FW)	-3/16"	-3/4"	SQ	1 LB

### Simpson Doors

	Stiles	Rails	Width	Height
Interior	Wood	Wood	Full	Full
Exterior	Wood	Wood	Full	Full

Solid Core	Stiles	Rails	Width	Height	Bevel/Sides	Lock Blocks	Fire Rated
Molded 1-3/8"	FJ	FJ	Full	- 1/2"	BBS	SC	
Molded 1-3/4"	FJ	FJ	- 3/16"	- 3/4"	SQ	SC	20 Min
Hardboard 1-3/8"	FJ	FJ	Full	- 1/2"	BIS	SC	







Boise Cascade®  
MILLWORK

## MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
FP = 3/4" FLAT PANEL  
IG = 3/4" INSULATED GLAZING  
SG = 1/8" SINGLE GLAZED  
★ - Two week lead time. In stock in Dallas.



millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com



SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR





Boise Cascade®  
MILLWORK

## WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**7031**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**37435**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**37035**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**7044**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**37444**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**37944**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**6801**  
DHRP and Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0" ★



**6175** ★  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37134**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**7130** ★  
DHRP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**37598** ★  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37504** ★  
DHRP and Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**37802** ★  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37508** ★  
DHRP and Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**37804** ★  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37506** ★  
DHRP and Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**37803** ★  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"

## WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**7002 Shaker** ★  
Clear IG  
2'0", 2'6", 2'8",  
3'0" x 6'8"



**7701 Shaker** ★  
Clear IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002 Shaker** ★  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**7701 Shaker** ★  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002** ★  
ADA Compliant  
Low-E  
3'0" x 6'8"  
3'0" x 7'0"  
3'0" x 8'0"




**7037** ★  
Low-E  
3'0" x 6'8"




**7344** ★  
DHRP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"




**9541** ★  
Dentil Shelf  
for 3'0" and 3'6" doors



**37010 Shaker** ★  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37010** ★  
WaterBarrier®  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37010 Shaker** ★  
WaterBarrier®  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37015** ★  
Clear IG  
2'6", 2'8",  
3'0" x 6'8"



**7501** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**7501** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37504** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**7501** ★  
DHRP and Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**7801** ★  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002** ★  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**7701** ★  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37504** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37506** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37506** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37508** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37508** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker** ★  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"




**6175 Shaker** ★  
FP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**6801** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**7002** ★  
WaterBarrier®  
with Low-E  
2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37010** ★  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**7002** ★  
Clear IG  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**7701** ★  
Clear IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**6801 Shaker** ★  
FP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker** ★  
FP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**1510** ★  
Clear SG,  
No UltraBlock®  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1515** ★  
Clear SG,  
No UltraBlock®  
2'6", 2'8",  
3'0" x 6'8"



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING

★ - Two week lead time. In stock in Dallas.



Boise Cascade®  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

Simpson®  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR







Boise Cascade<sup>®</sup>  
MILLWORK


## KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock<sup>®</sup> technology and are stocked in the sizes noted.



## REDI-PRIME<sup>®</sup> INTERIOR DOORS

All Redi-Prime<sup>®</sup> interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
FP = 3/4" FLAT PANEL  
IG = 3/4" INSULATED GLAZING  
SG = 1/8" SINGLE GLAZED

★ - Two week lead time. In stock in Dallas.



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

Simpson<sup>®</sup>  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR





## REDI-PRIME<sup>®</sup> INTERIOR DOORS (CONTINUED)

All Redi-Prime<sup>®</sup> interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



**8012**  
Clear SG  
2'0", 2'4"★, 2'6",  
2'8"★, 3'0" x 8'0"



**8015**  
Clear SG  
2'4"★, 2'6", 2'8"★,  
3'0" x 6'8"



**8733 Shaker**  
Clear SG  
2'0", 2'4"★,  
2'6", 2'8"★, 3'0"  
x 6'8"



**8733 Shaker**  
White Laminate  
2'0", 2'4"★,  
2'6", 2'8"★, 3'0"  
x 6'8"



**8735 Shaker**  
Clear SG  
2'0", 2'4"★, 2'6",  
2'8"★, 3'0" x 6'8",  
2'0"★, 2'4"★, 2'6"★,  
2'8"★, 3'0"  
x 8'0"★



**8735 Shaker**  
White Laminate  
2'0", 2'4"★, 2'6",  
2'8"★, 3'0" x 6'8",  
2'0"★, 2'4"★,  
2'6"★, 2'8"★,  
3'0" x 8'0"★



**8018**★  
Clear SG  
2'6", 2'8",  
3'0" x 8'0"

## WESTERN HEMLOCK INTERIOR DOORS

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



**720 Shaker**★  
3/8" FP  
1'6", 2'0", 2'4",  
2'6", 2'8",  
3'0" x 6'8",  
1'6", 2'0", 2'4",  
2'6", 2'8",  
3'0" x 8'0"



**9320 Shaker**★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**782 Shaker**★  
3/8" FP  
1'6", 2'0", 2'4",  
2'6", 2'8", 3'0",  
x 6'8", 1'6", 2'0",  
2'4", 2'6", 2'8",  
3'0" x 8'0"



**9382 Shaker**★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**730 Shaker**★  
3/8" FP  
1'6", 2'0", 2'4",  
2'6", 2'8",  
3'0" x 6'8"



**9330 Shaker**★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**760 Shaker**★  
3/8" FP  
1'6", 2'0", 2'4",  
2'6", 2'8",  
3'0" x 6'8"



**755 Shaker**★  
3/8" FP  
1'6", 2'0", 2'4",  
2'6", 2'8",  
3'0" x 6'8",  
1'6", 2'0", 2'4",  
2'6", 2'8",  
3'0" x 8'0"



**9355 Shaker**★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"

## WESTERN HEMLOCK INTERIOR DOORS (CONTINUED)

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



**55**★  
3/4" RP  
1'6", 2'0", 2'4",  
2'6", 2'8",  
3'0" x 6'8"



**9255**★  
1-3/4" Fire-  
Rated 1-7/16"  
RP 2'8",  
3'0" x 6'8"



**1590**★  
Pantry  
2'0", 2'4",  
2'6" x 6'8"



**1590 (8'0')**★  
Pantry with  
3/4" RP  
2'0", 2'4",  
2'6" x 8'0"



**1593**★  
Laundry with  
3/4" RP  
2'8", 3'0" x 6'8"



**1310**★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1312**★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1315**★  
Clear SG  
2'6", 2'8",  
3'0" x 6'8"



**1318**★  
Clear SG  
2'6", 2'8",  
3'0" x 8'0"



**1643 Shaker**★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1643 Shaker**★  
White Laminate  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1645 Shaker**★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1645 Shaker**★  
White Laminate  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL

★ - Two week lead time. In stock in Dallas.







Boise Cascade<sup>®</sup>  
MILLWORK

## KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.  
Fire-rated doors are stocked 1-3/4" thick.












 <b>80815 Shaker</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"	 <b>1501</b> Clear SG 2'0", 2'4"★, 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4"★, 2'6", 2'8"★, 3'0" x 8'0"	 <b>720 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	 <b>9320 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	 <b>782 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
 <b>760 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	 <b>9360 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	 <b>755 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	 <b>9355 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	 <b>82</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"

 <b>465</b> 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	 <b>9265</b> 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	 <b>465</b> V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
 <b>9265</b> 1-3/4" Fire-Rated V-Groove 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	 <b>80801 Shaker</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"	 <b>80812 Shaker</b> Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"

 <b>9382 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	 <b>730 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	 <b>9330 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"
 <b>9282</b> ★ 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	 <b>82</b> ★ V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	 <b>9282</b> ★ 1-3/4" Fire-Rated V-Groove 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"

## KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.  
Fire-rated doors are stocked 1-3/4" thick.

 <b>7282</b> ★ 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	 <b>7282</b> ★ 1-3/4" V-Groove 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	 <b>7465</b> ★ 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	 <b>7465</b> ★ 1-3/4" V-Groove 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	 <b>1501 Shaker</b> ★ Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	 <b>1501</b> ★ White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
 <b>1501 Shaker Quirk</b> ★ White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	 <b>1590</b> ★ Pantry 2'0", 2'4", 2'6" x 6'8"	 <b>1593</b> ★ Laundry with 3/4" RP 2'8", 3'0" x 6'8"			



SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL

★ - Two week lead time. In stock in Dallas.

**Simpson**<sup>®</sup>  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR






Boise Cascade<sup>®</sup>  
MILLWORK

## PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



**782 Shaker**  
3/8" FP  
16", 20", 24", 26", 28", 30" x 6'8"




**755 Shaker**  
3/8" FP  
16", 20", 24", 26", 28", 30" x 6'8"



**66**  
3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**1501**  
Clear SG  
20", 24", 26", 28", 30" x 6'8"



**1310**  
Clear SG  
20", 24", 26", 28", 30" x 6'8"



**1315**  
Clear SG  
26", 28", 30" x 6'8"



**720 Shaker** ★  
3/8" FP  
16", 20", 24", 26", 28", 30" x 6'8"



**760 Shaker** ★  
3/8" FP  
16", 20", 24", 26", 28", 30" x 6'8"



**82** ★  
3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**82** ★  
V-Groove 3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**465** ★  
3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**465** ★  
V-Groove 3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**44** ★  
3/4" RP  
20", 24", 26", 28", 30" x 6'8"



**1501 Shaker** ★  
Clear SG  
20", 24", 26", 28", 30" x 6'8"



**1501** ★  
White Laminate  
20", 24", 26", 28", 30" x 6'8"  
20", 24", 26", 28", 30" x 8'0"



**1501 Shaker Quirk** ★  
White Laminate  
20", 24", 26", 28", 30" x 6'8"



**1590** ★  
Pantry  
20", 24", 26" x 6'8"




**1590 (8'0")** ★  
Pantry with 3/4" RP  
20", 24", 26", x 8'0"




**1593** ★  
Laundry  
28", 30" x 6'8"



**1593 (8'0")** ★  
Laundry with 3/4" RP  
28", 30" x 8'0"



**1312 (8'0")** ★  
Clear SG  
20", 24", 26", 28", 30" x 8'0"



**1318** ★  
Clear SG  
26", 28", 30" x 8'0"

## KNOTTY PINE INTERIOR DOORS

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



**1501** ★  
Clear SG  
20", 24", 26", 28", 30" x 6'8"  
20", 24", 26", 28", 30" x 8'0"



**1501** ★  
White Laminate  
20", 24", 26", 28", 30" x 6'8"  
20", 24", 26", 28", 30" x 8'0"



**1590** ★  
Pantry  
20", 24", 26" x 6'8"



**82** ★  
3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**82** ★  
V-Groove 3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**465** ★  
3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**465** ★  
V-Groove 3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**66** ★  
3/4" RP  
16", 20", 24", 26", 28", 30" x 6'8"  
16", 20", 24", 26", 28", 30" x 8'0"



**80801 Shaker** ★  
Barn Door w/ V-Groove  
30", 36" x 70"  
30", 36" x 84"



**80812 Shaker** ★  
Barn Door w/ V-Groove  
30", 36" x 70"  
30", 36" x 84"



**80815 Shaker** ★  
Barn Door w/ V-Groove  
30", 36" x 70"  
30", 36" x 84"

SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL

★ - Two week lead time. In stock in Dallas.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com  
9999 East 58th Street  
Tulsa, OK 74146  
1-800-299-5768  
tulsamillwork@bc.com

Simpson<sup>®</sup>  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



## MOLDED AND FLUSH INTERIOR DOORS

Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted to match any decor.



**Carrara**  
HC & SC 6/8 & 8/0



**Caiman**  
HC 6/8 & 8/0



**Rockport**  
HC & SC 6/8 & 8/0



**Colonist**  
Textured HC 6/8



**Classique** ★  
Textured HC 6/8



**Santa Fe**  
HC & SC 6/8 & 8/0

— BEAD & COVE —

— OVOLO —



**Madison**  
HC & SC 6/8 & 8/0



**Monroe**  
HC & SC 6/8 & 8/0



**Birkdale**  
HC & SC 6/8 & 8/0



**Craftsman**  
HC & SC 6/8



**Conmore**  
HC & SC 6/8



**Hardboard**  
1-3/8" HC-Primed  
2/0, 2/4, 2/6, 2/8, 3/0  
1-3/4" SC-Primed  
2/0, 2/4, 2/6, 2/8, 3/0

— SHAKER SQUARE —

— DOUBLE  
SMOOTH STEP —



## MOLDED AND FLUSH INTERIOR DOORS (CONTINUED)

Available Door Options	Sizes Available
STANDARD DOORS	1/6, 2/0, 2/4, 2/6, 2/8 & 3/0
- Bead & Cove and Ovolo	1/8 x 6/8
BI-FOLD DOORS - 6-Panel, Carrara, Rockport, Santa Fe, Madison, Monroe	4/0, 5/0, 6/0
Shaker: 1-3/4" thick, 6/8 & 8/0	2/0, 2/4, 2/6
20-MINUTE FIRE DOORS, 1-3/4" Thick	2/8 & 3/0


### STICKING PROFILES




Bead & Cove




Ovolo



Shaker



Double Smooth Step







## EXTERIOR FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

### Exterior Frames

Description	Primed	Duraframe	Hemlock	Okume	Kalder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'8"	•	•	•	•	N/S
6-9/16"-8'0"	•	•	•	•	N/S
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Hinge RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	•	N/S
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17'	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8"	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0"	•	N/S	N/S	N/S	N/S



### Interior Jambs

Description	Fingerjoint	Primed	Solid	Veneer	Knotty Alder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-3'0"	•	N/S	•	N/S	•
4-9/16"-6'0"	•	N/S	•	N/S	N/S
6-9/16"-6'8"	•	•	•	N/S	N/S
6-9/16"-8'0"	•	•	•	N/S	N/S
6-9/16"-3'0"	•	•	•	N/S	N/S
6-9/16"-6'0"	•	•	•	N/S	N/S



Standard Flat Jamb  
with Applied Stop



Rabbet Jamb



Flat Jamb

## PENROD BARN DOOR HARDWARE



Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK





## ATTIC STAIRS

Item	Size	Description	Part Number
0804285	22-1/2"x54"	ATLAS 250# RATING	A2254
0804262	22-1/2"x54"	ATLAS FIRE TRTD 250# RATING	A2254FT
0804286	25-1/2"x54"	ATLAS 250# RATING	A2554
0804289	25-1/2"x54"	ATLAS TREATED 250# RATING	A2554FT
0804307	25-1/2"x54"	ATLAS R3 250# RATING	A2554R3
0804311	25-1/2"x54"	ATLAS R10 250# RATING	A2554R10
0804297	25-1/2"x54"	SUPERIOR FIRE TREATED 300# RATING	S2554FT
0804294	30"x54"	SUPERIOR 300# RATING	S3054
0804807	30"x54"	SUPERIOR FIRE TREATED 300# RATING	S3054FT
0804812	30"x54"	SUPERIOR R10 300# RATING	S3054R10
0804341	30"x60"x8'-9"	SUPERIOR 300# RATING	S306089
0804360	30"x60"x8'-9"	SUPERIOR 300LB FIRE TREATED	S300FT
0804327	30"x60"x10'-9"	SUPERIOR PLUS 350# RATING	SP3060109
0804569	25-1/2" X54" X8'-9"	TITAN ALUM 375# RATING ES	T100ES
0804727	30"x63"x12'	TITAN ALUM 375# RATING ES	T3012ES

## POCKET DOOR FRAMES

Item	Size	Description
<b>Accessories</b>		
7712085		200LB BB 3 WHEEL POCKET DOOR HDW BAG
7712090		POCKET DOOR CONVERGING KIT 15555PPK3
7712120	200#	POCKET DOOR SOFT CLOSE PDF HARDWARE
<b>Trimable Pocket Doors</b>		
7712175	3068	POCKET DOOR FRAME COMPACT
7712176	3080	POCKET DOOR FRAME COMPACT
<b>Combinable Frame &amp; Headers</b> <i>Requires two part purchase</i>		
7712168	2/0	POCKET DOOR HEADER ONLY
7712169	2/4	POCKET DOOR HEADER ONLY
7712170	2/6	POCKET DOOR HEADER ONLY
7712171	2/8	POCKET DOOR HEADER ONLY
7712173	6/8	POCKET DOOR FRAME / NEED HEADER ADDED
7712174	8/0	POCKET DOOR FRAME / NEED HEADER ADDED



[millwork.bc.com](http://millwork.bc.com)  
 9999 East 58th Street  
 Tulsa, OK 74146  
 1-800-299-5768  
[tulsamillwork@bc.com](mailto:tulsamillwork@bc.com)



## YOUR TRUSTED PARTNER IN MILLWORK

Boise Cascade Millwork is known for its efficient lead times, delivering quality products that exceed industry expectations. The millwork sector, noted for intricate craftsmanship, demands timely delivery for construction and renovation projects. Boise Cascade Millwork excels by streamlining production and logistics, ensuring their products, from doors to moldings, reach clients quickly. This reliability makes them a preferred partner in the competitive millwork market.

