



Boise Cascade®
MILLWORK



Boise Cascade®
MILLWORK

HOUSTON MILLWORK



millwork.bc.com

500 Industrial Blvd
Suite 100
Sugar Land, TX 77478
833-504-1606



Boise Cascade®

WHY BOISE CASCADE MILLWORK?

Boise Cascade® Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



Boise Cascade®
MILLWORK



TABLE OF CONTENTS

PAGE

PrismaGuard® Preenish	1
PrismaGuard® Premium Paint	2
Therma-Tru Doors	
Classic Craft Mahogany Common Arch	3
Classic Craft®	4-7
Fiber-Classic® Oak	8
Fiber-Classic® Mahogany/Oak	9
Smooth-Star®	10-13
Steel-Profiles™/Traditions	14
Advanta Lite Frame	15
Glass	
Privacy Satin	15
Texas Star	16
Calix	17
Echelon	18
Latitude	18
Homeward™	19
Lucerna®	19
Borrassa®	20
Augustine®	21
Saratoga™	22
Riserva®	23
Pembridge™	24
Axis®	25
Internal Blinds	26
Reeded	27
Satin Etch	28
Chord	29
Granite	30
Clear	31
Grilles	32
Impact Glass	33-34
Divided Lites	35
Frames	36-37
Fasteners Setting Tool & Screw Plug Covers	37
Cove Mould	38
Brickmould	38
Mullions	39
Composite Mull Casing	40
Sills	41-43
Door Bottoms	44-45
Astragals	45-46
Endrail	47
Weatherstrip	48
Hinges	48-51
Handlesets	52-53
Speakeasy's	53
Hardware	54-55
Door & Lite Divider Bars	55
Accessories	56
Simpson Doors	
Mahogany Exterior	57-58
Western Hemlock Exterior	59-60
Knotty Alder Exterior	61
Redi-Prime® Interior	62-63
Western Hemlock Interior	63-64
Knotty Alder Interior	65-66
Pine Interior	67
Knotty Pine Interior	68
Steve's	
Molded and Flush Interior Doors	69-72
Marwin Stairs	73
Marwin Pocket Door Frames	74
Eclisse Pocket Door Frames	74
Exterior Frames and Jambs	75-76
Mouldings	77
Barn Door Hardware	78
Kwikset	78
Composite Door Frame	79
Frames	80
Capabilities	81
Boise Cascade Millwork Makeover	82
Multi-Point Locking Systems	83
Handing	84
Pre-Hung Features	85-86
Hinge Locations	87
On Site Door Shop Service	88



Boise Cascade®
MILLWORK

PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.


PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED
WARRANTY



Durable
Topcoat



Professional
Application

PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Boise Cascade®
MILLWORK

SYMPHONY
COLLECTION™

Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.



Boise Cascade®
MILLWORK

millwork.bc.com


500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

THERMA-TRU
DOORS



Boise Cascade
MILLWORK

CLASSIC CRAFT MAHOGANY COMMON ARCH



CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



Boise Cascade
MILLWORK

millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

† = THREE WEEK LEAD TIME
SDLF6 = SIMULATED DIVIDED LITES

SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES

THERMA TRU
DOORS

thermatru.com | 1-800-THERMA-TRU |



Boise Cascade®
MILLWORK

CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



CCA211-1D
Homeward
Glass
3'0" x 6'8"



CCA8211-1D
Homeward
Glass
3'0" x 8'0"



CCA210-LE
Low-E Glass
3'0" x 6'8"



CCA8210-LE
Low-E Glass
3'0" x 8'0"



CCA220-SDLLE
Low-E Glass
3'0" x 6'8"



CCA8220-SDLLE
Low-E Glass
3'0" x 8'0"



CCA1100
3'0" x 6'8"



CCA81100
3'0" x 8'0"



CCA4905-DDBF3
3'0" x 6'8"



CCA84905-DDBF3
3'0" x 8'0"



CCA4915L-DDBF3
3'0" x 6'8"



CCA84915L-DDBF3
3'0" x 8'0"



CCA230-SDLLE
Low-E Glass
3'0" x 6'8"



CCA8230-SDLLE
Low-E Glass
3'0" x 8'0"



CCA240-SDLLE
Low-E Glass
3'0" x 6'8"



CCA8240-SDLLE
Low-E Glass
3'0" x 8'0"



CCA260-SDLLE
Low-E Glass
3'0" x 6'8"



CCA8260-SDLLE
Low-E Glass
3'0" x 8'0"



CCA4915R-DDBF3
3'0" x 6'8"



CCA84915R-DDBF3
3'0" x 8'0"



CCA87100-LE
Low-E Glass
3'6" x 8'0"



CCA87200-SDLLE
Low-E Glass
3'6" x 8'0"



CCA87300-SDLLE
Low-E Glass
3'6" x 8'0"



CCA87400-SDLLE
Low-E Glass
3'6" x 8'0"



CCA87600-SDLLE
Low-E Glass
3'6" x 8'0"



Boise Cascade®
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

1D = BLACK NICKEL CAMING
1C = BRUSHED NICKEL CAMING
SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
DDBF3 = DOOR DIVIDER BARS


THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU | 6



CLASSIC CRAFT[®] (CONTINUED)

Choose from our many door selections to complement the architectural style of the home. Choose from premium fiberglass entryways in four wood grains or a smooth paintable surface that all rival custom wood.



FIBER-CLASSIC[®] OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.






Boise Cascade[®]
MILLWORK


FIBER-CLASSIC[®] MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



SMOOTH-STAR[®]

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Boise Cascade[®]
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606


Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

THERMA TRU[®]
DOORS




SMOOTH-STAR[®]

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.




SMOOTH-STAR[®]





Boise Cascade
MILLWORK

SMOOTH-STAR®



STEEL - PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

THERMA TRU
DOORS


thermatru.com | 1-800-THERMA-TRU | 14



Boise Cascade[®]
MILLWORK


ADVANTA LITE FRAME

A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



PRIVACY SATIN

Glass Privacy Rating 1 10






TEXAS STAR

Glass Privacy Rating 1 5

Beautifully crafted with clear bevels, curved bevels, clear waterglass, granite glass, glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

Coming Options



FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

THERMA TRU[®]
DOORS


thermatru.com | 1-800-THERMA-TRU |



CALIX

Glass Privacy Rating **1**


Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.



ECHELON

Glass Privacy Rating **1**



Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.



LATITUDE

Glass Privacy Rating **2**

Bending tradition. Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.






Boise Cascade
MILLWORK

HOMeward™

Glass Privacy Rating 1 **4** 10

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive clear bevels, seeded glass and gray artique glass. An ideal complement for a Transitional home design.

25 x 51



HWCCR2551-1D

25 x 42



HWCCR2542-1D
HWCCR2542-1C




Caming Options



Black Nickel (1D)



Brushed Nickel (1C)




LUCERNA®

Glass Privacy Rating 1 **7** 10


Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of curved, diamond and rectangular bevels surrounded by smooth, swirling barn wood and heavily textured diamond border glass.

25 x 51



LCCCR2551-1C
LCCCR2551-1D

25 x 42



LCCCR2542-1C
LCCCR2542-1D




Caming Options



Black Nickel (1D)



Brushed Nickel (1C)



BORRASSA®

Glass Privacy Rating 1 **10**


A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Caming Options




Wrought Iron

25 x 51



BACCW2551-KC-1W†

25 x 51 Arched



BACCW2551A-KC-1W†

25 x 42




BACCW2542-KC-1W†

25 x 42 Arched



BACCW2542A-KC-1W



† = THREE WEEK LEAD TIME
PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU
DOORS

thermatru.com | 1-800-THERMA-TRU | 20



Boise Cascade
MILLWORK

millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606



Boise Cascade®
MILLWORK

AUGUSTINE®

Glass Privacy Rating 1 10

Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.

Caming Options




Wrought Iron

25 x 51



AGCCW2551-NC-1W



25 x 51 Arched



AG2551A-1W*



25 x 42



AGCCW2542-NC-1W



25 x 42 Arched



AG2542A-1W*



SARATOGA™

Glass Privacy Rating 1 10

Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reed glass and caming. The geometric pattern bridges both modern and traditional designs.

22 x 64




SGFC2264-1C
SGFC2264-1D



22 x 47



SGFC2247-1C
SGFC2247-1D



Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)



Boise Cascade®
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU | 22



Boise Cascade®
MILLWORK

RISERVA®

Glass Privacy Rating 1 10

Riserva combines oceanic glass with linear and curved wrought iron elements to create a simple yet elegant design. A perfect way to let natural light in while achieving ultimate privacy.

Caming Options



Wrought Iron



22 x 64



RSFC2264-PC-1W

22 x 47





RSFC2247-PC-1W

22 x 36



RSMBK2236-PC-1W




PEMBRIDGE™

Glass Privacy Rating 1 7 10

Simplistic in its design, Pembridge features a field of hammered glass framed by gray baroque glass and multifaceted bevels. A central diamond shape adds a decorative touch.

Caming Options



Black Nickel (1D)




Brushed Nickel (1C)

22 x 64




PBFC2264-1C
PBFC2264-1D



22 x 47



PBFC2247-1C
PBFC2247-1D



millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU | 24



Boise Cascade
MILLWORK

AXIS®


Glass Privacy Rating 1 7 10

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass bevels completes this linear design, ideal for Modern home styles.

Caming Options




Black Nickel
(1D)



INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.



CE = LOW-E
FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU
DOORS

thermatru.com | 1-800-THERMA-TRU | 26




millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606




REEDED

Glass Privacy Rating 1 **7** 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.



SATIN ETCH



FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.






CHORD

Glass Privacy Rating 1 10


A vertical flowing pattern reminiscent of waves on the water.



GRANITE

Glass Privacy Rating 1 10

A coarse-grained arrangement with surface detail over the entirety of the glass.






























FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

























PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



CLEAR GLASS


22 x 80 	20 x 80 	07 x 80 	22 x 64 	20 x 64 
DL818 DL818E DLFC-2280-CE DL8084	DL8084N DL818EN DL818N DLFC-2080-CE	DLFC-0780 DLFC-0780-CE DLSS-0780	DLSS-0780-CE DLSSZ-0780-A DLSSZ-0780-ACE	DLFC-2264 DLFC-2264-CE DLSS-2264 DLSS-2264-CE
				
16 x 64 	07 x 64 	22 x 47 	08 x 47 	22 x 36 
DLFC-1664-E	DLFC-0764 DLFC-0764-CE DLFC-0764-E DLFCZ-0764 DLFCZ-0764-CE	DLSS-0764 DLSS-0764-CE DLSSZ-0764 DLSSZ-0764-CE	DL2247 DLFC2247 DLFC-2247-CE DLSS-2247-CE	DLFC-0847-CE DLFC0847 DLJS-0847-CE
				
08 x 36 	21 x 15 	22 x 10 	08 x 06 	
DLSS-0836 DLSS-0836-CE	DLFC-2115-CE DLFCZ-2115-ACE DLSS-2115-CE DLSSZ-2115-ACE	DLSS-2210R	DLFC-0806-CE DLFCZ-0806-CE DLSS-0806 DLSSZ-0806-CE DLSSZ-0806 DLFCZ-0806	
				

GRILLES

22 x 80 	20 x 80 	22 x 64 	22 x 64 	20 x 64 	07 x 64 
DL808 DL808E	DL808N	DLSSG-2264-3W5H DLSSG-2264-CE-3W5H DWSS-2264-3W5HF1W DWSS-2264-CE-3W5HF1W	DLSSG-2264-2W5H	DLSSG-2064-3W5H DWSS-2064-3W5HF1W DWSS-2064-CE-3W5HF1W	DLSSG-0764-1W5H DLSSG-0764-CE-1W5H
					
22 x 36 	20 x 36 	08 x 36 	22 x 10 	22 x 10 	22 x 06 
DLSSG-2236-3W3H DLSSG-2236-CE-3W3H DWSS-2236-3W3HF1W DWSS-2236-CE-3W3HF1W	DLSSG-2036-3W3H DWSS-2036-3W3HF1W DWSS-2036-CE-3W3HF1W	DLSSG-0836-1W3H	DLFCG-2210R-4R DLFCG-2210R-CE-4R DLSSG-2210R-4R	DLSSG-2210A-11PR	DLSSG-2206-4W1H
					

CE = LOW-E
FC = BUFF
SS = SMOOTH
Z = FLAT FRAME


PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



Let in more coastal light.

Enjoy the clean style and increased daylight opening of full-lite EnLiten™ flush-glazed glass, now engineered to withstand extreme weather conditions.* Available with privacy and textured, energy-efficient Low-E and a wide selection of simulated divided lite styles.

AVAILABLE SDL PATTERNS



<p>22 x 36 22 x 36</p> <p>DL104H VBRH-2236-XEH-1 VBRH-2236-XCH-1</p>	<p>22 x 47 22 x 47</p> <p>DL2247H VBRH-2247-XCH-1 VBRH-2247-XEH-1</p>	<p>20 x 64 20 x 64</p> <p>DL118NH DL118ENH VBRH-2064-XCH-1 VBRH-2064-XEH-1</p>
<p>22 x 64 22 x 64</p> <p>DL118H DL118EH VBRH-2264-XCH-1 VBRH-2264-XEH-1</p>	<p>20 x 80 20 x 80</p> <p>DL818NH DL818ENH VBRH-2080-XCH-1 VBRH-2080-XEH-1</p>	<p>22 x 80 22 x 80</p> <p>DL818H DL818EH VBRH-2280-XCH-1 VBRH-2280-XEH-1</p>

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
Top: Smooth-Star, Clear Glass with SDLs, Doors – S1205, Finish – Arctic Ice



Boise Cascade[®]
MILLWORK

DIVIDED LITES

Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)




Fixed Grilles (FXG)



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



FRAMES

Composite Frames



4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Description	Material	Part #	Size	Item
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN430U1B	3/0 4-9/16 U1	803410271
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN490WMU1B	9/0 4-9/16 U1	803410272
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG	6/8 4-9/16	803410254
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG	6/8 4-9/16	803410255
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG	8/0 4-9/16	803410258
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG	8/0 4-9/16	803410259
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN530U1B	3/0 5-1/4 U1	803410273
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN590WMU1B	9/0 5-1/4 U1	803410274
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN5IL68HHSG	6/8 5-1/4	803410275
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN5IR68HHSG	6/8 5-1/4	803410277
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN5IL80HHSG	8/0 5-1/4	803410276
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN5IR80HHSG	8/0 5-1/4	803410278
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN630U1B	3/0 6-9/16 U1	803410279
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN690WMU1B	9/0 6-9/16 U1	803410280
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG	6/8 6-9/16	803410262
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG	6/8 6-9/16	803410263
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG	8/0 6-9/16	803410266
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG	8/0 6-9/16	803410267
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN730U1B	3/0 7-1/4 U1	803410307
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN790WMU1B	9/0 7-1/4 U1	803410308
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN7IL68HHSG	6/8 7-1/4	803410309
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN7IR68HHSG	6/8 7-1/4	803410311
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN7IL80HHSG	8/0 7-1/4	803410310
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN7IR80HHSG	8/0 7-1/4	803410312
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN430U1B	3/0 4-9/16 U1	803410249
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN490WMU1B	9/0 4-9/16 U1	803410294
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG	6/8 4-9/16	803410256
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG	6/8 4-9/16	803410257
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG	8/0 4-9/16	803410260
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG	8/0 4-9/16	803410261
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN530U1B	3/0 5-1/4 U1	803410315
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN590WMU1B	9/0 5-1/4 U1	803410270
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN5IL80HHSG	8/0 5-1/4	803410316
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN5IR80HHSG	8/0 5-1/4	803410317
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN630U1B	3/0 6-9/16 U1	803410297
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN690WMU1B	9/0 6-9/16 U1	803410295
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG	6/8 6-9/16	803410264
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG	6/8 6-9/16	803410264
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG	8/0 6-9/16	803410268
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG	8/0 6-9/16	803410269



Boise Cascade[®]
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

THERMA TRU[®]
DOORS



FRAMES

Composite Frames (cont.)

FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN730U1B	3/0 7-1/4 U1	803410313
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN790WMU1B	9/0 7-1/4 U1	803410314
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN71L68HHS	6/8 7-1/4	803410324
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN71R68HHS	6/8 7-1/4	803410326
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN71L80HHS	8/0 7-1/4	803410326
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN71R80HHS	8/0 7-1/4	803410327

Other Frames

Description	Material	Part #	Size	Item
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1	803470000
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1	803470002
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1	803470004
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1	803470006
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1	803470008
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1	803470014
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1	803470010
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1	803470012

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.



Description	Material	Part #	Item
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB PLUG	JPCSN	803560178
JAMB PLUG COMPOSITE GRAINED RAW	JAMB PLUG	JPCGN	803560177
JAMB PLUG INSTALLATION SCREWS	JAMB SCREWS	JPSCREW	803560179
JAMB PLUG INSTALLATION TOOL	JAMB TOOL	JPTOOL	803560180

COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size	Item
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCSN68LN	6/8	801080327
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCSN80LN	8/0	801080328
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCGN80LN	8/0	801080326

BRICKMOULD



2" Brickmould WM180

Description	Application	Material	Part #	Size	Item
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1	800700067
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI30U1	3/0 U1	800700068
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSNIB90WBK	9/0	800700065
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL68H	6/8	800700057
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR68H	6/8	800700058
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL80H	8/0	800700061
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR80H	8/0	800700062
BRICKMOULD COMPOSITE GRAINED RAW IS	Inswing	Composite	BMCGNI30U1	3/0 U1	800700094
BRICKMOULD COMPOSITE GRAINED RAW IS TPL W/MULL	Inswing	Composite	BMCGNIB90WBK	9/0	800700091
BRICKMOULD COMPOSITE GRAINED RAW IS LH HYBRID	Inswing	Composite	BMCGNIL68H	6/8	800700059
BRICKMOULD COMPOSITE GRAINED RAW IS RH HYBRID	Inswing	Composite	BMCGNIR68H	6/8	800700060
BRICKMOULD COMPOSITE GRAINED RAW IS LH HYBRID	Inswing	Composite	BMCGNIL80H	8/0	800700063
BRICKMOULD COMPOSITE GRAINED RAW IS RH HYBRID	Inswing	Composite	BMCGNIR80H	8/0	800700064

Additional Brickmould:

Description	Material	Part #	Size	Item
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH30U1A	3/0 U1	800700013
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH36U1A	3/6 U1	800700018
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1	800700014
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1	800700019





COMPOSITE ENTRY MULLION



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNENIB68HHSG	6/8	2"	804340032
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNENIB80HHSG	8/0	2"	804340026
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCSNEWIB68HHSG	6/8	2.5"	804340033
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCSNEWIB80HHSG	8/0	2.5"	804340034
MULL COMPOSITE GRAINED RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCGNENIB80HHSG	8/0	2"	804340027
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCGNEWIB80HHSG	8/0	2.5"	804340044

COMPOSITE PATIO MULLION



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNPNIB68HHSG	6/8	2"	808980372
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNPNIB80HHSG	8/0	2"	808980370
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HD/SILL	Composite	Outswing	MCSNPNOB68HHSG	6/8	2"	804340036
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HD/SILL	Composite	Outswing	MCSNPNOB80HHSG	8/0	2"	804340037
MULL COMPOSITE GRAINED RAW PATIO WIDE OS BLANK HD/SILL	Composite	Outswing	MCGNEWIB80HHSG	8/0	2.5"	804340048

Additional Entry Mullions:

Description	Material	Application	Part #	Size	Item
MULLION PINE PATIO IS HEAD/SILL PRIMED	Primed Pine	Inswing	MNPPI79280HSGN	80" RO	804470002

COMPOSITE MULL CASING



Description	Material	Application	Part #	Size	Width	Item
FC COMPOSITE SMOOTH RAW IS BLANK BK 1X4	Composite	Inswing	FCCSNIB30BK	3/4" X 3/0	3.5"	801930003
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK 1X4	Composite	Inswing	FCCSNIB90WBK	3/4" X 9/0	3.5"	801930006
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FCCSNIB68B	3/4" X 6/8	3.5"	801930004
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FCCSNIB680B	3/4" X 8/0	3.5"	801930005
FC COMPOSITE SMOOTH RAW IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB30BK	1" X 3/0	3.5"	801920042
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK 1X4	Composite	Inswing	FC1CSNIB90WBK	1" X 9/0	3.5"	808980328
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB68B	1" X 6/8	3.5"	801920043
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB680B	1" X 8/0	3.5"	801920044
FLAT CASING COMPOSITE GRAINED RAW IS BLANK TRIPLE WIDE MULL	Composite	Inswing	FC1CGNIB90WBK	1" X 9/0	3.5"	808980329
FLAT CASING COMPOSITE GRAINED RAW STANDARD IS BLANK BK	Composite	Inswing	FC1CGNIB68B	1" X 6/8	3.5"	801920046
FLAT CASING COMPOSITE GRAINED RAW STANDARD IS BLANK BK	Composite	Inswing	FC1CGNIB80B	1" X 8/0	3.5"	801920048



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.




Boise Cascade
MILLWORK


SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Cap Colors



Inswing Composite Adjustable Sill



- Composite Adjustable Sill (Premium)
- Thick wood-grained composite cap and nosing.
 - U-shaped weather seal.
 - Adjustable flush stainless steel screws.
 - Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES36UNBD	3/6 5-3/4 U1	803260263
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Bronze	Darkwood	ISL3AS5EN90UNBD	9/0 5-3/4 U1	803260224
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Mill	Darkwood	ISL3AS5EN90UNMD	9/0 5-3/4 U1	803260226
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES26UNMD	2/6 5-3/4 U1	803260241
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES36UNMD	3/6 5-3/4 U1	803260265
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES28UNBD	2/8 5-3/4 U1	803260247
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES28UNMD	2/8 5-3/4 U1	803260249
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES30UNBD	3/0 5-3/4 U1	803260255
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES30UNMD	3/0 5-3/4 U1	803260257
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS5EF607UNBD	6/0 5-3/4 U1	803260168
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS5EF607UNMD	6/0 5-3/4 U1	803260170
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Bronze	Darkwood	ISL3AS5EL30UD14NBD	3/0 5-3/4 U1	803260184
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Mill	Darkwood	ISL3AS5EL30UD14NMD	3/0 5-3/4 U1	803260186
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Bronze	Darkwood	ISL3AS5PD60ULNBD	6/0 5-3/4 U1	803260519
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Mill	Darkwood	ISL3AS5PD60ULNMD	6/0 5-3/4 U1	803260521
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Bronze	Darkwood	ISL3AS5PD60URNBD	6/0 5-3/4 U1	803260527
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Mill	Darkwood	ISL3AS5PD60URNMD	6/0 5-3/4 U1	803260529
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Bronze	Darkwood	ISL3AS5PN90UNBD	9/0 5-3/4 U1	803260551
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Mill	Darkwood	ISL3AS5PN90UNMD	9/0 5-3/4 U1	803260553
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS4EF607UNBD	6/0 4-9/16 U1	803260048
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS4EF607UNMD	6/0 4-9/16 U1	803260050
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES28UNBD	2/8 4-9/16 U1	803260096
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES28UNMD	2/8 4-9/16 U1	803260098
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES30UNBD	3/0 4-9/16 U1	803260104
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES30UNMD	3/0 4-9/16 U1	803260106


Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1	803261805
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1	803261804
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1	803261807
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1	803261808
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1	803261803
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1	803261798
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1	803261806
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1	803261799

- Wood-grained composite cap and nosing.
- Zinc dichromate screws with removable screw caps.



Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE36USF5BDB	3/6 5-3/4 U1	805140272
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE36USF5MDB	3/6 5-3/4 U1	805140274
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE50USF5MDB	5/0 5-3/4 U1	805140352
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE54USF5MDB	5/4 5-3/4 U1	805140400
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE90USF5MDB	9/0 5-3/4 U1	805140688
OS SILL W/ 2 1/2" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U12SF5MDB	3/0 5-3/4 U1	805140210
OS SILL W/ 2 1/4" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U14SF5MDB	3/0 5-3/4 U1	805140218
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE28USF5BDB	2/8 5-3/4 U1	805140165
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE28USF5MDB	2/8 5-3/4 U1	805140167
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30USF5BDB	3/0 5-3/4 U1	805140224
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30USF5MDB	3/0 5-3/4 U1	805140226
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE26USF5BDB	2/6 5-3/4 U1	805140144
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE50USF5BDB	5/0 5-3/4 U1	805140350
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE54USF5BDB	5/4 5-3/4 U1	805140398
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE60USF5BDB	6/0 5-3/4 U1	805140526
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE90USF5BDB	9/0 5-3/4 U1	805140686
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE60USF5MDB	6/0 5-3/4 U1	805140528
TRU-DEFENSE OS SILL W/ 2 1/2" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U12SF5BDB	3/0 5-3/4 U1	805140208
TRU-DEFENSE OS SILL W/ 2 1/4" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U14SF5BDB	3/0 5-3/4 U1	805140216
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE607USF5BDB	6/0 5-3/4 U1	805140510
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE607USF5MDB	6/0 5-3/4 U1	805140512

Outswing Aluminum Sill Without Thermal Break



- Aluminum Sill with Thermal Break
- All-aluminum construction.
 - Integrated weatherstrip.

Description	Application	Sill Finish	Part #	Size	Item
OS NTB SILL BRONZE	Outswing	Bronze	BS260ABU1	2/6 4-9/16 U1	800770003
OS NTB SILL BRONZE	Outswing	Bronze	BS280ABU1	2/8 4-9/16 U1	800770007
OS NTB SILL BRONZE	Outswing	Bronze	BS300ABU1	3/0 4-9/16 U1	800770011
OS NTB SILL BRONZE	Outswing	Bronze	BS600ABU1	6/0 4-9/16 U1	800770027
OS NTB SILL MILL	Outswing	Mill	BS26096U1	2/6 4-9/16 U1	800770001
OS NTB SILL MILL	Outswing	Mill	BS28096U1	2/8 4-9/16 U1	800770005
OS NTB SILL MILL	Outswing	Mill	BS30096U1	3/0 4-9/16 U1	800770009
OS NTB SILL MILL	Outswing	Mill	BS60096U1	6/0 4-9/16 U1	800770025

TRU-DEFENSE ELIGIBLE

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

THERMA-TRU
DOORS



Boise Cascade[®]
MILLWORK


Public Access Sill With or Without Thermal Break
(For ADA Applications**)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size	Item
PUBLIC ACCESS SILL - MILL FINISH	S430PAU1	3/0 4-9/16 U1	806180007
PUBLIC ACCESS SILL - MILL FINISH	S460PAU1	6/0 4-9/16 U1	806180015
PUBLIC ACCESS SILL - MILL FINISH	S630PAU1	3/0 6-9/16 U1	806190007
PUBLIC ACCESS SILL - MILL FINISH	S660PAU1	6/0 6-9/16 U1	806190015
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S430PABU1	3/0 4-9/16 U1	806180002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S460PABU1	6/0 4-9/16 U1	806180010
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S630PABU1	3/0 6-9/16 U1	806190002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S660PABU1	6/0 6-9/16 U1	806190010

Sill Covers
(Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size	Item
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4	806800013
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4	806800002

Sill Extenders



Finishes:
Darkwood (Premium) Sizes:
3/4"
2"

Description	Finish	Part #	Size	Item
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72	806800037
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN90D	2"X108	806800041
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0	806261173
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1	806261207
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0	806261174
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1	806261208
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1	806261239
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1	806261240

Sill End Seal Pads

Description	Part #	Size	Item
IS SILL PAD SLANTED END	ISL3FSEALPAD-24	1-3/8"	808980348
TRU-DEFENSE END SEAL SILL PAD	MSISSEAL-TD3		804520079
TRU-DEFENSE OS END SEAL SILL PAD	MSOSSEAL-TD		804520086

DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1	801270086
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1	801270092
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1	801270088
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1	801270090
DOOR BOTTOM IS DP ACTIVE NOTCHED BRONZE	Inswing	DBDBU300NB	3/0 U1	801270091
DOOR BOTTOM SIDELITE IS DP ACTIVE NONOTCH BRONZE	Inswing	DBDB140B	14"	801270050

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0 U1	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6 U1	806040054

Kerf-Applied Door Bottoms for Composite Outswing Sills



Sills:
Composite Outswing
Aluminum
Coastal
Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB30OS99U	3/0 U1	801270034
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB36OS99U	3/6 U1	801270042

4 Fin Sweep Door Bottom for Public Access Sills



Sills:
Public Access
Color:
Bronze

Description	Part #	Size	Item
DOOR BOTTOM SWEEP	DB30USWP	3/0 U1	801270037
DOOR BOTTOM SWEEP	DB36USWP	3/6 U1	801270046

TRU-DEFENSE ELIGIBLE

**DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.

THERMA TRU
DOORS



Boise Cascade
MILLWORK


Inactive Door Bottoms for Outswing Aluminum Sills



Sills:
Composite Outswing
Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS INACTIVE BRONZE	Outswing	DBP30UTS	3/0	808980310


Inactive Door Bottoms for Composite Outswing Sills



Sills:
Composite Adjustable
Hardwood Adjustable
Color:
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOS140B	14"	806040076
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOSU300B	3/0 U1	806040089

Inactive Door Bottoms for Composite Inswing Sills



Sills:
Composite Adjustable
Hardwood Adjustable
Color:
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"	802090003
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0	802090007

Additional Door Bottoms Available:

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6	806040054

ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Stainable Astragal



Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Available:
Fir
Weatherstrip:
Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS0SABFL	6/8	800460016
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS8SABFL	6/8	800460098
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS0SABFR	8/0	800460017
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS8SABFR	6/8	800460099
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS0SABFL	6/6	800460177
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS8SABFL	6/8	800460257
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS0SABFR	8/0	800460178
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS8SABFR	6/8	800460258

Aluminum Astragal



Coastal option also available.

Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Bronze
White
Weatherstrip:
Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	6/8	800460010
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	7/0	800460052
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS8SAAL	8/0	800460092
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	6/6	800460137
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/8	800460012
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	7/0	800460053
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS8SAAR	8/0	800460094
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	6/6	800460138
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS0SAAL	6/8	800460172
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS8SAAL	8/0	800460253
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	6/6	800460293
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS0SAAR	6/8	800460173
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS8SAAR	8/0	800460254
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	6/6	800460294

Astragal Replacement Parts

Description	Part #	Size	Item
ASTRAGAL REPLACEMENT BOOT LH STANDARD	7ASTBOOTL450		800180000
ASTRAGAL REPLACEMENT BOOT RH STANDARD	7ASTBOOTR450		800180001
REPLACEMENT ALUMINUM ASTRAGAL HARDWARE PACKAGE	RPAHWB		806040006
REPLACEMENT ALUMINUM ASTRAGAL SPRING CLIP REP KIT	RPSPREPKIT		806040160
REPLACEMENT ASTRAGAL ALUMINUM TOP & OUTSWING BOOT 2/PK	RPTOPBT		806040198
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTL	17"	806040024
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTS	2-5/8"	806040026
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTLB	17"	806040025
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTSB	2-5/8"	806040027
REPLACEMENT CLOSURE STRIP WHITE	RPATRMW		806040023
REPLACEMENT SCREW BOLT RETAINER	RPAST5136016		806040019
REPLACEMENT SNAP-IN TRIM STRIP BRONZE	RPATRMB		806040022



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

THERMA TRU
DOORS



Boise Cascade
MILLWORK

END RAIL

Description	Part #	Size	Item
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0	806040042
CC REPLACEMENT KERF END RAIL	RPCCER30SS	3/0	806040043
CC REPLACEMENT KERF END RAIL	RPFGERT36C	3/6	806040044
REPLACEMENT END RAIL	RPER36C	3/6	806040215
SS REPLACEMENT KERF END RAIL	RPFGERT30C	3/0	806040214
CC END RAIL FOR FULL PLANK REV V	CCER30SSPLKREVV	3/0	800920027



WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Description	Part #	Size	Color	Item
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze	807830001
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze	807830004
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze	807950015
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze	807950006
WEATHERSTRIP SIDE LONG REACH	WS8FW	8/0	White	807950012
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze	807950018
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze	807950008
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FW7	8/0	White	807950014

EXTERNAL HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft
Ball-Bearing Staggered
Hole Pattern Hinge



Description	Finish	Part #	Size	Item
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8	802790079
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8	802790080
CC NRP HINGE BALL BEARING STAGGERED	Oil Rubbed Bronze	HGBCCSR5NRP-1H	5/8	802790081
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-1Y	5/8	802790082
CC NRP HINGE BALL BEARING STAGGERED	Polished Chrome	HGBCCSR5NRP-1P	5/8	802790112
CC NRP HINGE BALL BEARING STAGGERED	Stainless Steel	HGBCCSR5NRP-1S	5/8	802790113
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8	802790083
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8	802790084
CC HINGE BALL BEARING STAGGERED	Oil Rubbed Bronze	HGBCCR5S-1H	5/8	802790085
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-1Y	5/8	802790086
CC HINGE BALL BEARING STAGGERED	Polished Chrome	HGBCCR5S-1P	5/8	802790098
CC HINGE BALL BEARING STAGGERED	Stainless Steel	HGBCCR5S-1S	5/8	802790099



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

TRU-DEFENSE ELIGIBLE

THERMA TRU
DOORS

thermatru.com | 1-800-THERMA-TRU |




Self-Aligning
Ball-Bearing Hinge




Description	Finish	Part #	Size	Item
HINGE BALL BEARING RH	Brass Plated	HGBBR5-1A	5/8"	802790059
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"	802790060
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"	802790061
HINGE BALL BEARING RH	Oil Rubbed Bronze	HGBBR5-1H	5/8"	802790062
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"	802790067
HINGE BALL BEARING RH	Polished Chrome	HGBBR5-PC	5/8"	802790065
HINGE BALL BEARING RH	Stainless Steel	HGBBR5-SS	5/8"	802790066
HINGE BALL BEARING LH	Brass Plated	HGBBL5-1A	5/8"	802790050
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"	802790051
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"	802790052
HINGE BALL BEARING LH	Oil Rubbed Bronze	HGBBL5-1H	5/8"	802790053
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"	802790058
HINGE BALL BEARING LH	Polished Chrome	HGBBL5-PC	5/8"	802790056
HINGE BALL BEARING LH	Stainless Steel	HGBBL5-SS	5/8"	802790057

Self-Aligning
Hinge



Description	Finish	Part #	Size	Item
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"	802790010
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"	802790011
HINGE NRP BULK PACK	Oil Rubbed Bronze	HG58RP-1H-S	5/8"	802790012
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"	802790015
HINGE NRP BULK PACK	Polished Chrome	HG58RP-PC-S	5/8"	802790013
HINGE NRP BULK PACK	Stainless Steel	HG58RPSS-S	5/8"	802790014
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"	802790008
HINGE SELF-ALIGNING BULK PACK	Oil Rubbed Bronze	HG58-1H-S	5/8"	802790009
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"	802790027
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"	802790028
HINGE SELF-ALIGNING W/SECURITY TAB BULK PACK	Stainless Steel	HG58STSS-S	5/8"	802790028

Spring-Loaded
Hinge



Description	Finish	Part #	Size	Item
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"	802790016
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"	802790017
HINGE SPRING LOADED	Oil Rubbed Bronze	HG58SL-1H	5/8"	802790018
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"	802790022
HINGE SPRING LOADED	Polished Chrome	HG58SL-PC	5/8"	802790020
HINGE SPRING LOADED	Stainless Steel	HG58SL55	5/8"	802790021

INTERIOR HINGES



3.5" X 3.5" X 2.2MM 5/8"
RADIUS RESIDENTIAL

Description	Finish	Part #	Size	Item
SI 5/8" RAD 3.5" US3 POLISHED BRASS RESIDENTIAL	Polished Brass	HG35I583	5/8"	769050007
SI 5/8" RAD 3.5" US15 SATIN NICKEL RESIDENTIAL	Satin Nickel	HG35I5815	5/8"	769050003
SI 5/8" RAD 3.5" US10C COLONIAL BRONZE RESIDENTIAL	Colonial Bronze	HG35I5810C	5/8"	769050001
SI 5/8" RAD 3.5" US26D STN/BRSH CHROME RESIDENTIAL	Strn/Brsh Chrome	HG35I5826D	5/8"	769050325
SI 5/8" RAD 3.5" US1D BLACK RESIDENTIAL	Black Nickel	HG35I581D	5/8"	769050002
SI 5/8" RAD 3.5" USP PRIMED RESIDENTIAL	Primed	HG35I58P	5/8"	769050033
SI 5/8" RAD 3.5" US2 ZINC DICHROMATE RES	Zinc	HG35I582	5/8"	769050004

4" X 4" X 2.5MM 5/8"
RADIUS RESIDENTIAL

Description	Finish	Part #	Size	Item
SI 5/8" RAD 4" US3 POLISHED BRASS RESIDENTIAL	Polished Brass	HG4I583	5/8"	769050350
SI 5/8" RAD 4" US15 SATIN NICKEL RESIDENTIAL	Satin Nickel	HG4I5815	5/8"	769050354
SI 5/8" RAD 4" US10C COLONIAL BRONZE RESIDENTIAL	Colonial Bronze	HG4I5810C	5/8"	769050358
SI 5/8" RAD 4" US26D STN/BRSH CHROME RESIDENTIAL	Strn/Brsh Chrome	HG4I5826D	5/8"	769050360
SI 5/8" RAD 4" US1D BLACK RESIDENTIAL	Black Nickel	HG4I581D	5/8"	769050362
SI 5/8" RAD 4" USP PRIMED RESIDENTIAL	Primed	HG4I58P	5/8"	769050363





Boise Cascade[®]
MILLWORK

4" X 4" X 2.5MM 5/8"
RADIUS NRP RESIDENTIAL ❖

Description	Finish	Part #	Size	Item
SO 5/8" RAD 4" US3 NRP POLISHED BRASS RES	Polished Brass	HG4O583	5/8	769050401
SO 5/8" RAD 4" US15 NRP SATIN NICKEL RES	Satin Nickel	HG4O5815	5/8	769050405
SO 5/8" RAD 4" US10C NRP COLONIAL BRONZE RES	Colonial Bronze	HG4O5810C	5/8	769050409
SO 5/8" RAD 4" US26D NRP STN/BRSH CHROME RES	Stn/Brsh Chrome	HG4O5826D	5/8	769050411
SO 5/8" RAD 4" US1D NRP BLACK RES	Black Nickel	HG4O581D	5/8	769050413
SO 5/8" RAD 4" USP NRP PRIMED RES	Primed	HG4O58P	5/8	769050414

4" X 4" X 2.7MM 5/8" RADIUS
SELF-CLOSING (SPRING) HINGES ❖

Description	Finish	Part #	Size	Item
SI 5/8" RAD 4" US3 POLISHED BRASS SPRING	Polished Brass	HG4C583	5/8	769050497
SI 5/8" RAD 4" US15 SATIN NICKEL SPRING	Satin Nickel	HG4C5815	5/8	769050501
SI 5/8" RAD 4" US10C COLONIAL BRONZE SPRING	Colonial Bronze	HG4C5810C	5/8	769050505
SI 5/8" RAD 4" US26D STN/BRSH CHROME SPRING	Stn/Brsh Chrome	HG4C5826D	5/8	769050507
SI 5/8" RAD 4" US1D BLACK SPRING	Black Nickel	HG4C581D	5/8	769050509
SI 5/8" RAD 4" USP PRIMED	Primed	HG4C58P	5/8	769050510



HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available
Handleset
Finishes



Grip Style Handlesets

Forte



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active	804490291
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active	804490290
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active	804490273

Prospect



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active	804490274
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active	804490289
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active	804490288

Lever Style Handlesets

Heirloom



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET HEIRLOOM	Black Nickel	MPTS112374-1D	Active	Narrow	804490203
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide	804490210
HANDLESET HEIRLOOM	Brushed Nickel	MPTS112374-1C	Active	Narrow	804490202
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide	804490209
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS112374-1H	Active	Narrow	804490204
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide	804490211
HANDLESET HEIRLOOM	Black Nickel	DTS112374-1D	Inactive	Narrow	801480016
HANDLESET HEIRLOOM	Black Nickel	DTS1123965N-1D	Inactive	Wide	801480023
HANDLESET HEIRLOOM	Brushed Nickel	DTS112374-1C	Inactive	Narrow	801480015
HANDLESET HEIRLOOM	Brushed Nickel	DTS1123965N-1C	Inactive	Wide	801480022
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS112374-1H	Inactive	Narrow	801480017
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS1123965N-1H	Inactive	Wide	801480024

Note: Grip Style Handlesets and Lever Style Handlesets are not interchangeable.



Boise Cascade
MILLWORK

Millennium



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Description	Finish	Part #	Locking	Backplate	Item
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow	804490217
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide	804490224
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow	804490216
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide	804490223
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow	804490218
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide	804490225
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow	801480030
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide	801480037
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow	801480029
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide	801480036
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow	801480031
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide	801480038

Venture



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET VENTURE	Black Nickel	MPTS1020374-1D	Active	Narrow	804490189
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide	804490196
HANDLESET VENTURE	Brushed Nickel	MPTS1020374-1C	Active	Narrow	804490188
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide	804490195
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS1020374-1H	Active	Narrow	804490190
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide	804490197
HANDLESET VENTURE	Black Nickel	DTS1020374-1D	Inactive	Narrow	801480002
HANDLESET VENTURE	Black Nickel	DTS10203965N-1D	Inactive	Wide	801480009
HANDLESET VENTURE	Brushed Nickel	DTS1020374-1C	Inactive	Narrow	801480001
HANDLESET VENTURE	Brushed Nickel	DTS10203965N-1C	Inactive	Wide	801480008
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS1020374-1H	Inactive	Narrow	801480003
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS10203965N-1H	Inactive	Wide	801480010


SPEAKEASY'S

Mahogany & Grilles

Item	Description
809027821	Mahogany Speakeasy Clear IG
809027817	Standard Grille
809027815	Balfour Grille



Mahogany Speakeasy
Clear IG



Standard
Grille



Balfour
Grille

Iron

Item	Description
809029008	Standard Grille w/ Seedy Glass
809029011	Decorative Grille w/ Seedy Glass



Standard Grille
w/ Seedy Glass



Decorative Grille
w/ Seedy Glass

HARDWARE

Security Strike Plate

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #	Item
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D	804520044
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C	804520043
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H	804520045
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-YZ	804520050
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Stainless Steel	MSAJSSPTD-SS	804520049
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MSOOSPTD-1D	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MSOOSPTD-1C	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil Rubbed Bronze	MSOOSPTD-1H	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MSOOSPTD-YZ	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Polished Chrome	MSOOSPTD-PC	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Stainless Steel	MSOOSPTD-SS	804520014
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D	804490098
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C	804490097
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil Rubbed Bronze	MPMSBASIS3-1H	804490099
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brass	MPMSBOSIS-1A	804490113
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D	804490115
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C	804490114
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil Rubbed Bronze	MPMSBOSIS-1H	804490116
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJSSP	804420035
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPID	804420037
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSP-1C	804420036
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil Rubbed Bronze	MSAJSSP-1H	804420038
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Stainelss Steel	MSAJSSPSS	804420042
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Black Nickel	MPGSGTCS21-1D	804490295
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Brushed Nickel	MPGSGTCS21-1C	804490296
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Oil Rubbed Bronze	MPGSGTCS21-1H	804490294
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D	804490077
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C	804490076
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil Rubbed Bronze	MPMARTS-1H	804490078

Strike Plate Screws

Description	Finish	Part #	Item
SCREW PACKAGE A	Yellow Zinc	MSSCRPA	804520088
SCREW PACKAGE A	Black Nickel	MSSCRPA-1D	804520090
SCREW PACKAGE A	Brushed Nickel	MSSCRPA-1C	804520089



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.





Boise Cascade
MILLWORK

Rain Protection

Helps repel moisture away from areas exposed to wind-driven moisture infiltration enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.





Rain Deflector
(Inswing):
Colors:
Bronze
White



Description	Part #	Size	Color	Item
RAIN DEFLECTOR BRONZE	HPRD30UB	3/0 U1	Bronze	802900003
RAIN DEFLECTOR WHITE	HPRD30UW	3/0 U1	White	802900005



DOOR & LITE DIVIDER BARS



Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.




(40.64 mm / 1.6 in.)
Look for the () icon.

(107.95 mm / 4.25 in.)
Look for the () and () icons.

(139.70 mm / 5.5 in.)
Look for the () and () icons.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the () and () icons.

(40.64 mm / 1.6 in.)
Look for the () icon.

Classic Craft[®] Fir Grain

Classic Craft[®] Canvas

Description	Part #	Width	Item
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"	800920004
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"	800920011
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"	800920012
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"	800920016
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"	800920013
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"	800952277
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"	800952276

ACCESSORIES

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes Pyramid and round clavos as well as strap hinges.



Description	Part #	Size	Item
CLAVOS SQUARE BLACK	CLVSBL100SAB20	1"	801070001
CLAVOS SQUARE BLACK	CLVSBL125SAB20	1-1/4"	801070003
CLAVOS SQUARE BLACK	CLVSBL150SAB20	1-1/2"	801070004
CLAVOS ROUND BLACK	CLVSBL100RAB20	1"	801070000
CLAVOS ROUND BLACK	CLVSBL125RAB20	1-1/4"	801070002
CLAVOS ROUND BLACK	CLVSBL175RAB20	1-3/4"	801070005
STRAP HINGE BLACK	STRPHSD183	18"	806680005

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft[®] Fir Grain 4-Block Dentil Shelf



Fiber-Classic[®] 4-Block Dentil Shelf*



Classic Craft[®] Fir Grain 4-Block Dentil Shelf
(Pairs with 3'6" wide doors.)



Smooth-Star[®] 4-Block Dentil Shelf*



Classic Craft[®] Canvas 4-Block Dentil Shelf

Description	Part #	Size	Item
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"	800920007
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"	800920002
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"	800960459

Description	Part #	Size	Item
FC DENTIL SHELF	DSB4BLK	26.2"	801460175
SS DENTIL SHELF	DSW4BLK	25.4"	801460176

Corner Seal Pads

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft[®] 7-Shape Pads

Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access



Fiber-Classic[®] / Smooth-Star[®] 7-Shape Pads

Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access



Description	Part #	Color	Item
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE LH	CCCPPKLB	Bronze	800920020
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE RH	CCCPPKRB	Bronze	800920023
FC/SS TRU-DEFENSE CORNER SEAL PAD PACKAGE	CPPKB	Bronze	802120010

Transport Clips

Description	Part #	Item
TRANSPORT CLIP	MS00TPC	804520021

* TRU-DEFENSE ELIGIBLE

* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

THERMA TRU
DOORS

thermatru.com | 1-800-THERMA-TRU | 



MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



7002
Low-E
2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



7403 Shaker
Satin Etch IG
3'0" x 6'8"



7404 Shaker
Satin Etch IG
3'0" x 6'8"



7405 Shaker
Satin Etch IG
3'0" x 8'0"



7501
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



7801
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7501
DHRP and
Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7501
DHRP and
White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



9541
Dentil Shelf
for 3'0" doors



37504†
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



37802†
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37504
DHRP and
White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37506
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



37803†
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37506†
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



7504
DHRP and
Low-E Bevel
3'0" x 6'8"
3'0" x 8'0"



7802
DHRP and
Low-E Bevel
12", 14" x 6'8"
12", 14" x 8'0"



7506
DHRP and Low-E
Bevel
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7803
DHRP and
Low-E Bevel
12", 14" x 8'0"



37508
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



37804
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37508
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7506 Double Arch Top Unit
DHRP and Low-E Bevel
5'0" x 8'0"
5'4" x 8'0"
6'0" x 8'0"



37508*
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



6175
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



6801*
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



* = THREE WEEK LEAD TIME

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED

† = TWO WEEK LEAD TIME

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





WESTERN HEMLOCK EXTERIOR DOORS*

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



7002 Clear IG 2'0", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'6", 2'8", 3'0" x 8'0"	7701 Clear IG 12", 14" x 6'8", 12", 14" x 8'0"	7002 Shaker Clear IG 2'0", 2'6", 2'8", 3'0" x 6'8"	7701 Shaker Clear IG 12", 14" x 6'8", 12", 14" x 8'0"	7002 Low-E 2'0", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'6", 2'8", 3'0" x 8'0"	7701 Low-E 12", 14" x 6'8", 12", 14" x 8'0"	7002 Shaker Low-E 2'0", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'6", 2'8", 3'0" x 8'0"	7701 Shaker Low-E 12", 14" x 6'8", 12", 14" x 8'0"	7002 ADA Compliant Low-E 3'0" x 6'8", 3'0" x 7'0", 3'0" x 8'0"
--	--	--	---	---	---	--	--	--



7002 WaterBarrier [®] with Low-E 2'6", 2'8", 3'0" x 6'8", 2'6", 2'8", 3'0" x 8'0"	7037 Low-E 3'0" x 6'8"	37010 Low-E 2'0", 2'6", 2'8", 3'0" x 6'8", 2'6", 2'8", 3'0" x 8'0"	37010 Shaker Low-E 2'0", 2'6", 2'8", 3'0" x 6'8", 2'6", 2'8", 3'0" x 8'0"	37010 WaterBarrier [®] with Low-E 2'6", 2'8", 3'0" x 6'8", 2'6", 2'8", 3'0" x 8'0"	37010 Shaker WaterBarrier [®] with Low-E 2'6", 2'8", 3'0" x 6'8", 2'6", 2'8", 3'0" x 8'0"	37015 Clear IG 2'6", 2'8", 3'0" x 6'8"	7501 DHRP and Low-E 3'0" x 6'8", 3'0", 3'6" x 8'0"	7801 DHRP and Low-E 12", 14" x 6'8", 12", 14" x 8'0"
---	-------------------------------------	--	---	--	---	--	---	---



7501 DHRP and Seedy Baroque IG 3'0" x 6'8", 3'0" x 8'0"	7501 DHRP and White Laminate IG 3'0" x 6'8", 3'0" x 8'0"	37598 DHRP and Low-E 3'0" x 6'8", 3'0" x 8'0"
--	---	--

WESTERN HEMLOCK EXTERIOR DOORS* (CONTINUED)

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



37506 DHRP and Low-E 3'0" x 6'8", 3'0", 3'6" x 8'0"	37803 DHRP and Low-E 12", 14" x 6'8", 12", 14" x 8'0"	37506 DHRP and Seedy Baroque IG 3'0" x 6'8", 3'0" x 8'0"	37506 DHRP and White Laminate IG 3'0" x 6'8", 3'0" x 8'0"	37508 DHRP and Low-E 3'0" x 6'8", 3'0", 3'6" x 8'0"	37804 DHRP and Low-E 12", 14" x 6'8", 12", 14" x 8'0"	37508 DHRP and Seedy Baroque IG 3'0" x 6'8", 3'0" x 8'0"	9541 Dentil Shelf for 3'0" and 3'6" doors
--	--	--	---	--	--	---	--



37508 DHRP and White Laminate IG 3'0" x 6'8", 3'0" x 8'0"	7031 DHRP and Low-E 2'8", 3'0" x 6'8"	37435 DHRP and Low-E 2'8", 3'0" x 6'8"	37035 DHRP and Low-E 2'8", 3'0" x 6'8"	7044 DHRP and Low-E 2'8", 3'0" x 6'8"	37444 DHRP and Low-E 2'8", 3'0" x 6'8"	37944 DHRP and Low-E 2'8", 3'0" x 6'8"
--	--	--	--	---	--	--



6801 DHRP and Low-E 3'0" x 6'8", 3'0", 3'6" x 8'0"	6175 DHRP and Low-E 12", 14" x 6'8", 12", 14" x 8'0"	6801 Shaker FP and Low-E 3'0" x 6'8", 3'0" x 8'0"	6175 Shaker FP and Low-E 12", 14" x 6'8", 12", 14" x 8'0"	6801 DHRP and White Laminate IG 3'0" x 6'8", 3'0" x 8'0"	6801 Shaker FP and White Laminate IG 3'0" x 6'8", 3'0" x 8'0"	6801 DHRP and Seedy Baroque IG 3'0" x 6'8", 3'0" x 8'0"	6801 Shaker FP and Seedy Baroque IG 3'0" x 6'8", 3'0" x 8'0"
---	---	--	--	---	--	--	---



7132 DHRP and Low-E 2'8", 3'0" x 6'8"	37134 DHRP and Low-E 2'8", 3'0" x 6'8"	7344 DHRP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	7130 DHRP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	1510 Clear SG, No UltraBlock [®] 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	1515 Clear SG, No UltraBlock [®] 2'6", 2'8", 3'0" x 6'8"
--	--	--	--	--	--

* = THREE WEEK LEAD TIME

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING





Boise Cascade[®]
MILLWORK


KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



REDI-PRIME[®] INTERIOR DOORS

All Redi-Prime[®] interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED

† = THREE WEEK LEAD TIME
Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

Simpson[®]
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade
MILLWORK

REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



8012
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8015
Clear SG
2'4", 2'6", 2'8",
3'0" x 6'8"



8018
Clear SG
2'6", 2'8",
3'0" x 8'0"



8733 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8733 Shaker
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8735 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8735 Shaker
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"

WESTERN HEMLOCK INTERIOR DOORS (CONTINUED)

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



55†
3/4" RP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"



9255†
1-3/4" Fire-
Rated 1-7/16"
RP 2'8", 3'0"
x 6'8"



1501†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501†
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



**1501 Shaker
Quirk†**
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8" 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



1590
Pantry
2'0", 2'4", 2'6"
x 6'8"



1590 (8'0)†
Pantry with
3/4" RP
2'0", 2'4", 2'6",
2'6" x 8'0"



1593†
Laundry with
3/4" RP
2'8", 3'0" x 6'8"

WESTERN HEMLOCK INTERIOR DOORS

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



720 Shaker†
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"

9320 Shaker†
1-3/4" Fire-
Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"

782 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"

9382 Shaker
1-3/4" Fire-
Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"

730 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"

9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"

760 Shaker†
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"

9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"

755 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"

9355 Shaker
1-3/4" Fire-
Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



1310†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1312†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1315†
Clear SG
2'6", 2'8",
3'0" x 6'8"



1318†
Clear SG
2'6", 2'8",
3'0" x 8'0"



1643 Shaker†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1643 Shaker†
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



1645 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1645 Shaker
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"

† = THREE WEEK LEAD TIME
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL

Simpson
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade
MILLWORK

KNOTTY ALDER INTERIOR DOORS†

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



720 Shaker
3/8" FP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9320 Shaker
1-3/4" Fire-
Rated
3/4" FP
2'8", 3'0" x 6'8"



782 Shaker
3/8" FP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



730 Shaker
3/8" FP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



760 Shaker
3/8" FP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



755 Shaker
3/8" FP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9355 Shaker
1-3/4" Fire-
Rated 3/4" FP
2'8", 3'0" x 6'8"



82
3/4" RP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



82
V-Groove 3/4" RP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282
1-3/4" Fire-Rated
V-Groove 1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



7282
1-3/4"
1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7282
1-3/4"
V-Groove 1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



465
3/4" RP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



465
V-Groove 3/4" RP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8", 16",
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



9265
1-3/4" Fire-Rated
V-Groove 1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



7465
1-3/4"
1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7465
1-3/4"
V-Groove 1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8",
16", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"

KNOTTY ALDER INTERIOR DOORS† (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



80801 Shaker
Full Plank
Barn Door w/
V-Groove
3'0", 3'6" x 7'0",
3'0", 3'6" x 8'4"



80812 Shaker
Z Pattern
Barn Door w/
V-Groove
3'0", 3'6" x 7'0",
3'0", 3'6" x 8'4"



80815 Shaker
K Pattern
Barn Door w/
V-Groove
3'0", 3'6" x 7'0",
3'0", 3'6" x 8'4"



1501
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



1590
Pantry
2'0", 2'4", 2'6",
x 6'8"



1593
Laundry with
3/4" RP
2'8", 3'0" x 6'8"



† = THREE WEEK LEAD TIME

SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Simpson
Door Company













































SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade[®]
MILLWORK

PINE INTERIOR DOORS†

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.

								
720 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	70720 Shaker 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	782 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	70782 Shaker 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	760 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	70760 Shaker 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	755 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	70755 Shaker 1-3/4" House-to -Garage 3/4" FP 2'8", 3'0" x 6'8"	82 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
								
7282 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	82 V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7282 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	465 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7465 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	465 V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7465 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	44 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	7344 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8"
								
66 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7130 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	1501 Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1501 Shaker Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	1501 White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1501 Shaker Quirk White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	1590 Pantry 2'0", 2'4", 2'6" x 6'8"	7465 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	465 V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
								
1590 (8'0") Pantry with 3/4" RP 2'0", 2'4", 2'6" x 8'0"	1593 Laundry 2'8", 3'0" x 6'8"	1593 (8'0") Laundry with 3/4" RP 2'8", 3'0" x 8'0"	1310 Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	1312 (8'0") Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1315 Clear SG 2'6", 2'8", 3'0" x 6'8"	1318 Clear SG 2'6", 2'8", 3'0" x 8'0"	7465 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	465 V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
								
80801 Shaker Full Plank Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	80812 Shaker Z Pattern Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	80815 Shaker K Pattern Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	66 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7130 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	80801 Shaker Full Plank Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	80812 Shaker Z Pattern Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	80815 Shaker K Pattern Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	

KNOTTY PINE INTERIOR DOORS†

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



							
1501 Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1501 White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1590 Pantry 2'0", 2'4", 2'6" x 6'8"					
							
82 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7282 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	82 V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7282 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	465 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"			
							
7465 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	465 V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7465 1-3/4" House-to -Garage V-Groove 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	66 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	7130 1-3/4" House-to -Garage 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	80801 Shaker Full Plank Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	80812 Shaker Z Pattern Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"	80815 Shaker K Pattern Barn Door w/ V-Groove 3'0", 3'6" x 7'0", 3'0", 3'6" x 8'4"

† = THREE WEEK LEAD TIME
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL



Boise Cascade[®]
MILLWORK

millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Simpson[®]
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR




Boise Cascade
MILLWORK

MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O

In Stock - •




Molded Hollow Core 6'8" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Caiman	•	•	•	•	•	•	•	•	•	•	•
Carrara	•	•	•	•	•	•	•	•	•	•	•
Classique	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	•	•	•	•	•	•	•	•	•	•	•
Madison	•	•	•	•	•	•	•	•	•	•	•
Monroe	•	•	•	•	•	•	•	•	•	•	•
Rockport	•	•	•	•	•	•	•	•	•	•	•
Santa Fe	•	•	•	•	•	•	•	•	•	•	•

Molded Hollow Core 8'0" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

STICKING PROFILES



Molded Solid Core 6'8" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	•	•
Classique	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Solid Core 6'8" 1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'8"	3'0"
Caiman	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Carrara	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Classique	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Madison	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
Monroe	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
Rockport	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Santa Fe	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•

Molded Solid Core 8'0" 1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Solid Core 8'0" 1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'8"	3'0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606





MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O
In Stock - •



Birch



Lauan



Primed Hardboard



Textured Primed

Flush Hollow Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured Primed	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•

Dunnage Door Slabs 6'8" and 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•	S/O	•

Flush Solid Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Flush Solid Core 8'0"

1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Flush Solid Core 6'8"

1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	S/O	•
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•

Flush Solid Core 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



MARWIN STAIRS

Item	Size	Description	Extended Description
0804285	22-1/2" X 54"	ATTIC STAIR UNIVERSAL 250# RATING	A2254 TRIMMABLE FROM 7'6" TO 10'4"
0804286	25-1/2" X 54"	ATLAS ATTIC STAIR UNIVERSAL 250# RATING	A2554 TRIMMABLE FROM 7'6" TO 10'4"
0804289	25-1/2" X 54"	ATLAS STAIR FIRE TREATED 250# RATING	A2554FT TRIMMABLE FROM 7'6" TO 10'4"
0804311	25-1/2" X 54"	ATLAS STAIR R10 250# RATING	A2554R10 TRIMMABLE FROM 7'6" TO 10'4"
0804792	25-1/2" X 54"	SUPERIOR PLUS STAIR R3 FIRE TREATED 350#	SP2554R3FT TRIMMABLE FROM 7'6" TO 10'4"
0804817	30" X 54"	SUPERIOR PLUS STAIR R3 FIRE TREATED 350#	SP3054R3FT TRIMMABLE FROM 7'6" TO 10'4"
0804402	25-1/2 X 54 X 10-4	TITAN ALUM ATTICSTAIR W/ENRGY SVR R5	T101ESR5 350LBS ENERGY SAVER PACKAGE W/S R5 INSULATED PANEL
0804435	25-1/2 X 63 X 12	TITAN ALUM STAIR E/S FIRE RATED	T2512ESFT 375 LBS ENERGY SAVER PACKAGE W/S AND INSULATED PANEL
804212	25-1/2 X 54 X 10'4"	TITAN ALUM 375 DUTY FIRE TREATED	T101FT 375LBS FIRE TREATED PANEL
804300	36"	ATTIC PULL DOWN ROD W/EYE HOOK	36ROD



MARWIN POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712680	1468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/4X6/8 BUILT UP PDF 4-5/8"
7712682	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/6X6/8 BUILT UP PDF 4-5/8"
7712684	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X6/8 BUILT UP PDF 4-5/8"
7712686	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X6/8 BUILT UP PDF 4-5/8"
7712688	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X6/8 BUILT UP PDF 4-5/8"
7712690	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X6/8 BUILT UP PDF 4-5/8"
7712692	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X6/8 BUILT UP PDF 4-5/8"
7712693	4068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0 x 6/8 BUILT UP PDF 4-5/8"
7712694	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X8/0 BUILT UP PDF 4-5/8"
7712696	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X8/0 BUILT UP PDF 4-5/8"
7712698	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X8/0 BUILT UP PDF 4-5/8"
7712700	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X8/0 BUILT UP PDF 4-5/8"
7712702	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X8/0 BUILT UP PDF 4-5/8"
7712706	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0X8/0 BUILT UP PDF 4-5/8"
7712730	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	1/6X6/8 BUILT UP PDF 6-5/8"
7712732	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X6/8 BUILT UP PDF 6-5/8"
7712734	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X6/8 BUILT UP PDF 6-5/8"
7712736	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X6/8 BUILT UP PDF 6-5/8"
7712738	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X6/8 BUILT UP PDF 6-5/8"
7712740	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X6/8 BUILT UP PDF 6-5/8"
7712742	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X8/0 BUILT UP PDF 6-5/8"
7712744	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X8/0 BUILT UP PDF 6-5/8"
7712746	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X8/0 BUILT UP PDF 6-5/8"
7712748	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X8/0 BUILT UP PDF 6-5/8"
7712750	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X8/0 BUILT UP PDF 6-5/8"
7712754	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	4/0X8/0 BUILT UP PDF 6-5/8"

ECLISSE POCKET DOOR FRAMES





Boise Cascade[®]
MILLWORK

EXTERIOR FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

Exterior Frames

Description	Primed	Duraframe	Hemlock	Okume	Kalder
4-7/8"-6'8"	•	N/S	N/S	N/S	N/S
4-7/8"-3'0"	•	N/S	N/S	N/S	N/S
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
4-9/16"-6'0"	•	N/S	N/S	N/S	N/S
4-9/16"-10'0"	•	N/S	N/S	N/S	N/S
4-9/16"-14'0"	•	N/S	N/S	N/S	N/S
5-1/4"-6'8"	N/S	N/S	•	•	N/S
5-1/4"-3'0"	N/S	N/S	N/S	•	N/S
5-1/4"-8'0"	N/S	N/S	•	•	N/S
6-9/16"-6'8"	•	•	•	•	•
6-9/16"-8'0"	•	•	•	•	•
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'0"	•	N/S	N/S	N/S	N/S
6-9/16"-14'0"	•	N/S	N/S	N/S	N/S
7-1/4"-6'8"	•	•	•	•	N/S
7-1/4"-8'0"	•	•	•	•	N/S
7-1/4"-3'0"	•	N/S	•	•	N/S
7-1/4"-6'0"	•	N/S	N/S	N/S	N/S
11-1/4"-6'8"	N/S	•	N/S	N/S	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	N/S	N/S
Mullpost 4-3/8" x 2-1/2"-9'0"	N/S	N/S	•	N/S	•
4-9/16" 5'0" Common Arch Head	N/S	N/S	N/S	•	N/S
4-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
4-9/16" 6'0" Common Arch Head	N/S	N/S	N/S	•	N/S



Exterior Frames (CONT.)

Description	Primed	Duraframe	Hemlock	Okume	Kalder
6-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
6-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
6-9/16" 6'0" Common Arch Head	N/S	N/S	N/S	•	N/S
T-Astragal 1-3/8 (1-1/4"x2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/8 (1-1/4"x2")84"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17'	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8"	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0"	•	N/S	N/S	N/S	N/S
S4S 11/16" X 3-1/2 -9'	N/S	N/S	•	•	N/S
S4S 11/16" X 3-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 5-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 7-1/4 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 3-1/2 -8'	N/S	•	N/S	N/S	N/S

Interior Jambs

Description	Fingerjoint	Primed	Solid	Veneer
4-9/16"-6'8"	•	•	•	•
4-9/16"-8'0"	•	•	N/S	•
4-9/16"-3'0"	•	N/S	•	N/S
4-9/16"-6'0"	•	•	•	N/S
4-7/8"-6'8"	•	•	N/S	N/S
4-7/8"-7'0"	N/S	•	N/S	N/S
4-7/8"-8'0"	•	•	N/S	N/S
4-7/8"-3'0"	•	•	N/S	N/S
4-7/8"-6'0"	•	•	N/S	N/S
6-9/16"-6'8"	•	N/S	•	N/S
6-9/16"-8'0"	•	N/S	•	N/S
6-9/16"-3'0"	•	N/S	•	N/S
6-9/16"-6'0"	•	N/S	•	N/S

Sheetrock Return Jambs

Description	Fingerjoint
3-1/2" -8'0"	•
5-1/2" -8'0"	•

Description	Knotty Alder
4-9/16"-6'8"	•
4-9/16"-8'0"	•
4-9/16"-3'0"	•
5-1/4"-6'8"	•
5-1/4"-8'0"	•
5-1/4"-3'0"	•
6-9/16"-6'8"	•
6-9/16"-8'0"	•
6-9/16"-3'0"	•
Mullpost 4-3/8" x 2-3/8" -9'	•



Standard Flat Jamb with Applied Stop



Rabbit Jamb



Sheetrock Return Jamb



Flat Jamb

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade[®]
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606





Boise Cascade
MILLWORK

MOULDINGS

Non-Stock - N/S

In Stock - •

Description	Fingerjoint	Primed	Solid
WM324 Wedge Casing 5/8" x 2-1/8" 14'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"- 8'7"(103")	•	N/S	•
A-Colonial Casing 5/8" x 2-1/4" 14'	N/S	•	N/S
WM356 Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-211 Casing 5/8" x 2-1/2"-8'3"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-14'	N/S	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
#9 B Base 1/2" x 3-1/4" 8'7"(103")	•	N/S	N/S
MC9E Casing 7/8" x 3-1/4" 8'6"(103")	N/S	•	N/S
C-295 Casing 9/16" x 3-1/2"-8'7"(103")	N/S	N/S	•
LC11 Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
C-522 casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	N/S
C347 Casing 9/16" x 3-7/16" 16'	•	N/S	N/S
A-Colonial Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
WM876 Door Stop 7/16" x 1-3/8"	•	N/S	•
1X4 S4S 8'6"(102")	N/S	•	•
1X4 S4S 7'4"(88")	N/S	•	N/S
WM876 80-1/2" DBL Mitered	N/S	•	N/S
WM876 96-1/2" DBL Mitered	N/S	•	N/S



WM 324



WM 356



MC-9 E IMPERIAL



A-Colonial 2.25




A-Colonial 2.5



A-Colonial 3.5



B-9



C-211



C-295




C-322



C-522



Int Flat Jamb Profile



LC11

BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK



KWIKSET

Item	Description
653000158	58 SQT 11P SMT RCAL 5063
653002638	660 15 SMT RCAL RCS
653002639	660 11P SMT RCAL RCS K3
653003135	780 15 SMT RCAL 5063
653003136	780 11P SMT RCAL 5063
653003137	158 SQT 15 SMT RCAL 5063
653008704	913CNT 15 SMT RCALFD
653008705	913CNT 11P SMT RCALFD
653008708	913TRL 15 SMT RCALFD
653008709	913TRL 11P SMT RCALFD
653009503	85063- 11P
653009504	85063-15
653040500	604BL 15 LH
653040501	604BL 15 RH
653040502	604BL 11P LH
653040503	604BL 11P RH
653041433	400CV 11P SMT 6AL RCS K3
653041434	400CV 15 SMT 6AL RCS
653041474	604CV 15
653041483	604CV 11P V1

Item	Description
653042402	740H 15 SMT 6AL RCS K3
653042404	966H 15
653042410	966H 11P
653042411	740H 11P SMT 6AL RCS
653060500	405BL 15 SMT 6AL RCS K4
653060501	405BL 11P SMT 6AL RCS K4
653062453	156HFL SQT 11P SMT 6AL RCS
653062454	156HFL SQT 15 SMT 6AL RCS
653062493	966HFL SQT 11P
653062494	966HFL SQT 15
653080005	687AMD LIP 15 SMT RCAL RCS
653080006	687AMD LIP 11P SMT RCAL RCS
653081315	687DA LIP 15 SMT RCAL RCS
653081316	687DA LIP 11P SMT RCAL RCS
653082100	971HFL SQT 15
653082104	971HFL SQT 11P
653082404	800HE LIP 15 SMT RCAL 5063
653082405	800HE LIP 11P SMT RCAL 5063
653086006	818SCE LIP 15 SMT RCAL RCS
53086007	818SCE LIP 11P SMT RCAL RCS



Boise Cascade
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606

Kwikset



Boise Cascade®
MILLWORK

COMPOSITE DOOR FRAME

featuring Tru Guard™ Composite Technology




1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill



Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

TRU GUARD™
COMPOSITE TECHNOLOGY




Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Available Textures

Buff Grained



- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.

White Smooth



- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

FRAMES

Boise offers a wide variety of frames to choose from.



Primed Finger-Joint Pine for your Builder Grade needs.



DuraFrame...the Boise standard. A primed Finger-Joint Pine with Alaskan Yellow Cypress and Dura-Seal at the bottom to offer a durable rot resistant frame. (Limited lifetime warranty)



Therma-Tru Products & Applications

Composite Door Frame
+ Classic Craft® Door
+ Components

Warranty
For First Homeowner



Frame + Door + Components

Warranty Riders
Transferable 1x to Second Homeowner

Lifetime 1x Transferable Full-System Rider

Frame + Door + Components

Composite Door Frame
+ Fiber-Classic®, Smooth-Star®,
Pulse® Fiberglass Door + Components



Frame + Door + Components

10-Year Transferable Full-System Rider

Frame + Door + Components

*See your Therma-Tru seller for details on product availability. Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.




millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606



CAPABILITIES

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.



FRONT:
1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard
5. Spread



BACK:
5. Spread 4. Standard 3. Patio 2. Fat Boy
1. Back-to-Back

Mull Adders	
Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	

Size Modifications (cut or trim)

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Therma-Tru[®]. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors

Boise can build smaller doors to accommodate access areas.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs. Will not install.




Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

BOISE CASCADE MILLWORK MAKEOVER DOOR UNIT FROM THERMA-TRU[®].



Create a grand entrance by updating your home with Therma-Tru[®] double doors featuring EnLiten[™] flush-glazed designs.

- Available for outside jamb units measuring 60-1/2" x 82" or larger or for units with a 10" transom, 60-1/2" x 93-1/2" or larger.
- Transform a single door and sidelites (10" + 36" + 10") to a double door entry (30" + 30"). Available in standard height or with a 10" transom.
- Features EnLiten flush-glazed designs with glass built directly into the door for a seamless look.

See your Boise Cascade representative for style options and pricing information.

Available Now: Brushed Finish

Boise Cascade Houston now offers a unique wood-grained look that is smooth to the touch. PrismaGuard[®] premium brushed finish uses a hand-applied technique to create the appearance of a straight, fine-grained wood on select Smooth-Star[®] doors.



Dark Maple (Brushed)



Shale (Brushed)




millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606



MULTI-POINT LOCKING SYSTEMS (MPLS)

Lever-Style MPLS

Exterior Handlesets




Heirloom Venture Millennium
Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)

Standard Door Options




Tongue (For single door systems.)
Shootbolt (For double door systems.)



Engages at three critical points.
1 2 3

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.


Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

Grip-Style MPLS

Handlesets



Forte Prospect

Standard Door Options



Tongue (For single door systems.)
Shootbolt (For double door systems.)
Heights: 6'8" Inswing, 7'0" Outswing, 8'0" Outswing



Side view of door.
Engages at three critical points.
1 2 3

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

Finish Options




Brushed Nickel Black Nickel Oil-Rubbed Bronze

Grip Style MPLS is NOT available for double french doors.


HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

Standard Boise Pre-hung Features:

1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.
2. Therma-Tru[®] bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
3. In-swing unit with corner seal pads.
4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft[®] door systems have ball-bearing radius/radius hinges).
5. Compression bronze weatherstrip.
6. Adjustable strike plate. Transport clip.
7. Double bore for lockset and deadbolt prep with double strike prep on frame.
8. Sill cover (not included on fixed doors).
9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
10. Installation instructions.
11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.
12. Inactive door is not bored.
13. Door with sidelites feature continuous composite adjustable sill.

F = Fixed Panel L = Left Hand
A = Astragal R = Right Hand



millwork.bc.com
500 Industrial Blvd, Suite 100
Sugar Land, TX 77478
833-504-1606



PRE-HUNG FEATURES

Standard Boise Cascade Specs:

- 4-9/16" primed Duraframe frame (rot-free wood: limited lifetime warranty) and PVC brickmould
- Therma-Tru bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustable screws
- In-swing unit with corner seal pads
- Three 4x4 brushed nickel 5/8" self aligning
- Compression bronze weatherstrip
- Adjustable strike plate. Transport clip
- Double bore for lockset and deadbolt prep with double strike prep on frame
- Sill Cover (not included on fixed doors)
- (2) 2-1/2" hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike

Installation Instructions

- Double doors include matching T-Astragal with bronze weatherstrip and strike plates installed
- Inactive door is not bored
- Door with sidelites feature continuous composite adjustable sill

Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

PRE-HUNG FEATURES

Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
3. For units with public access sills, subtract 1" for in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"


Lock Preparation:
 2-3/8" Backset
 2-18" Face Bore
 2-1/4" Edge Prep
 Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





HINGE LOCATIONS



ON SITE DOOR SHOP SERVICES

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.

Our Custom Service Offerings:

- Lock Prep
- Cutouts
- SDLs
- Cut Down Services
- Bore Prep
- Hinge Prep
- Pet Doors
- Access Doors
- Hidden Hinge Prep
- Prefinish - Custom Paint & Stain,

