



Boise Cascade®
MILLWORK



Boise Cascade®
MILLWORK

MEMPHIS MILLWORK



millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680

memphisdoors@bc.com

STOCK CATALOG



Boise Cascade[®]
MILLWORK

WHY **BOISE CASCADE** **MILLWORK?**

Boise Cascade[®] Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With ten locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



Boise Cascade[®]
MILLWORK



TABLE OF CONTENTS

PrismaGuard [®] Prefinish	1
PrismaGuard [®] Premium Paint	2
Decorative Glass	3-6
Therma-Tru [®] Doors	
Classic Craft [®]	7-18
Decorative Glass	19-22
Therma-Tru [®] Doors	
Fiber-Classic [®] Mahogany/Oak	23-26
Smooth-Star [®]	27-32
Steel-Profiles [™] /Traditions	33-34
Decorative Glass Transoms	35
Same-Day [®] Stain	36
Enliten [™] Flush-Glazed Internal Blinds	37-38
Patio Doors	39
Composite Door Frame	40
Frames & Sills	41
Capabilities	42
Boise Makeover Door Unit from Therma-Tru [®]	43
SDL Bars	44
Dentil Shelves	45
Multi-Point Locking Systems	46
Handing	47
Pre-Hung Features	48-49
Hinge Locations	50
Simpson Doors	
Mahogany Exterior Doors	51-52
Western Hemlock Exterior Doors	53-54
Redi-Prime [®] Interior Doors	55-56
Pine Interior Doors	57
Knotty Alder Interior Doors	58-59
Knotty Pine Interior Doors	60
Steves	
Molded and Flush Interior Doors	61-62
American Stairs	63
Casings	64
Barn Door Hardware	64



Boise Cascade®
MILLWORK

PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Durable Topcoat



Professional Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.

PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.



millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com





Boise Cascade®
MILLWORK

DECORATIVE GLASS

Villager™



Black Nickel



Brushed Nickel

Privacy Rating 1 (5) 10



Homeward™



Black Nickel



Brushed Nickel

Privacy Rating 1 (4) 10



Arcadia™



Black Nickel



Brushed Nickel

Brass

Privacy Rating 1 (5) 10



Augustine®




Wrought Iron

Privacy Rating 1 (10) 10



Longford™



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



Zaha®



Black Nickel



Brushed Nickel

Privacy Rating 1 (3) 10



Lucerna®



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



Bella™



Black Nickel

Privacy Rating 1 (6) 10



Arborwatch®



Black Nickel

Privacy Rating 1 (6) 10



Borrassa®



Wrought Iron

Privacy Rating 1 (10) 10



Provincial™



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

THERMA-TRU
DOORS



Boise Cascade®
MILLWORK

millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com



Boise Cascade[®]
MILLWORK

DECORATIVE GLASS

Reeded (XK)



Privacy Rating 1 (7) 10



Satin Etch (XE)



Privacy Rating 1 (10) 10



Chord (XC)



Privacy Rating 1 (10) 10



Chinchilla (XJ)



Privacy Rating 1 (10) 10



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)




Privacy Rating 1 (10) 10



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Simulated Divided Lites (SDL)



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade[®]
MILLWORK

millwork.bc.com

4043 Delp Street

Memphis, TN 38118

800-238-5680

memphisdoors@bc.com

THERMA TRU[®]
DOORS

thermatru.com | 1-800-THERMA-TRU | 6



CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



CLASSIC CRAFT®



CCA82310XESL-SDLF4
CCA82310SL-SDLF4LE
Low-E Glass
12", 14" x 8'0"



CCA82310
Low-E Glass
3'0" x 8'0"



CCA2320
Low-E Glass
3'0" x 6'8"



CCA2320XESL-SDLF3
CCA2320SL-SDLF3LE
Low-E Glass
12", 14" x 6'8"



CCA82320
Low-E Glass
3'0" x 8'0"



CCA2330
Low-E Glass
3'0" x 6'8"



CC90-LE
Low-E Glass
3'0" x 6'8"



CCM891-2W2H
Low-E Glass
3'0" x 8'0"



CCM891-2W3H
Low-E Glass
3'0" x 8'0"



CCM891-2W4H
Low-E Glass
3'0" x 8'0"



CCM891-LE
Low-E Glass
3'0" x 8'0"



CCM209
3'0" x 6'8"



CC922
3'0" x 6'8"



CCA2330XESL-SDLF3
CCA2330SL-SDLF3LE
Low-E Glass
12", 14" x 6'8"



CCA82320XESL-SDLF3
CCA82320SL-SDLF3LE
Low-E Glass
12", 14" x 8'0"



CCA2380
Low-E Glass
3'0" x 6'8"



CCA82380
Low-E Glass
3'0" x 8'0"



CCA2400-LE
Low-E Glass
3'0" x 6'8"



CCA2400XESL
12", 14" x 6'8"



CCA3400SL-LE
Low-E Glass
12" x 6'8"



CCM3302SL
10", 12" x 6'8"



CCM3300SL-LE
Low-E Glass
10", 12" x 6'8"



CCM3300SL-1W2H
Low-E Glass
10", 12" x 6'8"



CCM3300SL-1W3H
Low-E Glass
10", 12" x 6'8"



CCM3300SL-1W4H
Low-E Glass
10", 12" x 6'8"



CCM200-2W3H-SDLLE
Low-E Glass
3'0" x 6'8"



CCA82400-LE
Low-E Glass
3'0" x 8'0"



CCA82400XESL
CCA82400SL-LE
Privacy Glass
12", 14" x 8'0"



CCA3500SL-LE
Low-E Glass
12" x 8'0"



CC100-LE
Low-E Glass
3'0" x 6'8"



DRS2131SL-LE
Low-E Glass
12", 14" x 6'8"



DRS82131SL-LE
Low-E Glass
12", 14" x 8'0"



CCM203-1D
3'0" x 6'8"



CCR3407SL
12" x 6'8"



CLASSIC CRAFT®



Boise Cascade®
MILLWORK



CCV822020-2W2H
3'0" x 8'0"



CCV822020-2W3H
3'0" x 8'0"



CCR20527
3'0" x 6'8"



CCR20537
3'0" x 6'8"



CCR20027
3'0" x 6'8"




CCR20037
3'0" x 6'8"



CCR820537
3'6" x 8'0"




CCR81512
3'6" x 8'0"



CCR1516
3'0" x 6'8"



CCR81516
3'0" x 8'0"



CCR1515
3'0" x 6'8"



CCR81515
3'0" x 8'0"



CCR82215
3'0" x 8'0"



CCM200-2W2H-SDLLE
Low-E Glass
3'0" x 6'8"



CC90-2W3H-SDLLE
Low-E Glass
3'0" x 6'8"



CC90-2W2H-SDLLE
Low-E Glass
3'0" x 6'8"



CCR1415
3'0" x 6'8"



CCR1414
3'0" x 6'8"



CCR20520XN
CCR20520-LE
Low-E Glass
3'0" x 6'8"



CCV9926
3'0" x 6'8"



CCR820520XC
CCR820520-LE
Low-E Glass
3'0", 3'6" x 8'0"



CCR820520-LE
3'0" x 8'0"



CCR820520-2W2H
3'0" x 8'0"



CCR820520-LE
3'0" x 8'0"



CCR804020-2W2H
3'0" x 8'0"



CCR804020-2W3H
3'0" x 8'0"



Boise Cascade®
MILLWORK

millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

CLASSIC CRAFT®



CCM600XE
3'0" x 6'8"



CCR20020-LE
Low-E Glass
3'0" x 6'8"



CCR822220-LE
Low-E Glass
3'0", 3'6" x 8'0"



CCR822220-2W2H
Low-E Glass
3'0", x 8'0"



CCR822220-2W3H
Low-E Glass
3'0" x 8'0"



CCM302L-LE
Low-E Glass
3'0" x 6'8"



CCM302R-LE
Low-E Glass
3'0" x 6'8"



CCM8305CAR-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM306CAL-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM306CAR-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM8306CAL-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8306CAR-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8302L-LE
Low-E Glass
3'0" x 8'0"



CCM8302R-LE
Low-E Glass
3'0" x 8'0"



CCM304L-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM304R-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM8304L-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8304R-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM303L-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM303R-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM8303L-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8303R-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM301CAL-LE
Low-E Glass
3'0" x 6'8"



CCM301CAR-LE
Low-E Glass
3'0" x 6'8"



CCM8301CAL-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8301CAR-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM305CAL-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM305CAR-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM8305CAL-SDLF6-LE
Low-E Glass
3'0" x 8'0"



Boise Cascade®
MILLWORK

millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

THERMA TRU®
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

thermatru.com | 1-800-THERMA-TRU | 14



CLASSIC CRAFT®



CCA210-LE
Low-E Glass
3'0" x 6'8"



CCA210SL-LE
Low-E Glass
12" x 6'8"



**CCA8210XR
CCA8210-LE**
Low-E Glass
3'0" x 8'0"



CCA220-SDLLE
Low-E Glass
3'0" x 6'8"



**CCA8220XR-SDL
CCA8220-SDLLE**
Low-E Glass
3'0" x 8'0"



CCA230-SDLLE
Low-E Glass
3'0" x 6'8"



**CCA8230XR-SDL
CCA8230-SDLLE**
Low-E Glass
3'0" x 8'0"



CCA1125-DDBF5
3'0" x 6'8"



CCA81125-DDBF5
3'0" x 8'0"



CCA1149-DDBF5
3'0" x 6'8"



CCA81149-DDBF5
3'0" x 8'0"



CCA1147-DDBF5
3'0" x 6'8"



CCA1127-DDBF4
3'0" x 6'8"



CCA81127-DDBF4
3'0" x 8'0"



CCA240-SDLLE
Low-E Glass
3'0" x 6'8"



CCA220SL-SDLLE
Low-E Glass
12" x 6'8"



CCA260-SDLLE
Low-E Glass
3'0" x 6'8"



**CCA8260XR-SDL
CCA8260-SDLLE**
Low-E Glass
3'0" x 8'0"



CCA87300-SDLLE
Low-E Glass
3'6" x 8'0"



CCA87100-LE
Low-E Glass
3'6" x 8'0"



CCA4905-DDBF3
3'0" x 6'8"



CCA84905-DDBF3
3'0" x 8'0"



CCA4915L-DDBF3
3'0" x 6'8"



CCA84915L-DDBF3
3'0" x 8'0"



CCA4915R-DDBF3
3'0" x 6'8"



CCA84915R-DDBF3
3'0" x 8'0"



CCA4925L-DDBF5
3'0" x 6'8"



CCV920-SDLLE
Low-E Glass
3'0" x 6'8"



CCV930-SDLLE
Low-E Glass
3'0" x 6'8"



CCV940-SDLLE
Low-E Glass
3'0" x 6'8"



CCA84925L-DDBF5
3'0" x 8'0"



CCA4925R-DDBF5
3'0" x 6'8"



CCA84925R-DDBF5
3'0" x 8'0"



CCA4935-DDBF5
3'0" x 6'8"



CCA84935-DDBF5
3'0" x 8'0"



CCA4945-DDBF5
3'0" x 6'8"



CCA84945-DDBF5
3'0" x 8'0"



CCV960-SDLLE
Low-E Glass
3'0" x 6'8"



CCV910-LE
Low-E Glass
3'0" x 6'8"



CCA1166-DDBF5
3'0" x 6'8"



CCA81166-DDBF5
3'0" x 8'0"



CCA81147-DDBF5
3'0" x 8'0"



CC91
3'0" x 6'8"



CCR8222
3'0", 3'6" x 8'0"



CCM890
3'0", 3'6" x 8'0"



CCR100
3'0" x 6'8"



CCR8100
3'0", 3'6" x 8'0"





Boise Cascade®
MILLWORK

CLASSIC CRAFT®



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com





Boise Cascade®
MILLWORK

DECORATIVE GLASS

Fiber-Classic®, Smooth-Star®, Pulse® & Steel Glass

Blackstone®



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



Crystalline™



Brushed Nickel



Privacy Rating 1 (7) 10



Sedona



Black Nickel



Privacy Rating 1 (7) 10



Salinas®



Wrought Iron



Privacy Rating 1 (10) 10



Concorde™



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



Kensington™



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



Axis®



Black Nickel



Privacy Rating 1 (7) 10



Maple Park®



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



Saratoga™



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



Wellesley™



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



Riserva®



Wrought Iron



Privacy Rating 1 (10) 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com



DECORATIVE GLASS

Reeded (XK)



Privacy Rating 1 (7) 10



Geometric (XG)



Privacy Rating 1 (7) 10



Satin Etch (XE)



Privacy Rating 1 (10)



Chord (XC)



Privacy Rating 1 (10)



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)



Privacy Rating 1 (10)



Low-E Internal Blinds




Screen Vented



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



DIVIDED LITES

Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)



Fixed Grilles (FXG)






Boise Cascade®
MILLWORK

FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



Boise Cascade®
MILLWORK

millwork.bc.com


4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

FIBER-CLASSIC® MAHOGANY / OAK



millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com



















































Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





SMOOTH-STAR[®]

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.









































													
S140-LE S140 Low-E Glass 2'8", 3'0" x 6'8", 7'0"	S2000SL-LE S2000SL Low-E Glass 10", 12", 14" x 6'8"	S8140-LE S8140 Low-E Glass 3'0" x 8'0"	S8601SL-LE S8601SL Low-E Glass 12", 14" x 8'0"	S6061-RTLE S6061-RT Internal Blinds 2'8", 3'0" x 6'8", 7'0"	S130SL-RTLE Low-E Glass 10", 12", 14" x 6'8"	S82600-LE S82600 Internal Blinds 2'6", 2'8", 2'10", 3'0" x 8'0"	S82-GBGFALE S82-GBGFA 3'0" x 6'8"	S2200-LE S2200 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	S90SL-LE Low-E Glass 12", 14" x 6'8"	S82200-LE S82200 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	S2200LE-2W2H S2200-2W2H Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S90SL-1W2H Low-E Glass 12", 14" x 6'8"	
													
S1209-GBGFWLE 2'8", 3'0" x 6'8"	S8000-2W3H 3'0" x 8'0"	S1212-GBGFWLE 2'8", 3'0" x 6'8"	S128-GBGFWLE 2'6", 2'8", 3'0" x 6'8"	S2010SL-SDL 10", 12", 14" x 6'8"	S8000-2W5H 3'0" x 8'0"	S8000-2W6H 3'0" x 8'0"	S82200-2W2H-LE Low-E Glass 3'0" x 8'0"	S2104-SDLLE S2104-SDL Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	S90SL-1W3H 12", 14" x 6'8"	S82200-2W3H-LE S82200-2W3H Low-E Glass 3'0" x 8'0"	S2200LE-3W4H S2200-3W4H Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S90SL-1W4H 12", 14" x 6'8"	S82200-3W4H-LE S82200-3W4H-LE Low-E Glass 3'0" x 8'0"
													
S2010SL-SDL 12", 14" x 8'0"	S108-GBGFWLE S108-GBGFW 2'6", 2'8", 3'0" x 6'8"	S8000-3W6H 3'0" x 8'0"	S198-GBGFWLE 2'6", 2'8", 3'0" x 6'8"	S5705-SDLF1LE S5705-SDLF1 2'6", 2'8", 2'10", 3'0" x 6'8"	S85705-SDLF1LE S85705-SDLF1 2'6", 2'8", 2'10", 3'0" x 8'0"	S5715-SDLF1LE S5715-SDLF1 2'6", 2'8", 2'10", 3'0" x 6'8"	S5730-SDLF2LE S5730-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	S85730-SDLF2LE S85730-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	S2200LE-PR S2200-PR Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S82200-Prairie-LE S82200-Prairie Low-E Glass 3'0" x 8'0"	S82200-2W4H-LE S82200-2W4H Low-E Glass 3'0" x 8'0"	S881-GBGFALE Low-E Glass 2'8", 3'0" x 8'0"	S881SL-GBGFALE S881SL-GBGFA Low-E Glass 12", 14" x 8'0"
													
S5725-SDLF1LE S5725-SDLF1 2'6", 2'8", 2'10", 3'0" x 6'8"	S85725-SDLF1LE S85725-SDLF1 2'6", 2'8", 2'10", 3'0" x 8'0"	S2000-5130G-LE S2000-5130G 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	S2000-5082G-LE S2000-5082G 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	S2000-5030GCM-LE S2000-5030GCM 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	S6092 3'0" x 6'8"	S2107-GBGFA 3'0" x 6'8"	S882-FXGLE S882-FXG 2'8", 3'0" x 8'0"	S8682SL-RTLE 12", 14" x 8'0"					



SMOOTH-STAR®



Boise Cascade®
MILLWORK

													
S161 2'8", 3'0" x 6'8"	S81929P-LE S81929P Low-E Glass 2'8", 3'0" x 8'0"	S6056 3'0" x 6'8"	S6021-LE Low-E Glass 3'0" x 6'8"	S210SL-LE Low-E Glass 12", 14" x 6'8"	S86021-LE S86021 Low-E Glass 3'0" x 8'0"	S104-LE Low-E Glass 2'8", 3'0" x 6'8", 7'0"	S1650 3'0" x 6'8"	S4812SL-1W2H Low-E Glass 12", 14" x 6'8"	S4810SL-LE Low-E Glass 12", 14" x 6'8"	S8601-LE Low-E Glass 3'0" x 8'0"	S84810SL 12", 14" x 8'0"	S84812-SDLF1LE Low-E Glass 3'0" x 8'0"	
													
S243 Screen Vented 3'0" x 6'8"	S132-RTLE S132-RT Internal Blinds 2'8", 3'0" x 6'8"	S6035-RTLE S6035-RT Internal Blinds 2'8", 3'0" x 6'8"	S6055-RTLE S6055-RT Internal Blinds 3'0" x 6'8"	S131-RTLE S131-RT Internal Blinds 2'8", 3'0" x 6'8", 7'0"	S1350-SDLF1LE S1350-SDLF1 Low-E Glass 2'8", 3'0" x 6'8"	S8322-GBGFWLE 2'8", 3'0" x 8'0"	S84813-SDLF1LE Low-E Glass 3'0" x 8'0"	S84814-SDLF1LE Low-E Glass 3'0" x 8'0"	S84812SL-SDLF1 Low-E Glass 12", 14" x 8'0"	S84816-SDLF1LE Low-E Glass 3'0" x 8'0"	S84810-LE Low-E Glass 3'0" x 8'0"	S6082 3'0" x 6'8"	S999 3'0" x 6'8"
													
S262-GBGFWLE S262-GBGFW 2'8", 3'0" x 6'8"	S8321-GBGFWLE S8321-GBGFW 2'8", 3'0" x 8'0"	S6042-GBGFWLE S6042-GBGFW 3'0" x 6'8"	S6022-GBGFWLE S6022-GBGFW 2'8", 3'0" x 6'8"	S8325-GBGFWLE S8325-GBGFW 3'0" x 8'0"	S289-LE Low-E Glass 3'0" x 6'8"	S807-GBGFW 3'0" x 6'8"							
													
S2100-PR 2'8", 3'0" x 6'8"	S1411-GBGFA 3'0" x 6'8"	S1405SL-GBGFA 12", 14" x 6'8"	S8326-SDLLE S8326-SDL Low-E Glass 3'0" x 8'0"	S8321-GBGFALE S8321-GBGFA 2'8", 3'0" x 8'0"	S8325-GBGFALE S8325-GBGFA 3'0" x 8'0"								



millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com




Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

SMOOTH-STAR®



Boise Cascade®
MILLWORK



* Select sizes available with elevated 10" bottom rail.



Boise Cascade®
MILLWORK

millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com




















































Boise Cascade®
MILLWORK

STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.

													
118-LE 118 Low-E Glass 2'8", 2'10", 3'0" x 6'8", 8'0"	130-RTLE 130-RT Internal Blinds 2'8", 2'10", 3'0" x 6'8", 8'0"	829-RTLE 829-RT Internal Blinds 2'8", 3'0" x 8'0"	1201-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	1203-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	128-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	108-GBGFWLE 108-GBGFW 2'8", 2'10", 3'0" x 6'8", 8'0"	8321-GBGFWLE 2'8" x 8'0"	8321-GBGFAL 8321-GBGF 2'8" x 8'0"	982HD-GBGFWLE 982HD-GBGFW 2'8", 3'0" x 6'8", 8'0"	TS263-GBGFW 2'8", 3'0" x 6'8", 8'0"	TS1411-GBGF 2'8", 3'0" x 6'8", 8'0"	TS206-LE 2'8", 3'0" x 6'8", 8'0"	
													
828-GBGFWLE 2'8", 3'0" x 8'0"	808-GBGFWLE 2'8", 3'0" x 8'0"	818-LE 818 Low-E Glass 2'6", 2'8", 3'0" x 8'0"	198-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	959HD-LE 959HD Low-E Glass 3'0" x 6'8", 8'0"	959SLHD-LE 12" x 6'8", 8'0"	TS627 2'8", 3'0" x 6'8", 8'0"	8206-LE 8206 2'8" x 8'0"	980HD-LE 2'8", 3'0" x 6'8", 8'0"	TS104-LE 2'8", 3'0" x 6'8", 8'0"	TS289-LE 2'8", 3'0" x 6'8", 8'0"	601HD-LE 2'8", 2'10", 3'0" x 6'8", 8'0"	TS255-GBGFW 3'0" x 6'8", 8'0"	TS255-FXG 3'0" x 6'8", 8'0"
													
631HD 2'8", 3'0" x 6'8", 8'0"	TS132-RTLE 132-RT Internal Blinds 2'8", 3'0" x 6'8", 8'0"	984HD-RTLE 984HD-RT Internal Blinds 2'8", 3'0" x 6'8", 8'0"	TS131-RTLE 131-RT Internal Blinds 2'8", 3'0" x 6'8", 8'0"	TS262-GBGFWLE 262-GBGFW 2'8", 3'0" x 6'8", 8'0"	8323-GBGF 2'8" x 8'0"	8322-GBGFWLE 2'8" x 8'0"	TS236-FXG 2'8", 3'0" x 6'8", 8'0"	8317-FXG 2'8" x 8'0"	TS296XG 2'8", 3'0" x 6'8", 8'0"	896XG 2'8" x 8'0"	969HD 2'8", 3'0" x 6'8", 8'0"	978HD 2'8", 3'0" x 6'8", 8'0"	1005HD 3'0" x 6'8", 8'0"
													
205HD 3'0" x 6'8", 8'0"	203HD 2'8", 2'10", 3'0" x 6'8", 8'0"	210HD 3'0" x 6'8", 8'0"	810 2'8" x 8'0"	TS100 3'0" x 6'8", 8'0"	800 2'8", 3'0" x 8'0"								



Boise Cascade®
MILLWORK

millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

THERMA TRU
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®
MILLWORK

DECORATIVE GLASS

Fiber-Classic®, Smooth-Star® & Steel Transoms
(Fits over 10" - 3/0 - 10" width opening.) Note: Transoms will require extended leadtime. All are sash set transoms.



Concorde CNRT-1D (Black Nickel Glass)



Wellesley 19730T-1D (Black Nickel Glass)



Concorde CNRT-1C (Brushed Nickel Glass)



Wellesley 19730T-1C (Brushed Nickel Glass)

Description	Size	Actual Unit Size	Rough Opening
Door w/(2) Sidelites	10" 3/0 10"	59 5/8" x 82"	60 1/2" x 82 1/2"
with 10" Transom	10" 3/0 10"	59 5/8" x 93 1/2"	60 1/2" x 94"
with 12" Transom	10" 3/0 10"	59 5/8" x 95 1/2"	60 1/2" x 96"

Note: Based on Standard Mull Configuration




SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

Shown on Classic Craft® Fir Grain



5 YEAR
LIMITED
WARRANTY

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to www.samedaystain.com or ask your seller for more details.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the limited warranty and exclusions.

THERMA-TRU
DOORS



Boise Cascade®
MILLWORK

millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

*Available in Special Quote Program.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller for a complete list of privacy and textured glass options available for each door style.



Boise Cascade®
MILLWORK


ENLITEN™ FLUSH-GLAZED INTERNAL BLINDS

Smooth-Star® doors with internal blinds featuring EnLiten™ flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.

Flush-glazed internal blinds are available in Smooth-Star full size width 3/0, 2/8, 2/6, 6/0, 5/4, 5/0 x 6/8, 6/6, and 8/0 in clear IG.

Opening	Description	Retro Inswing Patio Actual Size*
4/8 x 6/6	Patio Door Unit (with mull)	58 13/16" x 79 1/2"
5/8 x 6/6	Patio Door Unit (with mull)	70 13/16" x 79 1/2"
4/8 x 6/6	Double Door Unit (with astragal)	58 9/16" x 79 1/2"
5/8 x 6/6	Double Door Unit (with astragal)	70 9/16" x 79 1/2"

Retro size screens available.



Left Hand
Astragal

Astragal
Right Hand

Left Hand
Fixed Panel

Right Hand
Fixed Panel

Fixed Panel
Left Hand

Fixed Panel
Right Hand



millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

THERMA TRU®
DOORS

*Outswing units are 78-5/8" in height.
Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.



Boise Cascade[®]
MILLWORK

PATIO DOORS

Smooth-Star[®]

Retro Size & Full Size

Any of the 5/4 or larger width doors are also capable of using decorative glass.



Insert Type Glass Doors Low-E

S108 (LE, SDL, GBGF, FXG)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors Low-E

S128 (LE, SDL, GBGF / GBGC)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Flush-Glazed Low-E

S2000 ▲ (LE, SDL)
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8", 8'0"




Flush-Glazed Low-E

S2000-2W2H ▲ (LE, SDL)
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8", 8'0"



Insert Type Glass Doors Low-E

S118 (LE)
4'0", 4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors Internal Blinds

S130 (LE)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"

S2600 Flush-Glazed Internal Blind Option



Flush-Glazed Low-E

S2000-2W3H ▲ (LE, SDL)



Flush-Glazed Low-E

S2200-2W2H ▲ (LE, SDL)
Available 5'0", 5'4", 6'0" or 5'0" makeover size outside of frame 60 1/2" x 82". Height can be cut down further. Makeover size replaces a 60 1/2" width or larger 10"-3/0-10" sidelite unit. Please specify outside jamb width.

Features / Options Key

▲ Flush-Glazed Glass SDL Simulated Divided Lites
LE Low-E GBGFW Flat White Grilles Between Glass Only

GBGF / GBGC Flat or Contoured White or Color Grilles Between Glass
FXG Fixed Grilles

Note: Product images show exterior side of door.

COMPOSITE DOOR FRAME

featuring Tru Guard™ Composite Technology



1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill



Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

TRU GUARD[™]
COMPOSITE TECHNOLOGY




Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded A LVL core to provide additional structural support and stability and feature a B composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Available Textures

Buff Grained



Ready to finish.

Features a universal wood grain to complement a wide range of grain species.

Stain or paint to complement the entry – no sanding or priming required.

White Smooth



Ready to install.
Ready to finish.

Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.

Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

Therma-Tru Products & Applications

Composite Door Frame
+ Classic Craft[®] Door
+ Components

Composite Door Frame
+ Fiber-Classic[®], Smooth-Star[®],
Pulse[®] Fiberglass Door + Components

Warranty For First Homeowner



Frame + Door + Components

Warranty Riders Transferable 1x to Second Homeowner

Lifetime 1x Transferable
Full-System Rider

Frame + Door + Components



Frame + Door + Components

10-Year Transferable
Full-System Rider

Frame + Door + Components

*See your Therma-Tru seller for details on product availability.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.



Boise Cascade[®]
MILLWORK

millwork.bc.com

4043 Delp Street

Memphis, TN 38118

800-238-5680

memphisdoors@bc.com



FRAMES & SILLS

Frames

Boise offers a wide variety of frames to choose from:



Primed Finger-Joint Pine for your Builder Grade needs.



DuraFrame...the Boise standard. A primed Finger-Joint Pine with Alaskan Yellow Cypress and Dura-Seal at the bottom to offer a durable rot resistant frame. (Limited lifetime warranty)



Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Featuring a variety of materials and options to meet the needs of different climates and exposures.

Inswing Options



Value Composite Adjustable Sill
Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.



Composite Adjustable Sill
Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to maintain a tight seal.



Composite Adjustable Sill
Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.




Public Access Sill
(Mill, No Thermal Break)



Public Access Sill
(Bronze, No Thermal Break)

Outswing Options



Composite Outswing Sill
(Bronze, Dark Wood Cap)

Outswing Sill Extender



2" Finishes:
Darkwood (Premium)

Boise will typically build on a continuous sill, but boxed units are available upon request. Continuous sills are limited to 12 foot.

CAPABILITIES

Size Modifications (cut or trim)

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Therma-Tru[®]. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



Dutch Doors


Boise can build selected Fiberglass into Dutch style doors.





Boise Cascade®
MILLWORK

BOISE CASCADE MILLWORK MAKEOVER DOOR UNIT FROM THERMA-TRU®.



Create a grand entrance by updating your home with Therma-Tru® double doors featuring EnLiten™ flush-glazed designs.

- Available for outside jamb units measuring 60-½" x 82" or larger or for units with a 10" transom, 60-½" x 93-½" or larger.
- Transform a single door and sidelites (10" + 36" + 10") to a double door entry (30" + 30"). Available in standard height or with a 10" transom.
- Features EnLiten flush-glazed designs with glass built directly into the door for a seamless look.

Available Now: Brushed Finish

Boise Cascade Memphis now offers a unique wood-grained look that is smooth to the touch. PrismaGuard® premium brushed finish uses a hand-applied technique to create the appearance of a straight, fine-grained wood on select Smooth-Star® doors.



Dark Maple (Brushed)



Shale (Brushed)



millwork.bc.com
4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

SDL BARS

Each bar is coped and mitred for a precision fit...with numerous patterns available to select from. Boise stocks 7/8" Colonial (stainable & paintable), 1-1/4" Colonial (stainable & paintable), 7/8" Putty (paintable) and Therma-Tru® CCA & CCV 1-5/8" SDL bars available on CCA and CCV Craftsman doors and sidelites only.



1-1/8" Colonial Paintable 7/8" Colonial Paintable 1-1/4" or 7/8" Putty Glazed (Historical) Paintable 1-1/8" Colonial Stainable 7/8" Colonial Stainable 1-5/8" CCA Stainable 1-5/8" CCV Paintable

SDL Bar Options - High Heat Composite

Classic Craft




(40.64 mm / 1-3/5 in.) Look for the (SDL) designation. (107.95 mm / 4-1/4 in.) Look for the (SDLF3) designation. (139.70 mm / 5-1/2 in.) Look for the (SDLF4) designation.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (SDLF5) designation.




(31.75 mm / 1-1/8 in.) (22.225 mm / 7/8 in.) Look for the (SDL) designation. HHC SDL will come in black and can be painted. (1-1/8 in.) (31.75 mm / 1-1/4 in.) (22.225 mm / 7/8 in.) Look for the (SDLF1) designation. HHC SDL will come in black and can be painted. **NEW** Grained (88.9 mm / 3-1/2 in.) Look for the (SDLF2) designation.

GBG Bar Option



(20 mm / 5/8 in.)

GBG Color Options



Black GBGs now available in select grid patterns.

Frame Options

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame Scrolled Profile Lite Frame



DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Classic Craft



Classic Craft[®] Fir Grain 4-Block Dentil Shelf



Classic Craft[®] Fir Grain 4-Block Dentil Shelf*
*Pairs with 3'6" wide doors.



Classic Craft[®] Canvas 4-Block Dentil Shelf

Fiber-Classic & Smooth-Star



Fiber-Classic[®] 4-Block Dentil Shelf*



Smooth-Star[®] 4-Block Dentil Shelf*


*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



MULTI-POINT LOCKING SYSTEMS (MPLS)

Lever-Style MPLS

Exterior Handlesets




Heirloom Venture Millennium

Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)

Standard Door Options



Tongue (For single door systems.)
Shootbolt (For double door systems.)



Engages at three critical points.

Exterior view of door with lever-style MPLS.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.


Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

Grip-Style MPLS

Handlesets




Forte Prospect

Standard Door Options



Tongue (For single door systems.)
Heights: 6'8", 7'0", 8'0"
Configurations: Inswing, Outswing



Engages at three critical points.

Interior view of door.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

Finish Options



Brushed Nickel Black Nickel Oil-Rubbed Bronze

Grip Style MPLS is NOT available for double french doors.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.




HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
3. For units with public access sills, subtract 1" for in-swing height.

PRE-HUNG FEATURES

Standard Boise Cascade Specs:

- 4-9/16" primed Duraframe frame (rot-free wood: limited lifetime warranty) and brickmould
- Therma-Tru bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustable screws
- In-swing unit with corner seal pads
- Three 4x4 brushed nickel 5/8" self aligning
- Compression bronze weatherstrip
- Adjustable strike plate. Transport clip
- Double bore for lockset and deadbolt prep with double strike prep on frame
- Sill Cover (not included on fixed doors)
- (2) 2-1/2" hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike

Installation Instructions

- Double doors include matching T-Astragal with bronze weatherstrip and strike plates installed
- Inactive door is not bored
- Door with sidelites feature continuous composite adjustable sill

Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	67" x 81 13/16"	67 3/4" x 82 5/16"	69 1/2" x 83 1/16"
	5'8"	71" x 81 13/16"	71 3/4" x 82 5/16"	73 1/2" x 83 1/16"
	6'0"	75" x 81 13/16"	75 3/4" x 82 5/16"	77 1/2" x 83 1/16"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 1-14" SIDELITE	3'0"	52 1/2" x 81 13/16"	53 1/4" x 82 5/16"	55" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"
W/ 2-14" SIDELITE	3'0"	67 1/2" x 81 13/16"	68 1/4" x 82 5/16"	70" x 83 1/16"

F = Fixed Panel L = Left Hand
A = Astragal R = Right Hand



PRE-HUNG FEATURES

Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	63" x 81 3/16"	63 3/4" x 81 11/16"	66" x 82 11/16"
	5'4"	67" x 81 3/16"	67 3/4" x 81 11/16"	70" x 82 11/16"
	5'8"	71" x 81 3/16"	71 3/4" x 81 11/16"	74" x 82 11/16"
	6'0"	75" x 81 3/16"	75 3/4" x 81 11/16"	78" x 82 11/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 1-14" SIDELITE	3'0"	52 1/2" x 81 3/16"	53 1/4" x 82 5/16"	55" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"
W/ 2-14" SIDELITE	3'0"	67 1/2" x 81 3/16"	68 1/4" x 82 5/16"	70" x 83 1/16"


Important Information:

- For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
- 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- For units with public access sills, deduct 1" from in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOAGANY WOOD DOORS	2'0"	24" x 80"	24" x 96"
	2'4"	28" x 80	28" x 96"
	2'6"	30" x 80	30" x 96"
	2'8"	32" x 80	32" x 96"
	3'0"	36" x 80	36" x 96"

Lock Preparation:
 2-3/8" Backset
 2-1/8" Face Bore
 2-1/4" Edge Prep
 Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.

HINGE LOCATIONS



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology.



7404 Shaker
Satin Etch IG
3'0" x 6'8"



7405 Shaker
Satin Etch IG
3'0" x 8'0"



7501
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7801
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37504
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37802
DHRP and Low-E
12" x 6'8"
12" x 8'0"



7002
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7506 Double Arch Top Unit
DHRP and Low-E Bevel
5'0" x 8'0"
5'4" x 8'0"
6'0" x 8'0"



7403 Shaker ★
Satin Etch IG
3'0" x 6'8"



37104 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37122 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37106 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37108 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37506 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37803
DHRP and Low-E
12" x 6'8"
12" x 8'0"



7506
DHRP and Low-E Bevel
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37508 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37804
DHRP and Low-E
12" x 6'8"
12" x 8'0"



9541
Dentil Shelf
for 3'0" doors



6801
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6175
DHRP and Low-E
12" x 6'8"
12" x 8'0"



36802 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SHAKER = SQUARE STICKING WITH FLAT PANEL
SDL = SIMULATED DIVIDED LITE
TDL = TRUE DIVIDED LITE



Boise Cascade[®]
MILLWORK

WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology.



7002
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"; 2'6",
2'8", 3'0" x 8'0"



7701
Low-E
12" x 6'8"
12" x 8'0"



37104 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37122 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37106 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37108 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37010 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



**7404 Shaker
TDL**
Satin Etch IG
3'0" x 6'8"



**7405 Shaker
TDL**
Satin Etch IG
3'0" x 8'0"



7501
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7801
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37598 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37504 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37802
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37506 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37803 SDL
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37508 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37804
DHRP and Low-E
12" x 6'8"
12" x 8'0"



7044
DHRP and Low-E
2'8", 3'0" x 6'8"



37444 SDL
DHRP and Low-E
2'8", 3'0" x 6'8"



37944 SDL
DHRP and Low-E
2'8", 3'0" x 6'8"



6801 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6175 Shaker
FP and Low-E
12" x 6'8"
12" x 8'0"



**36802 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



**36803 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



**36804 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



**36806 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7130
DHRP
3'0" x 6'8"



9541
Dentil Shelf for
3'0" and 3'6" doors



Boise Cascade[®]
MILLWORK

millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680
memphisdoors@bc.com

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SHAKER = SQUARE STICKING WITH FLAT PANEL
SDL = SIMULATED DIVIDED LITE
TDL = TRUE DIVIDED LITE

Simpson[®]
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



REDI-PRIME[®] INTERIOR DOORS

All Redi-Prime[®] interior doors are 1-3/8" thick.



8720 Shaker
3/8" FP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
28", 30" x 6'8"
28", 30" x 8'0"



8782 Shaker
3/8" FP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
28", 30" x 6'8"
28", 30" x 8'0"



8730 Shaker
3/8" FP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
28", 30" x 6'8"
28", 30" x 8'0"



8490
Pantry
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8001 ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8001 Shaker ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8411 ★
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"; 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



8411 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6", 2'8", 3'0"
x 6'8"; 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8755 Shaker
3/8" FP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



8760 Shaker
3/8" FP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



89360 Shaker
1-3/4" Fire-Rated
3/4" FP
28", 30" x 6'8"
28", 30" x 8'0"



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
28", 30" x 6'8"
28", 30" x 8'0"



8490 (8'0) ★
Pantry with 3/8" FP
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8010 ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8012 ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8015 ★
Clear SG
2'4", 2'6", 2'8", 3'0"
x 6'8"



8018 ★
Clear SG
2'6", 2'8", 3'0" x 8'0"



8733 Shaker ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8733 Shaker ★
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8735 Shaker ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8735 Shaker ★
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SQUARE STICKING WITH FLAT PANEL



Boise Cascade[®]
MILLWORK

PINE INTERIOR DOORS

Southern Yellow Pine interior doors are 1-3/8" with panel door designs, also 1-3/4" for your house-to-garage application.



1590
Pantry
2'0", 2'4", 2'6",
3'0" x 6'8"



1305
Clear SG
1'6" x 6'8"



1310
Clear SG
2'0" x 6'8"



1312 (8'0")
Clear SG
2'0" x 8'0"



1315
Clear SG
2'6", 2'8",
3'0" x 6'8"



1318
Clear SG
2'6", 2'8",
3'0" x 8'0"



720 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



782 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



760 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



755 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



82 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



465 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



44 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



66 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501 ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1590 (8'0) ★
Pantry with 3/4" RP
2'0", 2'4", 2'6", x 8'0"



1593 ★
Laundry
2'8", 3'0" x 6'8"



1593 (8'0) ★
Laundry with
3/4" RP
2'8", 3'0" x 8'0"

KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick.
Fire-rated doors are 1-3/4" thick.



720 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9320 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



782 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9382 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



730 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9330 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



760 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9360 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



755 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9355 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



82 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282 ★
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



82V V-Groove ★
3/4" RP 1'6", 2'0",
2'4", 2'6", 2'8", 3'0"
x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282V V-Groove ★
1-3/4" Fire-Rated
1-7/16" RP 2'8", 3'0"
x 6'8"
2'8", 3'0" x 8'0"



7282 ★
1-3/4"
1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7282V V-Groove ★
1-3/4"
1-7/16" RP 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



465 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265 ★
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



465V V-Groove ★
3/4" RP 1'6", 2'0",
2'4", 2'6", 2'8",
3'0" x 6'8"; 1'6",
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265V V-Groove ★
1-3/4" Fire-Rated
1-7/16" RP 2'8", 3'0"
x 6'8"
2'8", 3'0" x 8'0"



7465 ★
1-3/4"
1-7/16" RP 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7465V V-Groove ★
1-3/4" 1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"; 1'6", 2'0",
2'4", 2'6", 2'8", 3'0",
3'6" x 8'0"

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SQUARE STICKING WITH FLAT PANEL



Boise Cascade[®]
MILLWORK

millwork.bc.com

4043 Delp Street
Memphis, TN 38118
800-238-5680

memphisdoors@bc.com

Simpson[®]
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick. Fire-rated doors are 1-3/4" thick.



80801 Shaker V-Groove ★
Barn Door 3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker V-Groove ★
Barn Door 3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker V-Groove ★
Barn Door 3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



1501 ★
Clear SG
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"
2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



1501 Shaker ★
Clear SG
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



1501 ★
White Laminate
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"
2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



1501 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



1590 ★
Pantry
2'0", 2'4", 2'6" x 6'8"



1593 ★
Laundry with 3/4" RP
2'8", 3'0" x 6'8"



KNOTTY PINE INTERIOR DOORS

We offer the rustic look of Knotty Pine, the traditional look of Clear Pine and the more contemporary look of the Primed flat panel shakers. Primed doors can be painted to match any color scheme. Barn Doors are available in a number of patterns.

V-groove available in 3/0 x 8/0.



Z-Brace



X-Brace



Half Z-Brace



Half X-Brace



Double Z-Brace



Mid-Bar



British Brace

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





MOLDED AND FLUSH INTERIOR DOORS


Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted to match any decor.



Carrara
HC & SC 6/8 & 8/0



Caiman
HC & SC 6/8 & 8/0



Rockport[†]
HC & SC 6/8 & 8/0



Colonist
Textured HC & SC 6/8



Santa Fe[†]
HC & SC 6/8 & 8/0

BEAD & COVE

OVOLO



Madison
HC & SC 6/8 & 8/0



Monroe[†]
HC & SC 6/8 & 8/0



Birkdale
HC & SC 6/8 & 8/0



Craftsman
HC & SC 6/8

SHAKER SQUARE



Conmore
HC & SC 6/8 & 8/0

DOUBLE SMOOTH STEP

MOLDED AND FLUSH INTERIOR DOORS (CONTINUED)



Birch
HC & SC 6/8



Lauan
HC & SC 6/8 & 8/0


Birch

Lauan


STICKING PROFILES




Bead & Cove




Shaker



Ovolo



Double Smooth Step



† - In Stock

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.






AMERICAN STAIRS

Item	Size	Description
0804470	25-1/2"x54"x8'9"	250 LB.
0804475	25-1/2"x54"x8'9"	300 LB.
0804471	25-1/2"x54"x10'0"	250 LB.
0804476	25-1/2"x54"x10'0"	300 LB.
0804481	25-1/2"x66"x12'0"	350 LB.



CASINGS



356 Casing (21/32"x2-1/4")
FJ & Primed



366 Casing (11/16"x2-1/4")
Primed Only



445 Casing (21/32"x37/32")
FJ & Primed

BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK

