
Windstorm and Impact Rated Products



Fiberglass & Steel Door Systems



Tough when you need it. Beautiful always.

Impact-Rated Products

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet code requirements in the TDI Regions*



Available Glass Shapes



*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety 2 for persons or property, nor makes any premises hurricane- or impact-proof.



For more on TDI approvals scan here.

DR 600
DR 600
DR 784
DR 602
DR 602
DR 785
DR 603
DR 1182
;
DB 1181
DITTIO
2
DR 600
ł
DR 602
DR 330
-STAR
DR 947
1
DR 951

~				
2	UZ3 IDI PRO	DDUCT APPROVALS		
		COMPOSITE EDGE SMOOTH-STAR FIBER-CLASSIC GLAZED		
	DR 600 DR 600	6/8 Structural		
	DR 784	8/0 Structural	DR 946	
	2	6/8 Impact	DR 945	
		8/0 Impact	DR 945	
	DR 602 DR 602 DR 785	SMOOTH-STAR AND FIBER-CLASSIC OPAQUE WITH DIRECT SET SIDELITES	Inswing	
		6/8 Structural	DR 1157	
-	DR 603	8/0 Structural		
	DITOGO	CLASSIC CRAFT OPAQUE WITH DIRECT SET SIDELITES	Inswing	
	DR 1182	6/8 Structural	DR 1158	
		8/0 Structural	DH 1136	
BS		SMOOTH-STAR AND FIBER-CLASSIC GLAZED WITH DIRECT SET SIDELITES	Inswing	
	DR 1181	6/8 Structural		
		8/0 Structural	DR 1159	
٩R	DR 600	CLASSIC CRAFT GLAZED WITH DIRECT SET SIDELITES	Inswing	
_	BHOOD	6/8 Structural		
AR		8/0 Structural	DR 1160	
	DR 602	TRADITIONS STEEL OPAQUE		
	DR 330	6/8 Impact	DR 636	
ГН	-STAR	IMPACT COMPOSITE JAMBS OPAQ	UE DOORS	
		6/8 Structural	DR 1180	
	DR 947	WOOD EDGE IMPACT BBG		
	DR 951	Structural	DR 1200	
	I	Impact	DITIZOU	
		COMPOSITE EDGE IMPACT BBG		
		Structural	DR 1201	
		Impact		

CLASSIC CRAFT.

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.



Founders Collection





Modern | Confident | Minimal

Traditional | Time-Honored | Decorative



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain. technology.



Designed to echo the grain of the largest species of American Hemlocks - the



Fir Grain

Formerly Classic-Craft American Style

Western Hemlock tree - found in lush coastal rainforests of the Pacific Northwest.

Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.

Mahogany Grain Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany in mind, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Classic Craft. Solid Panels



CCA1125 CCA81125 E 3'0" x 6'8" 3'0"x 8'0"



Artíssa Collection CCA4915L CCA4915R 3'0" x 6'8" 3'0" x 6'8"



Artíssa Collection CCA4935 CCA84935 E





Fir CCA1149 CCA81149 E 3'0" x 6'8" 3'0" x 8'0"

Artíssa Collection

Artíssa Collection

Artíssa Collection

Fir*

CCA84915R E

CCA84945 E

3'0" x 8'0"

3'0" x 8'0"

-Fir*

CCA84915L E

3'0" x 8'0"

CCA4945

3'0" x 6'8"

CCA1100

3'0" x 6'8"





Artíssa Collection - Fir^{*} CCA4925L CCA4925R 3'0"x 6'8" 3'0" x 6'8"



Artíssa Collection CCA1166 CCA81166 E





CCA81127 E 3'0"x 8'0"



Artíssa Collection - Fir^a CCA84925L E 3'0" x 8'0"



Artíssa Collection



Artíssa Collection Fir CCA4905



CCA84925R E 3'0" x 8'0"



CCA81158 E CCA1158 3'0" x 6'8" 3'0"x 8'0"



3'0" x 6'8"



Classic Craft. Solid Panels



3'0"x 8'0"

3'0" x 6'8"

Founders Collection

Mahogany*

CCR8005

3'0"x 8'0"

Artíssa Collection Mahogany** CCM890 3'0" x 8'0"



Founders Collection Mahog CCR8040 3'0" x 8'0"

3'6" x 8'0"

CCR205 3'0"x 6'8"



CCR040

3'0" x 6'8"

3'0" x 6'8"

3'0" x 6'8"





CCV200 3'0" x 6'8"





Canvas CCV050 3'0" x 6'8"

Key

3'0"x 8'0"

6 Structural Option

6 Impact Option E Elevated 10" Bottom Rail Options



*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Note: Additional structural fiberglass door styles and sizes also available for Impact only. Please verify that there is a Therma-Tru product approval specific to your area for the 6 configuration you want before buying.

Founders Collection Mahogany* CCM60 CCM701

Founders Collection Mahogany*

Canvas



CCV205 3'0" x 6'8" CCV8205 3'0"x 8'0"

3'0" x 6'8"

CCV8220 3'0"x 8'0"

Classic Craft. Solid Panels

6 Visionary C Waln		6 Visionary Wa
CCW1000 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") '6" x 6'8" (7'0")	CCW81000 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	CCW900L 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")
9	6	6

Visionary Collection

CCW901R 2'6" x 6'8" (7'0") CCW8901R 2'6" x 8'0" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'6" x 6'8" (7'0") 3'6" x 8'0"





3'6" x 6'8" (7'0")

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"

3'6" x 8'0"



CCW902L 2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

3'6" x 6'8" (7'0")

Visionary Collection

CCW8902L 2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6" x 8'0"

CCW8904R

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6" x 8'0"

Walnu

Wal CCW904R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

3'6" x 6'8" (7'0")



2'10" x 8'0'

3'0" x 8'0"

3'6" x 8'0"

CCW900R CCW8900R 2'6" x 8'0" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'6" x 6'8" (7'0") 3'6" x 8'0"

Visionary Collection



Walnut CCW902R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") CCW8902R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'6" x 6'8" (7'0") 3'6" x 8'0"



Walnut CCW905 E CCW8905 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

3'6" x 8'0"

3'6" x 6'8" (7'0")



Visionary Collection Walnut

CCW8903 2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6" x 8'0"

Visionary Collection

Walnut

CCW901L 2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

3'6" x 6'8" (7'0")

CCW903 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

3'6" x 6'8" (7'0")

CCW8901L 2'6" x 8'0" 2'8" x 8'0"


2'10" x 8'0"

3'0" x 8'0"

3'6" x 8'0"

Visionary Collection Walnut

CCW906L CCW8906L 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'6" x 6'8" (7'0") 3'6" x 8'0"





Note: Additional structural fiberglass door styles and sizes also available for Impact only. Please verify that there is a Therma-Tru product approval specific to your area for the configuration you want before buying.

8 Right Page: Classic Craft Walnut Grain Door - CCW8907L, Finish - Acorn

Key **6** Structural Option **O** Impact Option E Elevated 10" Bottom Rail Options

Visionary (Wal	
CCW907R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	CCW8907R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Fiber-Classic. & Smooth-Star.

Fiber-Classic and Smooth-Star doors rated for Impact feature composite edge stiles.





Fiber-Classic. Mahogany Collection

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic. Oak Collection

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star.

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

Decorative Glass



Blackstone

Black Nicke

Glass Privacy Rating: 7



Crystalline[™]

Glass Privacy Rating: 7

Salinas.



ouaht Iron **Riserva**®

Brass



Black Nickel

Brushed Nickel Texas Star Wellesley Glass Privacy Rating: 6 Glass Privacy Rating: 5



Black Nickel

Black Nicke Brushed Nickel Pembridge[™] Glass Privacy Rating: 7

Axis_® Glass Privacy Rating: 7

Also Available:

Screen Vented, Clear Glass, Solid Panel, Internal Blinds

Privacy & Textured Glass







Reeded (XK) Glass Privacy Rating:

Satin Etch (XE) Chord (XC) Glass Privacy Rating: 10 Glass Privacy Rating: 10





Chinchilla (XJ) Rainglass (XR) Glass Privacy Rating: 10 Glass Privacy Rating: 8

Granite (XN) Glass Privacy Rating: 10

Top: Fiber-Classic Mahogany Collection, Riserva Glass, Door - FCM574, Finish - Elderberry

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs. 10



Glass Privacy Rating: 10



Glass Privacy Rating: 10



NEW Calix Glass Privacy Rating: 1



Black Nicke Maple Park. Glass Privacy Rating: 6



Concorde[™] Glass Privacy Rating: 8

Brass



Black Nicke

NEW Latitude





Saratoga™ Glass Privacy Rating: 7





Kensington Glass Privacy Rating: 8






NEW Echelon Glass Privacy Rating: 2 Glass Privacy Rating: 1



Full Lites



- Available Door Selections Key No Stile Lines
- Fiber-Classic Mahogany
- Fiber-Classic Oak
- Smooth-Star
- Black Nickel Caming (1D) Brushed Nickel Caming (1C)
- Brass Caming (1A)
- **6** Impact Option

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 12 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.





FC104SL 🖸 Also available S155SL S



FCM874SL M Also available: S85896SL S



Also available: 81921PSL 🖸 FC818SL 🖸 🗖 S5870SL S



FCM818SL M FCM81921SL M Also available: 81921SL 🖸 🗖 S85934SL S

Concorde_™ ♦ ::: ♦



S572SL S

FCM572SL Me FCM8572SL Me Also available: FC572SL 🖸 🗖





FCM910 M Also available: FC910 🖸 E S6090 SE



FCM890 M Also available 81928P 🖸 S85895 S

S85930SL S





Also available: FC148 O E S160 SE



FCM626 M 🔳 🖻 Also available: FC626 🖸 🔳 E S626 S 🛯 E



FC148SL O Also available S160SL S



FCM813SL M Also available: FC813SL 🖸 🔳 S6132SL S

Full Lites

Pembridge	am ◆ ■							NEW Latit	ude 🔶 ::: 💸
FCM6550 C Also available: FC6550 C S6550 C E	FCM86550 C Also available: FC86550 C S86550 S	FCM6500 C = E Also available: FC6500 C = E S6500 C = E	FCM86500 C Also available: FC86500 C S86500 C	FC6550SL Also available: S6550SL S	FCM86550SL Also available: FC86550SL S86550SL S86550SL S	FCM6500SL M Also available: FC6500SL O S6500SL O S6500SL O	FCM86500SL A • Also available: FC86500SL •	FCM2213 Also available: FC2213 S2233 E E	FCM82213 C Also available: FC82213 C S82233 S
Axis. 🔶								NEW Eche	elon 🔸 🎫 🛠
FCM1652 C Also available: FC1652 C S1652 C E	FCM81652 Also available: FC81652 S81652 S81652	FCM1651 C E Also available: FC1651 C E S1651 C E	FCM81651 M Also available: FC81651 S 881651 S	FC1652SL O Also available: S1652SL S	FCM81652SL Also available: FC81652SL S81652SL S81652SL	FCM1651SL Also available: FC1651SL C S1651SL S S1651SL S	FCM81651SL M Also available: FC81651SL Ø S81651SL ∑	FCM2223 M Also available: FC2233 S S2233 S	FCM82223 M Also available: FC82233 D S82233
NEW Calix	*:: *							Privacy & ⁻	Textured Gla
FCM2223 Also available: FC2223 S2223 E	FCM82223 C Also available: FC82223 C S82223 S	FCM2389 C Also available: FC2389 C S2389 S	FCM82389 FC82389 S82389 S82389 FC82389	FCM2389SL M Also available: FC2389SL S S2389SL S	FCM82389SL S S82389SL S	FCM82223SL M Also available: FC82223SL S S82223SL S	FC2223SL O Also available: S2223SL S	FCM10_ M Also available: FC10_ C S118_ S	FCM870_ M Also available: 81200P_ O S818_ S



FCM2382 M Also available: FC2382 🖸 🗖 S2385 S 🔳 E

FCM82382 M 🔳 Also available: FC82382 0 S82385 S

9

FCM2385 🔟 🗖

Also available:

FC2389 O

S2385 S E





Also available:

FC82385 O

S82385 S

d Glass



FCM81200_M

Available Door Selections Key M Fiber-Classic Mahogany Fiber-Classic Oak Smooth-Star

No Stile Lines

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C) Brass Caming (1A)

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.



FCM2382SL M Also available: FC2382SL 0 S2382SL S



FCM82382SL M Also available: FC82382SL O S82382SL S



FCM82213SL M Also available: FC82213SL O S82213SL S



FC2213SL M Also available: S2213SL S



FCM2385SL M Also available: FC2385SL 0 S2385SL S



FCM82389SL M Also available: FC82233SL 0 S82385SL S



FCM82233SL M Also available: FC82385SL O S82233SL S



FC2233SL M Also available: S2233SL S



FC47_SL O Also available: S100_SL S



FCM870_SL M Also available: 81200P_SL 🖸 S8601_SL S





FCM81200_SL 🛚 🗖 Also available: 81200_SL 🔳 S81086_SL S

X Wrought Iron (1W) E Elevated 10" Bottom Rail Options **6** Structural Option **6** Impact Option

Privacy & Textured Glass Options XK = Reeded XJ = Chinchilla XR = Rainglass XE = Satin Etch XC = Chord XN = Granite

Full Lites

Clear Glass with Divided Lites Internal Blinds FCM141 M FCM8115 M FCM1286 M E FCM81225 M FC141SL FCM8115SL FCM1286SL FCM81225SL E Also available: Also available: Also available Also available: Also available: Also available: Also available: Also available. FC141 O E 81225P O 1286 🖸 🔳 E 81225 🖸 🗖 S130SL S 81225PSL 🖸 1286SL 🖸 🗖 81225SL 🖸 🔳 S130 SE S829SL S S6128SL S S85928SL S S6061 S E S829 S S81225 S

Clear Gi	ass with	Divided	LILES
6	6		6
FCM138 Also available: FC138 E S128 S E	FCM1285 M E Also available: 1285 D E S141 S • E		FC1200 🖸 🔳 E

3/4 Lites

Blackstone. •::



Salinas_® ×



S894 S



Also available:

FC765SL 🖸

S975SL S





Clear Glass



Also available S308SL S

FCM870SL M

Also available:

81200PSL O

S8601SL S

FCM12102SL M = FCM81208PSL M Also available: Also available 12102SL 🖸 📕 81208PSL 🖸 S1170SL S 🛛 🕈 S808SL S 🛉

FCM12101SL 🖾 🗧 FCM81200SL 🕅 🔳

Also available:

81200SL O

S81086SL S

Also available:

12101SL 🖸 🔳

S601SL S



	6	E		
P		斧		
	14	셝		
		*		
	6	10	1	

81955P O

Also available S895 S




Also available:

FC115SL O

S6009SL S

Saratoga_™ **♦** ::

S6009 S





Also available: FC907SL 🖸 S6092SL S

Av	ailable Door Selections	K
Μ	Fiber-Classic Mahogany	

Key No Stile Lines Black Nickel Caming (1D) Brushed Nickel Caming (1C) Brass Caming (1A)

Turtle Glass

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 16 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.





FCM870 🖾 🛔 FCM1283 🖾 🖷 🏚 E FCM81200 🖾 🖷 🏚 FC47SL 🖸 Also available: 81200 🖸 🔳 🛓 S140 S 🔳 🛓 E S8140 S 🔳 🛓

Also available: S100SL S

Flat Black Grilles between Glass (GBGF) X Wrought Iron (1W) E Elevated 10" Bottom Rail Options 6 Structural Option **6** Impact Option



S6092 S

Fiber-Classic Oak

Smooth-Star

81956P 🖸 Also available S891 S



Also available: 81952PSL O S894SL S







Also available FC38SL O S758SL S

FCM8105SL M Also available: 81953PSL O S888SL S

Maple Park. +::



FCM884SL M Also available: 81955PSL 0 S895SL S



FCM902SL M Also available: FC902SL 🖸 S6102SL S



FCM887SL M Also available: 81957PSL 🖸 S85898SL S



FCM889SL M Also available: 81956PSL O S891SL S

> Privacy & Textured Glass Options XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

3/4 Lites

Riserva. X

FCM543 M

Also available

FC543 O


S543 S


FC529 O

S529 S

Kensington_™ **♦**::

Also available:





Concorde_™ ♦ ::: ♦



FCM912SL M Also available

FCM892SL M Also available: 81960PSL O

FCM476 M

6 Also available:

S476 S

Axis. 🔶

FCM1647 M FC1646 O FC81646 O Also available Also available Also available FC1647 O S1646 S S81646 S

FCM1646SL M Also available: FC1646SL O S1646SL S

Available Door Selections

M Fiber-Classic Mahogany

Fiber-Classic Oak

Smooth-Star

- Black Nickel Caming (1D)
 - Brushed Nickel Caming (1C)
 - Brass Caming (1A)
 - X Wrought Iron (1W)

6 Structural Option

FCM81646SL M Also available:



FCM156 M Also available: FC156 O S156 S

FC20042 O 81961P O Also available: Also available: S20042 S S902 S





Pembridge_™ **♦ ::**

FC6580 O Also available: S6580 S



FC6580SL 0 S6580SL S

FCM86580SL M Also available: FC86580SL O S86580SL S

S1647 S

FC81646SL O S81646SL S

6 Impact Option

Key

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 18 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

FC8529 O FCM545SL M Also available: Also available S8529 S FC545SL O S545SL S

FCM8545SL M Also available: FC8545SL 0 S8545SL S





S97 S

Also available S85902 S FC912SL O S757SL S

S85902SL S

FC476 🖸 S476 S

Also available: FC4525SL 🖸 S4525SL S

FCM84525SL M Also available: FC84525SL 🖸

S84525SL S

FC476 🖸 Also available:



FCM389 M

Also available

FC389 O

NEW Calix **•**::•

S389 S NEW Latitude +::*

FCM4521S M

Also available

S4521SL S



FCM84521S M

Also available

S84521SL S



FC4521 🖸

Also available

S4521 S



Also available S84521 S



Also available: S4521SL S



Also available S84521SL S



FC4525 🖸 Also available: S4525 S



FC84525 🖸 Also available S84525 S

NEW Echelon **•**::•



FC84527 🖸 Also available: S84527 S



FCM84527SL M Also available: FC84527SL O S84527SL S

Privacy & Textured Glass



FCM32_ M Also available: FC32_ 0 S80 S



Also available S90_S



Also available: S880_S



FCM32_SL M Also available FC32 SL O S751 SL S



FCM881 SL M Also available: 81943P SL O S880 SL S

XK = Reeded XE = Satin Etch XC = Chord

Privacy & Textured Glass Options XJ = Chinchilla XR = Rainglass XN = Granite

3/4 Lites

1/2 Lites _____



















Clear Glass



FCM881SL M	
Also available:	
81943PSL 🖸	
S880SL S	



Maple Park. +::





Also available:

S6108 S

FCM6031 M

Also available

S6031 SE

Available Door Selections

M Fiber-Classic Mahogany

Fiber-Classic Oak Smooth-Star

- Key Black Nickel Caming (1D)
 - Brushed Nickel Caming (1C)

 - X Wrought Iron (1W) Turtle Glass
- **(** Impact Option

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 20 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

Crystalline™ ♦ ::



Also available: 81935P 🖸 S81935P S





81975P 🖸

S85905 S

Also available:

S86031 SE



FCM6051 M Also available: S6051 S



FCM109SL M FCM863SL M

Also available: Also available:

S6000SL S S85912SL S

FC109SL O

81933PSL O

S973 S



81980P O Also available: S893 S



FCM114SL M Also available: FC114SL O S6006SL S



FCM865SL M Also available: 81937PSL O S85916SL S



S6106 S



Also available: S85897 S



FCM901SL M Also available: FC901SL O S6101SL S



FCM886SL M Also available: 81939PSL O S85918SL S

Flat Black Grilles between Glass (GBGF) E Elevated 10" Bottom Rail Options 6 Structural Option

1/2 Lites



Texas Star +::







FCM6074 M Also available S6074 SE 81940P 🖸

6 FCM6075 M S86074 SE Also available:


S6075 S



FCM899SL M Also available: 81940PSL O 85919SL S



Kensington_™ **♦ ::**



Wellesley_™ ♦ ::: ♦



Also available



FCM866SL M

Also available:

81941PSL 🖸

S85922SL S



Riserva. X



FCM583SL M Also available: FC583SL O S583SL S







Also available: FC6560 🖸 E S6560 SE

Also available: Also available: FC6565SL O FC86560 O S6565SL S S86560 S

Available Door Selections	
M Fiber-Classic Mahogany	

Fiber-Classic Oak

Smooth-Star

+ Black Nickel Caming (1D)

Key

- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)

6 Structural Option

- 6 Impact Option

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 22 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

Concorde_™ ♦ ::: ♦





FCM911 M Also available: FC911 🖸 E S426 SE

FCM911SL M Also available: FC911SL O S430SL S



FCM891 M Also available 81942P 🖸 S81942P S



FCM891SL M Also available 81942PSL O S85920SL S





Also available:

S161SL S

FCM149SL M

FCM8149 M Also available FC8149 O S8149 S



FCM6036 M Also available S6036 SE



S86036 SE



FCM6056 M Also available S6056 S



S43 S



Also available: FC86560SL O S86560SL S



Also available S6565 SE



S86565 S E



FCM6568 M Also available: S6568 S



S6536 S



FC86536 O Also available S86536 S

E Elevated 10" Bottom Rail Options

1/2 Lites



NEW Calix +::*







Also available

Also available FC8386 O S8386 S

FCM387 M S8387 SE Also available S387 S E

6 FCM394 M Also available

S394 S E

S392 S



Also available S8392 S



S387SL S

FCM8386SL M

Also available: FC8386SL O S8386SL S



FCM62_ M

Also available:

FC62 **D**E

S206 SE

Internal Blinds

Privacy & Textured Glass

FCM862_ M

Also available:

81929P

S81929P_S

FCM6035 M S86035 SE Also available

S6035 SE

FCM6021_ M

Also available:

S6021_SE

S86021_SE

6

FCM6055 M Also available S6055 S

Clear Glass with Divided Lites





Available Door Selections
M Fiber-Classic Mahogany

Fiber-Classic Oak

Smooth-Star

+ Black Nickel Caming (1D)

- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- 6 Structural Option

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 24 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

FCM386 M

FC386 O S386 S E

NEW Latitude + :: *



Also available

FC8498 🖸

S8498 S

FC8489 O Also available

S8789 S

FCM8498SL M Also available: FC8498SL 🖸 S8498SL S

		Ì





- X Wrought Iron (1W)
- **O** Impact Option





Also available:

S6041_S

FCM104_ 🛛 E Also available: FC104_ O E S104 SE



\$30_<mark>\$</mark>



81971P_ 🖸 Also available: S830_S



FCM62_SL M Also available: FC48 SL O S210_SL S



FCM862_SL M Also available: 81929P SL O S85910_SL S





FCM116 M 🔳 E Also available: FC116 🖸 🔳 E S131 S 🔳 E



S971 S



FC8971 O Also available: S8971 S



FCM678SL M Also available: FC678SL O S132SL S



FCM8678SL M Also available 8678SL 🖸 S8132SL S



Also available: FCM8321 M S8321 S



S8325 S 🕈 E



FC8319 O Also available S8319 S 🕈



S32 S 🕈



FC832 O Also available: S832 🕈 S

Flat Black Grilles between Glass (GBGF) E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options XJ = Chinchilla XK = Reeded XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

1/2 Lites



Clear Glas	S			
			6	and the second se
FCM62 M Also available: FC62 E	FCM862 M Also available: 81929P O	FCM6021 M Also available: S6021 S E	S86021 S E	FC Als S6

S81929P S



Blackstone. +:: FC80943 O





S9353 S

Center Lites _____



Saratoga_™ ♦ :::





FC80949 🖸 Also available S9349 S

FC86249 O Also available S83149 S





Kensington_™ **♦ :**

FC80942 🖸 Also available: S9342 S Also available S83142 S

Available Door Selections

- Key + Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- **O** Impact Option

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 26 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

- FCM670 🔟 트 S30 S Also available: FC670 I E S104 S E
- 81971P 🖸 Also available S830 S
 - FCM62SL M Also available FC48SL S210SL S S85910SL S

FCM862SL M Also available: 81929PSL •

S206 SE

Concorde_™ ♦ ::: ♦

Also available: S83147 S S9347 S

Smooth-Star

- - Brass Caming (1A)
 - X Wrought Iron (1W)





FC80955 🖸 Also available: S9355 S



FC86255 O Also available: S83155 S





FC507 🖸 Also available: S507 S



FC549 🖸 Also available S549 S







FC6534 O Also available: S6534 S



FC86533 O Also available: S86533 S

Flat Black Grilles between Glass (GBGF) E Elevated 10" Bottom Rail Options 6 Structural Option

Center Lites _____









Also available: S925 S



Also available S8972 S



FC862203 O FC809203 O Also available: \$93203 \$ \$ Also available S831203 S

Clear Glass



Clear Glass





Maple Park_® 🔶 📰



Riserva. X





S508 S

Axis. 🔶





Privacy & Textured Glass



Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Available Door Selections	Key
M Fiber-Classic Mahogany	🔶 Black Nickel Caming (1D)
Fiber-Classic Oak	Brushed Nickel Caming (10
Smooth-Star	Brass Caming (1A)



- **6** Structural Option

6 Impact Option

*Not available with Reeded (XK).

Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

Saratoga_™ ♦::









FCM602 M Also available: S602 S



S8602 S

Pembridge_™ **♦**::



S2640 S E







FCM6520 M Also available: S6520 S



S86520 S











FCM6975 M Also available: S6975 SE



S86975 S











E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options XJ = Chinchilla XK = Reeded XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

Fiber-Classic. & Smooth-Star. Solid Panels

Fiber-Classic. & Smooth-Sta	ar _® Solid Panels		PULSE
$ \begin{array}{ c c } \hline FCM31 & FCM31 & FCM32 & $	S200 S 2'6" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 3'0" x 6'8" Also available: FCM205 M 2'8" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 3'0" x 6'8"	FCM755 [] Image: Constraint of the second secon	Pulse is geometry with energy. Designed to be fun and easy to mix a modern entrance without missing a beat. Explore all the possible con numbers needed to order. Turn the page for a glimpse of available st •••••••••••••••••••••••••••••
2'8"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 2'4"x 6'8" 2'10"x 6'8" 2'10"x 6'8" 2'10"x 6'8" 2'6"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 2'8"x 6'8" Also available: Also available: 2'8"x 6'8" 2'8"x 6'8" 2'0"x 6'8" 2'10"x 6'8" 2'8"x 6'8" 2'0"x 6'8" 2'10"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 2'6"x 6'8" 3'0"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 2'8"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 2'8"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	Also available: FCM1000 • 2'4" x 6'8" 2'6" x 6'8" 2'6" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 2'4" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'4" x 6'8" 2'4" x 6'8" 2'5" x 6'8" 2'4" x 6'8" 2'4" x 6'8" 2'4" x 6'8" 2'10" x 6'8" 2'6" x 6'8" 2'10" x 6'8" 2'10" x 6'8"	S897 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	Línea Sidelites 3 Select a GLASS. Tind an available glass design to complete the statement you wat Privacy & Textured Glass Available for all Pulse door styles. Fieded for all Pulse door styles. Reeded Satin Etch Chord Chinchilla Low-E Also Available. Decorative Glass
$ \begin{array}{c} FC862 \\ \hline \\ FC862 \\ FC862 \\ 2'8' \times 8'0' \\ 2'10' \times 8'0' \\ 3'0' \times 8'0' \\ Also available: \\ \\ S831 \\ S^{2}8' \times 8'0' \\ 2'10' \times 8'0' \\ 3'0' \times 8'0' \\ 3'0' \times 8'0' \\ 3'0' \times 8'0' \\ 3'0' \times 8'0' \\ \end{array} \\ \begin{array}{c} FC860 \\ S8600 \\ S'8' \times 8'0' \\ 2'10'' \times 8'0' \\ 3'0' \times 8'0' \\ \end{array} \\ \begin{array}{c} FC860 \\ FC860 \\ S810 \\ S810 \\ S810 \\ S810 \\ S810 \\ 2'6' \times 8'0' \\ 2'6' \times 8'0' \\ 2'6' \times 8'0' \\ 2'0' \times 8'0' \\ 3'0' \times 8'0' \\ 3$	81000 ○ E Also available: 2'0" x 8'0" 2'0" x 8'0" 2'4" x 8'0" 2'0" x 8'0" 2'6" x 8'0" 2'4" x 8'0" 2'8" x 8'0" 2'6" x 8'0" 2'10" x 8'0" 2'6" x 8'0" 2'10" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 8'0" 3'0" x 8'0" 2'8" x 8'0" 3'0" x 8'0" 2'8" x 8'0" 2'0" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'10" x 8'0" 2'0" x 8'0" 2'10" x 8'0" 2'0" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'6" x 8'0" 2'10" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0"		Available for Linea.
Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door events approximate for human	Available Door Selections Key Image: Fiber-Classic Mahogany Image: No State Image: Fiber-Classic Oak E Eleva Image: Second State Second State	tile Lines 6 Structural 0 ted 10" Bottom Rail Options 6 Impact Opt	

Smooth-Star

that there is a Therma-Tru product approval specific to your area for 30 the door system configuration before buying.

odern design. Upbeat living.

ix and match with sleek, flush door and sidelite styles, you can create a combinations at thermatru.com/pulse. Mix and match to get the style styles and sizes.

2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass


want to make.




Rainglass

Granite

Available for Ari.







- 1 Blackstone.
- 2 Crystalline_™
- 3 Salinas.
- 4 Saratoga_™
- 5 Riserva.
- 6 Pembridge_™
- 7 Axis.
- 8 NEW Calix
- 9 NEW Latitude
- 10 NEW Echelon

Scrolled Frame.

Línea







S1RAX S

S81LAX S

S81AX S



Saratoga_™ **♦** :::



NEW Latitude **•**::•

S1AX S

S1LAX S









Privacy & Textured Glass



Available Door Selections

S Smooth-Star

- M Fiber-Classic Mahogany Fiber-Classic Oak
- Black Nickel Caming (1D) Brushed Nickel Caming (1C)

Key

- Brass Caming (1A)
- X Wrought Iron (1W)

NEW Calix **•**::•



S81RAX S



FCM1LCX M Also available: FC1LCX O FC1CX O S1LCX S S1CX S





Also available:

FC1RCX O

S1RCX S



Also available:

FC81LCX O

S81LCX S



Also available:

FC81CX O

S81CX S



FCM81RCX M Also available FC81RCX O S81RCX S

NEW Echelon ♦ ... ◆




FCM1LEC M Also available: FC1LEC O S1LEC S



FCM1EC M Also available FC1EC 🖸 S1EC S



Also available: FC1REC O S1REC S



Also available: FC81LEC O S81LEC S



Also available: FC81EC O S81EC S



FCM81REC M Also available: FC81REC O S81REC S



6 Structural Option **O** Impact Option

Privacy & Textured Glass Options XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

Sidelites









Axis. 🔶

FCM1651SI

Also available:

FC1651SL 🖸 🗖

S1651SL S

X.I = Chinchilla

XR = Rainglass

XN = Granite

ECM81651SI M

FC81651SL

Also available:

S81651SL S

FCM81200 SL M

Also available:

81200_SL 🖸 🔳


S81086 SL S





Note: For Impact options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on 34 page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

Multi-Point Locking System



Composite Door Frame* featuring Tru Guard Composite Technology

(RQT)



Composite door frame featuring Tru-Guard composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

Delivers extra protection from the damaging effects of outside elements for peace of mind.

Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

Therma-Tru F	Products & A	Applications
--------------	--------------	--------------

Composite Door Frame


+ Classic Craft. Door

+ Components


Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse. Fiberglass Door + Components

*See your Therma-Tru seller for details on product availability. Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.





Therma-Tru_® Doors





500 Industrial Blvd. Ste 100 Sugar Land, TX 77478

833-504-1606

millwork.bc.com



Cover: Smooth-Star, Maple Park Glass, Doors – S86107, Finish – Arctic Ice Above: Classic Craft Mahogany Grain, Door – CCR205; Rainglass, Sidelites – CCR3400XRSL; Clavos & Strap Hinges

©2023 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Innovations, Inc. MET23-2650 MAY 2023 #PODMAFIMPACT23