



**Boise Cascade**<sup>®</sup>  
MILLWORK



© Nat Rea

**NOW AVAILABLE IN THE HOUSTON MARKET**

# **SIMPSON DOORS IN STOCK**

*at Boise Cascade*

# TABLE OF CONTENTS

Boise Cascade is proud to offer Simpson pre-hung and slab exterior doors to its customers. America's finest and most well-known wood door brand is now available in stock for quick delivery.

Doors available with the shortest possible lead time are stocked in our Houston location. Additional doors are available in + 1-2 weeks from our Dallas location. The doors that are stocked in Dallas are labeled with a star ★ throughout this brochure. In addition, any special order or custom door you can dream of is available through Simpson's manufacturing facility. Contact your BC representative today to order your dream Simpson exterior door.

## EXTERIOR DOORS IN STOCK



**MAHOGANY** pp. 3-4



**WESTERN HEMLOCK** pp. 5-7



**KNOTTY ALDER** pp. 8-9

## INTERIOR DOORS IN STOCK



**REDI-PRIME®** pp. 10-11



**WESTERN HEMLOCK** pp. 12-13



**KNOTTY ALDER** pp. 14-15

**REDI-SHIP® INTERIOR DOORS**  
(+1-2 week lead time over in stock)



**SOUTHERN YELLOW PINE** p. 16



**KNOTTY PINE** p. 17



**REDI-SHIP PROGRAM** pp. 18-19



**Boise Cascade®**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606



# MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with ovolo sticking and UltraBlock® technology and are stocked in the sizes noted.




**Boise Cascade®**  
MILLWORK



**7002**  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"




**7403 Shaker**  
Satin Etch IG  
3'0" x 6'8"



**7404 Shaker**  
Satin Etch IG  
3'0" x 6'8"



**7405 Shaker**  
Satin Etch IG  
3'0" x 8'0"



**37104**  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37122**  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37106**  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37108**  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7501**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**7801** ★  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7501**  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**7501** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37504**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37802**  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37504**  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"




**37504** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37506**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37803**  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37506**  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37506** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**7504**  
DHRP and Low-E Bevel  
3'0" x 6'8"  
3'0" x 8'0"



**7802** ★  
DHRP and Low-E Bevel  
12", 14" x 6'8"  
12", 14" x 8'0"



**7506**  
DHRP and Low-E Bevel  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7803** ★  
DHRP and Low-E Bevel  
12", 14" x 6'8"  
12", 14" x 8'0"

















★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING







**Simpson®**  
Door Company

# MAHOGANY EXTERIOR DOORS (CONTINUED)

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with ovolo sticking and UltraBlock® technology and are stocked in the sizes noted.

							
<b>37508</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>37804</b> DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0"	<b>37508</b> DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	<b>7506 Double Arch Top Unit</b> DHRP and Low-E Bevel 5'0" x 8'0" 5'4" x 8'0" 6'0" x 8'0"	<b>37508</b> ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	<b>6801</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>6175</b> ★ DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0"	<b>6801</b> ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"

							
<b>6801</b> DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	<b>36802</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>36802</b> ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	<b>36802</b> DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	<b>36803</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>36803</b> ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	<b>36803</b> DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	<b>36804</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"

					
<b>36804</b> ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	<b>36804</b> DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	<b>36806</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>36806</b> ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	<b>36806</b> DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	<b>9541</b> Dentil Shelf for 3'0" doors



**Boise Cascade**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606

# WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted.



**7002**  
Clear IG  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**7701** ★  
Clear IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002 Shaker** ★  
Clear IG  
2'0", 2'6", 2'8",  
3'0" x 6'8"



**7701 Shaker** ★  
Clear IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**7701** ★  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002 Shaker** ★  
Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
2'0", 2'6", 2'8", 3'0" x 8'0"



**7701 Shaker** ★  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002** ★  
ADA Compliant  
Low-E  
3'0" x 6'8"  
3'0" x 7'0"  
3'0" x 8'0"



**7002**  
WaterBarrier®  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7037** ★  
Low-E  
3'0" x 6'8"



**7403**  
Satin Etch IG  
3'0" x 6'8"




**7404**  
Satin Etch IG  
3'0" x 6'8"



**7405**  
Satin Etch IG  
3'0" x 8'0"



**37104**  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
2'0", 2'6", 2'8", 3'0" x 8'0"



**37104**  
WaterBarrier  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37104 Shaker** ★  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
Low-E  
2'0", 2'6", 2'8", 3'0" x 8'0"



**37122**  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
2'0", 2'6", 2'8", 3'0" x 8'0"




**37122**  
WaterBarrier  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37122 Shaker** ★  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
Low-E  
2'0", 2'6", 2'8", 3'0" x 8'0"




**37106**  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
2'0", 2'6", 2'8", 3'0" x 8'0"



**37106**  
WaterBarrier  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37106 Shaker** ★  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
Low-E  
2'0", 2'6", 2'8", 3'0" x 8'0"



**37108**  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
2'0", 2'6", 2'8", 3'0" x 8'0"



**37108**  
WaterBarrier  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"




**37108 Shaker** ★  
Clear IG and Low-E  
2'0", 2'6", 2'8", 3'0" x 6'8"  
Low-E  
2'0", 2'6", 2'8", 3'0" x 8'0"

★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING  
SHAKER = SHAKER STICKING

# WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)


All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted.




**37010**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37010 Shaker** ★  
Low-E  
2'0", 2'6", 2'8", 3'0"  
x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37010**  
WaterBarrier®  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37015**  
Clear IG  
2'6", 2'8",  
3'0" x 6'8"



**7501**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**7801** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7501** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**7501** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37598**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37504**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"




**37802** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37504** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37504** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37506**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"




**37803** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37506** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37506** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37508**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"




**37804** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37508** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37508** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**7031** ★  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"




**37435** ★  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"



**37035** ★  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"



**7044** ★  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"



**37444** ★  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"



**37944** ★  
DHRP and  
Low-E  
2'8", 3'0" x 6'8"




**6801**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**6175** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**6801** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801** ★  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker** ★  
FP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker** ★  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**6175 Shaker** ★  
FP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**6801 Shaker** ★  
FP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**Boise Cascade**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606






**Boise Cascade®**  
MILLWORK

## WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted.



**36802**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36802** ★

DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802** ★

DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker** ★

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker** ★

FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker** ★

FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"




**36803**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803** ★

DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803** ★

DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker** ★

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker** ★

FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker** ★

FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804** ★

DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804** ★

DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"




**36804 Shaker** ★

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker** ★

FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker** ★

FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806** ★

DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806** ★

DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"




**36806 Shaker** ★

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806 Shaker** ★

FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"




**36806 Shaker** ★

FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**7132** ★

DHRP and Low-E  
2'8", 3'0" x 6'8"



**37134** ★

DHRP and Low-E  
2'8", 3'0" x 6'8"




**7344** ★

DHRP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**7130** ★

DHRP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**1510** ★

Clear SG,  
No UltraBlock®  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1515** ★

Clear SG,  
No UltraBlock®  
2'6", 2'8",  
3'0" x 6'8"



**9541**

Dentil Shelf  
for 3'0" and 3'6" doors

★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING  
FP = 3/4" FLAT PANEL  
SG = 1/8" SINGLE GLAZED  
SHAKER = SHAKER STICKING

**Simpson®**  
Door Company

# KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted.



**7002**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**37010**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8", 3'0",  
x 8'0"



**7501**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"




**7801** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7501**  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**7501** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37504**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"




**37802** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37504**  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"




**37504** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**37506**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"




**37803** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37506**  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"




**37506** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"




**37508**  
DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**37804** ★  
DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37508**  
DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37508** ★  
DHRP and White  
Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



© Great NW Homes



**Boise Cascade**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606





**Boise Cascade®**  
MILLWORK

## KNOTTY ALDER EXTERIOR DOORS (CONTINUED)

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted.



**6801**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"




**6801** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"




**6801** ★  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker** ★  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"




**6801 Shaker** ★  
FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker** ★  
FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36802** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"




**36802**  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker** ★  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker** ★  
FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker** ★  
FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"




**36803** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"




**36803** ★  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker** ★  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker** ★  
FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker** ★  
FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"




**36804** ★  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker** ★  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker** ★  
FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker** ★  
FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806** ★  
DHRP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806** ★  
DHRP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806 Shaker** ★  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806 Shaker** ★  
FP and White Laminate IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806 Shaker** ★  
FP and Seedy Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**9541**  
Dentil Shelf  
for 3'0" x 6'8"  
and 3'6" x 8'0"

★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
FP = 3/4" FLAT PANEL  
IG = 3/4" INSULATED GLAZING  
SHAKER = SHAKER STICKING

**Simpson®**  
Door Company

# REDI-PRIME® INTERIOR DOORS

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted.

Redi-Prime fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**8720 Shaker**  
3/8" FP  
13", 14", 16", 2'0", 2'4",  
2'6", 2'8", 3'0" x 6'8"  
14", 16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**89320 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8782 Shaker**  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
14", 16", 2'0", 2'4",  
2'6", 2'8", 3'0" x 8'0"



**89382 Shaker**  
1-3/4" Fire-  
Rated 3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8780 Shaker** ★  
Plantation Louver  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**8781 Shaker** ★  
Plantation Louver  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**8730 Shaker**  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
14", 16", 2'0", 2'4",  
2'6", 2'8", 3'0" x 8'0"



**89330 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8760 Shaker** ★  
3/8" FP  
13", 14", 16", 2'0", 2'4",  
2'6", 2'8", 3'0" x 6'8"  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**89360 Shaker** ★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8755 Shaker**  
3/8" FP  
14", 16", 2'0", 2'4",  
2'6", 2'8", 3'0" x 6'8"  
14", 16", 2'0", 2'4",  
2'6", 2'8", 3'0" x 8'0"



**89355 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**89801 Shaker** ★  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**89812 Shaker** ★  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**89815 Shaker** ★  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**Boise Cascade**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606



**Boise Cascade®**  
MILLWORK


## REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**8001**

Clear SG  
20", 24", 26",  
28", 30" x 6'8"  
20", 24", 26",  
28", 30" x 8'0"



**8001 Shaker**

Clear SG  
20", 24", 26",  
28", 30" x 6'8"  
20", 24", 26",  
28", 30" x 8'0"



**8411** ★

White Laminate  
20", 24", 26", 28", 30"  
x 6'8", 20", 24", 26",  
28", 30" x 8'0"



**8411 Shaker Quirk** ★

White Laminate  
20", 24", 26", 28", 30"  
x 6'8", 20", 24", 26",  
28", 30" x 8'0"



**8475**

V-Groove  
2'0" x 6'8" = 10-lite layout  
2'4", 2'6", 2'8", 3'0" x 6'8"  
= 15-lite layout




**8490**

Pantry  
2'0", 2'4" x 6'8"  
2'6", 2'8", 3'0" x 6'8" ★



**8490 (8'0")**

Pantry with 3/8" FP  
2'0", 2'4" x 8'0"  
2'6", 2'8", 3'0" x 8'0" ★




**8010**

Clear SG  
20", 24", 26",  
28", 30" x 6'8"



**8012**

Clear SG  
20", 24", 26",  
28", 30" x 8'0"



**8015**

Clear SG  
2'4", 2'6", 2'8",  
3'0" x 6'8"



**8018**

Clear SG  
2'6", 2'8",  
3'0" x 8'0"



**8733 Shaker**

Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**8733 Shaker**

White Laminate  
20", 24", 26", 28",  
30" x 6'8"



**8735 Shaker**

Clear SG  
20", 24", 26", 28",  
30" x 6'8"  
20", 24", 26", 28",  
30" x 8'0"



**8735 Shaker**

White Laminate  
20", 24", 26", 28",  
30" x 6'8"  
20", 24", 26", 28",  
30" x 8'0"



© Cynthia Brown Studio


★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
FP = 3/4" FLAT PANEL  
SG = SINGLE GLAZED  
SHAKER = SHAKER STICKING

**Simpson®**  
Door Company



# WESTERN HEMLOCK INTERIOR DOORS

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**720 Shaker** ★  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9320 Shaker** ★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**782 Shaker**  
3/8" FP  
1'6", 2'0", 2'4",  
2'6", 2'8", 3'0",  
x 6'8" 1'6", 2'0",  
2'4", 2'6", 2'8",  
3'0" x 8'0" ★




**9382 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0" ★




**730 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9330 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"




**760 Shaker** ★  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9360 Shaker** ★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"




**755 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9355 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**55** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9255** ★  
1-3/4" Fire-  
Rated 1-7/16" RP  
2'8", 3'0" x 6'8"

© Rill Architects



**Boise Cascade**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606



**Boise Cascade**<sup>®</sup>  
MILLWORK

## WESTERN HEMLOCK INTERIOR DOORS (CONTINUED)

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**1501** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1501 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1501** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**1501 Shaker Quirk** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8", 3'0"  
x 6'8", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1590**  
Pantry  
2'0", 2'4", 2'6" x 6'8"



**1590 (8'0')** ★  
Pantry with 3/4"  
RP  
2'0", 2'4",  
2'6" x 8'0"



**1593** ★  
Laundry with  
3/4" RP  
2'8", 3'0" x 6'8"



**1310** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1312** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1315** ★  
Clear SG  
2'6", 2'8",  
3'0" x 6'8"



**1318** ★  
Clear SG  
2'6", 2'8",  
3'0" x 8'0"



**1643 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1643 Shaker** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**1645 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1645 Shaker** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL  
SHAKER = SHAKER STICKING

**Simpson**<sup>®</sup>  
Door Company



# KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.

Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**720 Shaker** ★  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9320 Shaker** ★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"




**782 Shaker** ★  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9382 Shaker** ★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**730 Shaker** ★  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9330 Shaker** ★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**760 Shaker** ★  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9360 Shaker** ★  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**755 Shaker** ★  
3/8" FP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9355 Shaker** ★  
1-3/4" Fire-  
Rated 3/4" FP  
2'8", 3'0" x 6'8"




**82**  
3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9282**  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**82**  
V-Groove 3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9282**  
1-3/4" Fire-Rated  
V-Groove 1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**7282** ★  
1-3/4"  
1-7/16" RP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"



**7282** ★  
1-3/4"  
V-Groove 1-7/16"  
RP 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"



**465**  
3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9265**  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"




**465**  
V-Groove 3/4" RP  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9265**  
1-3/4" Fire-Rated  
V-Groove 1-7/16"  
RP 2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**7465** ★  
1-3/4"  
1-7/16" RP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"



**7465** ★  
1-3/4"  
V-Groove 1-7/16"  
RP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8",  
16", 2'0", 2'4", 2'6",  
2'8", 3'0", 3'6" x 8'0"



**Boise Cascade**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606







**Boise Cascade**<sup>®</sup>  
MILLWORK

## KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**80801 Shaker**  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**80812 Shaker**  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**80815 Shaker**  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**1501** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1501 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1501** ★  
White  
Laminate  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1501 Shaker Quirk** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8", 3'0"  
x 6'8"



**1590**  
Pantry  
2'0", 2'4",  
2'6" x 6'8"



**1593** ★  
Laundry with  
3/4" RP  
2'8", 3'0" x 6'8"



© Great NW Homes

★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL  
SHAKER = SHAKER STICKING

**Simpson**<sup>®</sup>  
Door Company

# PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted. Doors have ovolo sticking unless noted with "Shaker."



**720 Shaker** ★  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"




**70720 Shaker** ★  
1-3/4" House-to  
-Garage 3/4" FP  
2'8", 3'0" x 6'8"



**782 Shaker** ★  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**70782 Shaker** ★  
1-3/4" House-to  
-Garage 3/4" FP  
2'8", 3'0" x 6'8"




**760 Shaker** ★  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**70760 Shaker** ★  
1-3/4" House-to  
-Garage 3/4" FP  
2'8", 3'0" x 6'8"



**755 Shaker** ★  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**70755 Shaker** ★  
1-3/4" House-to  
-Garage 3/4" FP  
2'8", 3'0" x 6'8"



**82** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7282** ★  
1-3/4" House-to-  
Garage 1-7/16" RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**82** ★  
V-Groove 3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7282** ★  
1-3/4" House-to  
-Garage, V-Groove  
1-7/16" RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**465** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7465** ★  
1-3/4" House-to  
-Garage 1-7/16"  
RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"




**465** ★  
V-Groove 3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7465** ★  
1-3/4" House-to  
-Garage, V-Groove  
1-7/16" RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**44** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**7344** ★  
1-3/4" House-to  
-Garage 1-7/16" RP  
2'8", 3'0" x 6'8"



**66** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7130** ★  
1-3/4" House-to  
-Garage 1-7/16" RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**1501** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1501 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1501** ★  
White Laminate  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1501 Shaker Quirk** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**1590** ★  
Pantry  
2'0", 2'4",  
2'6" x 6'8"



**1590 (8'0")** ★  
Pantry with 3/4" RP  
2'0", 2'4", 2'6" x 8'0"



**1593** ★  
Laundry  
2'8", 3'0" x 6'8"



**1593 (8'0")** ★  
Laundry with  
3/4" RP  
2'8", 3'0" x 8'0"



**1310** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1312 (8'0")** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1315** ★  
Clear SG  
2'6", 2'8",  
3'0" x 6'8"



**1318** ★  
Clear SG  
2'6", 2'8",  
3'0" x 8'0"



**Boise Cascade**  
MILLWORK

millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606

# KNOTTY PINE INTERIOR DOORS

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted. Doors have ovolo sticking unless noted with "Shaker."



**Boise Cascade**<sup>®</sup>  
MILLWORK



**1501** ★  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1501** ★  
White Laminate  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**1590** ★  
Pantry  
2'0", 2'4",  
2'6" x 6'8"



**82** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7282** ★  
1-3/4" House-to  
-Garage 1-7/16" RP  
2'8", 3'0" x 6'8" 2'8",  
3'0" x 8'0"



**82** ★  
V-Groove 3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7282** ★  
1-3/4" House-to  
-Garage,  
V-Groove  
1-7/16" RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**465** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**7465** ★  
1-3/4" House-to  
-Garage 1-7/16" RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**465** ★  
V-Groove 3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7465** ★  
1-3/4" House-to  
-Garage,  
V-Groove  
1-7/16" RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**66** ★  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**7130** ★  
1-3/4" House-to  
-Garage 1-7/16"  
RP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**80801** Shaker ★  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**80812** Shaker ★  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**80815** Shaker ★  
Barn Door w/  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"

★ = AVAILABLE THROUGH OUR DALLAS LOCATION  
SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL  
SHAKER = SHAKER STICKING

**Simpson**<sup>®</sup>  
Door Company




## REDI-SHIP® INTERIOR "ALMOST" IN STOCK

Simpson stocks today's most popular 1-3/8" door designs as part of their Redi-Ship® special order program, which delivers the doors to you in 2-3 weeks. Below is a sample of the doors available in the Redi-Ship program. Contact your Boise Cascade representative or visit [simpsondoor.com/rediship](http://simpsondoor.com/rediship) for a complete list of designs and sizes. If you can't find what you need in stock at Boise Cascade, look to Redi-Ship.

## WESTERN HEMLOCK

Choose from over 20 Western Hemlock door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



**760** (8'0")



**1120**



**1501**  
Shaker Quirk  
with Rain



**1501**  
Shaker Quirk  
with Narrow  
Reed



**1501**  
Shaker Quirk  
with Heavy  
Water



**1592**



**1592** (8'0")



**1596**

## KNOTTY ALDER


Choose from over 60 Knotty Alder door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.




**43** BIFOLD



**45** BIFOLD



**700** BIFOLD




**701** BIFOLD




**702** BIFOLD



**1501**  
with Rain



**1501**  
with Narrow  
Reed



**1501**  
with Heavy  
Water



**Boise Cascade**  
MILLWORK


millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606



**Boise Cascade**<sup>®</sup>  
MILLWORK

## PINE AND KNOTTY PINE

Choose from over 50 Pine and Knotty Pine door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



1120



1120 (8'0")



1305



1592



1596

## REDI-PRIME<sup>®</sup>

Choose from over 150 Redi-Prime<sup>®</sup> door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



8020 Ovolo



8120 Ovolo



8030 Ovolo



8055 Ovolo



8720 (7'0")



8760 (7'0")



8009 Ovolo




8282 Ovolo



8082 RP Ovolo



80465 RP Ovolo



8770 Louver



8784 Shaker



8762 Shaker



8499 Mirror



8182 Shaker



8734 Shaker

**Simpson**<sup>®</sup>  
Door Company

# SIMPSON SPECIAL ORDER, CONCEPT® CUSTOM DOORS AND MATCHING MILLWORK



**Boise Cascade®**  
MILLWORK

If you haven't found what you are looking for in this flyer, let your Boise Cascade representative help you create a one-of-a-kind door to fit your needs. From species selection to design, Boise Cascade and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail from both.



© Davis Photography



© Davis Photography



millwork.bc.com  
500 Industrial Blvd., Ste 100  
Sugar Land, TX 77478  
833-504-1606



**Simpson®**  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR