



Boise Cascade[®]
MILLWORK



© Nat Rea

NOW AVAILABLE IN THE KANSAS CITY MARKET

SIMPSON DOORS IN STOCK
at Boise Cascade

Simpson[®]
Door Company

TABLE OF CONTENTS

Boise Cascade is proud to offer Simpson pre-hung and slab exterior doors to its customers. America's finest and most well-known wood door brand is now available in stock for quick delivery.

Doors available with the shortest possible lead time are stocked in our Kansas City location. Additional doors are available in + 1-2 weeks from our Dallas location. The doors that are stocked in Dallas are labeled with a star ★ throughout this brochure. In addition, any special order or custom door you can dream of is available through Simpson's manufacturing facility. Contact your BC representative today to order your dream Simpson exterior door.

EXTERIOR DOORS IN STOCK



MAHOGANY pp. 3-4



WESTERN HEMLOCK pp. 5-7



KNOTTY ALDER pp. 8-9


INTERIOR DOORS IN STOCK



REDI-PRIME® pp. 10-11



WESTERN HEMLOCK pp. 12-13



KNOTTY ALDER pp. 14-15


REDI-SHIP® INTERIOR DOORS
(+1-2 week lead time over in stock)



SOUTHERN YELLOW PINE p. 16



KNOTTY PINE p. 17



REDI-SHIP PROGRAM pp. 18-19



Boise Cascade®
MILLWORK

millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751

MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with ovolo sticking and UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted as "Shaker."



Boise Cascade®
MILLWORK




7002
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"




7403 Shaker
Satin Etch IG
3'0" x 6'8"



7404 Shaker
Satin Etch IG
3'0" x 6'8"



7405 Shaker
Satin Etch IG
3'0" x 8'0"



37104
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37122
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37106
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"




37108
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7501
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7801
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7501 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7501 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37504
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"




37802
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"




37504 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37506
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37803
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"




37506 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



7504 ★
DHRP and Low-E Bevel
3'0" x 6'8"
3'0" x 8'0"



7802 ★
DHRP and Low-E Bevel
12", 14" x 6'8"
12", 14" x 8'0"



7506
DHRP and Low-E Bevel
3'0" x 6'8"
3'0" x 8'0"



7803 ★
DHRP and Low-E Bevel
12", 14" x 6'8"
12", 14" x 8'0"











★ = AVAILABLE THROUGH OUR DALLAS LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING







Simpson®
Door Company

MAHOGANY EXTERIOR DOORS (CONTINUED)

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with ovolo sticking and UltraBlock® technology and are stocked in the sizes noted.

							
37508 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	37804 ★ DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0"	37508 ★ DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	7506 Double Arch Top Unit DHRP and Low-E Bevel 5'0" x 8'0" 5'4" x 8'0" 6'0" x 8'0"	37508 ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	6801 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	6175 ★ DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0"	6801 ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"

							
6801 DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	36802 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	36802 ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	36802 DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	36803 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	36803 ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	36803 DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	36804 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"

					
36804 ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	36804 DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	36806 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	36806 ★ DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0"	36806 DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0"	9541 Dentil Shelf for 3'0" doors



Boise Cascade
MILLWORK

millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751

WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted as "Shaker."



7002 ★
Clear IG
2'0", 2'6", 2'8", 3'0" x 6'8"
2'0", 2'6", 2'8", 3'0" x 8'0"



7701 ★
Clear IG
12", 14" x 6'8"
12", 14" x 8'0"



7002 Shaker ★
Clear IG
2'0", 2'6", 2'8", 3'0" x 6'8"



7701 Shaker ★
Clear IG
12", 14" x 6'8"
12", 14" x 8'0"



7002 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7701 ★
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002 Shaker ★
Low-E
2'0", 2'6", 2'8", 3'0" x 6'8"
2'0", 2'6", 2'8", 3'0" x 8'0"



7701 Shaker ★
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002 ★
ADA Compliant
Low-E
3'0" x 6'8"
3'0" x 7'0"
3'0" x 8'0"



7002 ★
WaterBarrier®
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7037 ★
Low-E
3'0" x 6'8"



7403 Shaker ★
Satin Etch IG
3'0" x 6'8"




7404 Shaker ★
Satin Etch IG
3'0" x 6'8"




7405 Shaker ★
Satin Etch IG
3'0" x 8'0"



37104 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"




37104 ★
WaterBarrier
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37104 Shaker ★
Low-E
2'0", 2'6", 2'8", 3'0" x 6'8"
2'0", 2'6", 2'8", 3'0" x 8'0"



37122 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"




37122 ★
WaterBarrier
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"




37122 Shaker ★
Clear IG and Low-E
2'0", 2'6", 2'8", 3'0" x 6'8"
Low-E
2'0", 2'6", 2'8", 3'0" x 8'0"



37106 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"




37106 ★
WaterBarrier
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37106 Shaker ★
Clear IG and Low-E
2'0", 2'6", 2'8", 3'0" x 6'8"
Low-E
2'0", 2'6", 2'8", 3'0" x 8'0"



37108 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37108 ★
WaterBarrier
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37108 Shaker ★
Clear IG and Low-E
2'0", 2'6", 2'8", 3'0" x 6'8"
Low-E
2'0", 2'6", 2'8", 3'0" x 8'0"


★ = AVAILABLE THROUGH OUR DALLAS LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING
SHAKER = SHAKER STICKING

WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)


All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted as "Shaker."




37010 ★
Low-E
20", 26", 28",
30" x 68"
26", 28",
30" x 80"




37010 Shaker ★
Low-E
20", 26", 28",
30" x 68"
26", 28",
30" x 80"



37010 ★
WaterBarrier®
with Low-E
26", 28", 30" x 68"
26", 28", 30" x 80"




37015 ★
Clear IG
26", 28",
30" x 68"



7501 ★
DHRP and
Low-E
30" x 68"
30" x 80"



7801 ★
DHRP and
Low-E
12", 14" x 68"
12", 14" x 80"




7501 ★
DHRP and Seedy
Baroque IG
30" x 68"
30" x 80"



7501 ★
DHRP and White
Laminate IG
30" x 68"
30" x 80"



37598 ★
DHRP and
Low-E
30" x 68"
30" x 80"



37504 ★
DHRP and
Low-E
30" x 68"
30" x 80"




37802 ★
DHRP and
Low-E
12", 14" x 68"
12", 14" x 80"



37504 ★
DHRP and Seedy
Baroque IG
30" x 68"
30" x 80"




37504 ★
DHRP and White
Laminate IG
30" x 68"
30" x 80"



37506 ★
DHRP and
Low-E
30" x 68"
30" x 80"




37803 ★
DHRP and
Low-E
12", 14" x 68"
12", 14" x 80"



37506 ★
DHRP and Seedy
Baroque IG
30" x 68"
30" x 80"



37506 ★
DHRP and White
Laminate IG
30" x 68"
30" x 80"




37508 ★
DHRP and
Low-E
30" x 68"
30" x 80"




37804 ★
DHRP and
Low-E
12", 14" x 68"
12", 14" x 80"



37508 ★
DHRP and Seedy
Baroque IG
30" x 68"
30" x 80"




37508 ★
DHRP and White
Laminate IG
30" x 68"
30" x 80"



7031 ★
DHRP and
Low-E
28", 30" x 68"




37435 ★
DHRP and
Low-E
28", 30" x 68"




37035 ★
DHRP and
Low-E
28", 30" x 68"



7044 ★
DHRP and
Low-E
28", 30" x 68"



37444 ★
DHRP and
Low-E
28", 30" x 68"



37944 ★
DHRP and
Low-E
28", 30" x 68"



6801 ★
DHRP and
Low-E
30" x 68"
30", 36" x 80"



6175 ★
DHRP and
Low-E
12", 14" x 68"
12", 14" x 80"



6801 ★
DHRP and White
Laminate IG
30" x 68"
30" x 80"



6801 ★
DHRP and Seedy
Baroque IG
30" x 68"
30" x 80"



6801 Shaker ★
FP and White
Laminate IG
30" x 68"
30" x 80"



6801 Shaker ★
FP and Low-E
30" x 68"
30" x 80"



6175 Shaker ★
FP and Low-E
12", 14" x 68"
12", 14" x 80"



6801 Shaker ★
FP and Seedy
Baroque IG
30" x 68"
30" x 80"



Boise Cascade
MILLWORK


millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751



Boise Cascade®
MILLWORK

WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)


All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted as "Shaker".



36802 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36802 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36802 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36803 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36803 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36804 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"




36804 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"




36806 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"




36806 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"




36806 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"




36806 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"




36806 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"




7132 ★
DHRP and Low-E
2'8", 3'0" x 6'8"



37134 ★
DHRP and Low-E
2'8", 3'0" x 6'8"




7344 ★
DHRP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



7130 ★
DHRP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



1510 ★
Clear SG,
No UltraBlock®
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1515 ★
Clear SG,
No UltraBlock®
2'6", 2'8",
3'0" x 6'8"



9541 ★
Dentil Shelf
for 3'0" and 3'6" doors

★ = AVAILABLE THROUGH OUR DALLAS LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING
FP = 3/4" FLAT PANEL
SG = 1/8" SINGLE GLAZED
SHAKER = SHAKER STICKING


Simpson®
Door Company

KNOTTY ALDER EXTERIOR DOORS


All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted as "Shaker."



7002 ★
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"




37010 ★
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



7501 ★
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"




7801 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7501 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"




7501 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37504 ★
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37802 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"




37504 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37506 ★
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37803 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"




37506 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"




37508 ★
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37804 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37508 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37508 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



© Great NW Homes



Boise Cascade
MILLWORK


millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751



Boise Cascade®
MILLWORK

KNOTTY ALDER EXTERIOR DOORS (CONTINUED)


All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted as "Shaker."



6801 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6801 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"




6801 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36802 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36802 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36802 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36803 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36803 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"




36803 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36804 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"




36804 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"




36806 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



9541 ★
Dentil Shelf
for 3'0" x 8'0"
and 3'6" x 8'0"

★ = AVAILABLE THROUGH OUR DALLAS LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SHAKER = SHAKER STICKING

Simpson®
Door Company

REDI-PRIME® INTERIOR DOORS

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted.

Redi-Prime fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8720 Shaker

3/8" FP
1'3", 1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89320 Shaker

1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8782 Shaker

3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



89382 Shaker

1-3/4" Fire-
Rated 3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8730 Shaker

3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



89330 Shaker

1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8760 Shaker

3/8" FP
1'3", 1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




89360 Shaker

1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8755 Shaker

3/8" FP
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



89355 Shaker

1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89801 Shaker ★

Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



89812 Shaker ★

Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



89815 Shaker ★

Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



Boise Cascade
MILLWORK

millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751



Boise Cascade®
MILLWORK

REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8001

Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0" ★



8001 Shaker ★

Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



8411

White Laminate
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8";
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0" ★



8411 Shaker Quirk

White Laminate
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8";
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



8475 ★

V-Groove
2'0" x 6'8" = 10-lite layout
2'4", 2'6", 2'8", 3'0" x 6'8"
= 15-lite layout




8490 ★

Pantry
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"



8490 (8'0") ★
Pantry with 3/8" FP
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



8010

Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"




8012

Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



8015 ★

Clear SG
2'4", 2'6", 2'8";
3'0" x 6'8"



8018 ★

Clear SG
2'6", 2'8";
3'0" x 8'0"



8733 Shaker

Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"



8733 Shaker

White Laminate
2'0", 2'4", 2'6", 2'8";
3'0" x 6'8"



8735 Shaker

Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



8735 Shaker

White Laminate
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"




© Cynthia Brown Studio

★ = AVAILABLE THROUGH OUR DALLAS LOCATION
FP = FLAT PANEL
SG = SINGLE GLAZED
SHAKER = SHAKER STICKING

Simpson®
Door Company

WESTERN HEMLOCK INTERIOR DOORS

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



720 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9320 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0" ★




9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0" ★




730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"




760 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




9360 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"




755 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



55 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9255 ★
1-3/4" Fire-
Rated 1-7/16" RP
2'8", 3'0" x 6'8"



Boise Cascade
MILLWORK

millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751



Boise Cascade[®]
MILLWORK

WESTERN HEMLOCK INTERIOR DOORS (CONTINUED)

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



1501 ★
Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8";
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



1501 Shaker ★
Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8";
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



1501 ★
White Laminate
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8";
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



1501 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8";
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



1590
Pantry
2'0", 2'4", 2'6" x 6'8"



1590 (8'0") ★
Pantry with 3/4"
RP
2'0", 2'4",
2'6" x 8'0"



1593 ★
Laundry with
3/4" RP
2'8", 3'0" x 6'8"



1310 ★
Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"



1312 ★
Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 8'0"



1315 ★
Clear SG
2'6", 2'8";
3'0" x 6'8"




1318 ★
Clear SG
2'6", 2'8";
3'0" x 8'0"



1643 Shaker ★
Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"



1643 Shaker ★
White Laminate
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"



1645 Shaker ★
Clear SG
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"



1645 Shaker ★
White Laminate
2'0", 2'4", 2'6";
2'8", 3'0" x 6'8"



★ = AVAILABLE THROUGH OUR DALLAS LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SHAKER STICKING

Simpson[®]
Door Company

KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.


Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."




720 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9320 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"




782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0" ★




9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0" ★




730 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




9330 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"




760 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0" ★




9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0" ★



755 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9355 Shaker ★
1-3/4" Fire-
Rated 3/4" FP
2'8", 3'0" x 6'8"




82
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




9282
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"




82 ★
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




9282 ★
1-3/4" Fire-Rated
V-Groove 1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"




7282 ★
1-3/4"
1-7/16" RP
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7282 ★
1-3/4" V-Groove
1-7/16" RP
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"




465
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




9265
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"




465 ★
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265 ★
1-3/4" Fire-Rated
V-Groove 1-7/16"
RP 2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



7465 ★
1-3/4"
1-7/16" RP
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7465 ★
1-3/4" V-Groove
1-7/16" RP
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



Boise Cascade
MILLWORK

millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751



Boise Cascade[®]
MILLWORK

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



80801 Shaker
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



1501 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501 ★
White
Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1590
Pantry
2'0", 2'4",
2'6" x 6'8"



1593 ★
Laundry with
3/4" RP
2'8", 3'0" x 6'8"



© Great NW Homes

★ = AVAILABLE THROUGH OUR DALLAS LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SHAKER STICKING

Simpson[®]
Door Company

PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted. Doors have ovolo sticking unless noted with "Shaker."



720 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



70720 Shaker ★
1-3/4" House-to-
-Garage 3/4" FP
2'8", 3'0" x 6'8"



782 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



70782 Shaker ★
1-3/4" House-to-
-Garage 3/4" FP
2'8", 3'0" x 6'8"



760 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



70760 Shaker ★
1-3/4" House-to-
-Garage 3/4" FP
2'8", 3'0" x 6'8"



755 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



70755 Shaker ★
1-3/4" House-to-
-Garage 3/4" FP
2'8", 3'0" x 6'8"



82 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




7282 ★
1-3/4" House-to-
-Garage 1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



82 ★
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7282 ★
1-3/4" House-to-
-Garage, V-Groove
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



465 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7465 ★
1-3/4" House-to-
-Garage 1-7/16"
RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



465 ★
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7465 ★
1-3/4" House-to-
-Garage, V-Groove
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



44 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



7344 ★
1-3/4" House-to-
-Garage 1-7/16" RP
2'8", 3'0" x 6'8"



66 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0" ★



7130 ★
1-3/4" House-to-
-Garage 1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0" ★



1501 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501 ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




1590 ★
Pantry
2'0", 2'4",
2'6" x 6'8"




1590 (8'0") ★
Pantry with 3/4" RP
2'0", 2'4", 2'6" x 8'0"




1593 ★
Laundry
2'8", 3'0" x 6'8"



1080 Louver ★
2'0", 2'4", 2'6",
2'8", 2'10",
3'0" x 6'8"



1310 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1312 (8'0") ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1315 ★
Clear SG
2'6", 2'8",
3'0" x 6'8"



1318 ★
Clear SG
2'6", 2'8",
3'0" x 8'0"



Boise Cascade
MILLWORK

millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751

KNOTTY PINE INTERIOR DOORS

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted. Doors have ovolo sticking unless noted with "Shaker."



Boise Cascade[®]
MILLWORK



1501 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1590 ★
Pantry
2'0", 2'4",
2'6" x 6'8"



82 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7282 ★
1-3/4" House-to
-Garage 1-7/16" RP
2'8", 3'0" x 6'8" 2'8",
3'0" x 8'0"



82 ★
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7282 ★
1-3/4" House-to
-Garage,
V-Groove
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



465 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




7465 ★
1-3/4" House-to
-Garage 1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"




465 ★
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7465 ★
1-3/4" House-to
-Garage,
V-Groove
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



66 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0" ★



7130 ★
1-3/4" House-to
-Garage 1-7/16"
RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0" ★



80801 Shaker ★
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker ★
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker ★
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"

★ = AVAILABLE THROUGH OUR DALLAS LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SHAKER STICKING

Simpson[®]
Door Company

REDI-SHIP® INTERIOR "ALMOST" IN STOCK

Simpson stocks today's most popular 1-3/8" door designs as part of their Redi-Ship® special order program, which delivers the doors to you in 2-3 weeks. Below is a sample of the doors available in the Redi-Ship program. Contact your Boise Cascade representative or visit simpsondoor.com/rediship for a complete list of designs and sizes. If you can't find what you need in stock at Boise Cascade, look to Redi-Ship.

WESTERN HEMLOCK

Choose from over 20 Western Hemlock door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



RED OAK

Choose from over 20 red oak door designs, all 1-3/8" and 6'8" and in a variety of widths



KNOTTY ALDER

Choose from over 60 Knotty Alder door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



POPLAR

Choose from 16 stain grade poplar door designs, all 1-3/8" and 6'8" and in a variety of widths.



Boise Cascade
MILLWORK

millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751



Boise Cascade[®]
MILLWORK

PINE AND KNOTTY PINE


Choose from over 50 Pine and Knotty Pine door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



1120



1120 (8'0")



1305



1592



1596

REDI-PRIME[®]

Choose from over 150 Redi-Prime[®] door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



8020 Ovolo



8120 Ovolo



8030 Ovolo



8055 Ovolo



8720 (7'0")



8760 (7'0")



8009 Ovolo



8282 Ovolo




8082 RP Ovolo



80465 RP Ovolo



8770 Louver



8784 Shaker




8762 Shaker



8499 Mirror



8182 Shaker



8734 Shaker

Simpson[®]
Door Company

SIMPSON SPECIAL ORDER, CONCEPT® CUSTOM DOORS AND MATCHING MILLWORK



Boise Cascade®
MILLWORK

If you haven't found what you are looking for in this flyer, let your Boise Cascade representative help you create a one-of-a-kind door to fit your needs. From species selection to design, Boise Cascade and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail from both.



© Davis Photography



© Davis Photography



millwork.bc.com
221 NW Chipman Road
Lee's Summit, MO 64063
833-828-0751



Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR