



Boise Cascade[®]
MILLWORK



© Nat Rea

NOW AVAILABLE IN THE BOISE MARKET

SIMPSON DOORS IN STOCK

at Boise Cascade Millwork

NEW FOR 2024

Simpson[®]
Door Company

Boise Cascade Millwork is proud to offer Simpson pre-hung and slab exterior and interior doors to its customers. America's finest and most well-known wood door brand is now available in stock for quick delivery.

Doors available with the shortest possible lead time are stocked in our Boise location. Additional doors are also available through our Commerce City (Denver) location. And doors are also available from Simpson's Redi-Ship® Program (see simpsondoor.com/rediship) for quick delivery. Contact your Boise Cascade Millwork representative for lead time. In addition, any special order or custom door you can dream of is available through Simpson's manufacturing facility in Washington state. Contact your Boise Cascade Millwork representative today to order your dream Simpson door.

TABLE OF CONTENTS



© Davis Photography

SPECIAL ORDER AND CUSTOM DOORS p. 3



DOUGLAS FIR EXTERIOR DOORS pp. 4-5



© Great NW Homes

KNOTTY ALDER EXTERIOR DOORS pp. 6-7



MAHOGANY EXTERIOR DOORS p. 8



© Rob Karosis

DOUGLAS FIR INTERIOR DOORS p. 9



KNOTTY ALDER INTERIOR DOORS pp. 10-11



© William Geddes

REDI-PRIME® INTERIOR DOORS pp. 12-13



REDI-SHIP® INTERIOR DOOR PROGRAM (IN STOCK AT SIMPSON) pp. 14-15





Boise Cascade[®]
MILLWORK

SIMPSON SPECIAL ORDER, CONCEPT[®] CUSTOM DOORS AND MATCHING MILLWORK

If you haven't found what you are looking for from our in stock offerings throughout this catalog, let your Boise Cascade Millwork representative help you create a one-of-a-kind door to fit your needs. From species selection to design, Boise Cascade Millwork and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail from both.



© Davis Photography



© Davis Photography



Simpson[®]
Door Company

DOUGLAS FIR EXTERIOR DOORS

All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7701
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002 Shaker
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7701 Shaker
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002
WaterBarrier®
with Low-E
2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37010
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37010 Shaker
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37010
WaterBarrier®
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7403 Shaker
Satin Etch IG
3'0" x 6'8"



7403 Shaker
WaterBarrier®
with Satin Etch IG
3'0" x 6'8"



7404 Shaker
Satin Etch IG
3'0" x 6'8"



7404 Shaker
WaterBarrier®
with Satin Etch IG
3'0" x 6'8"



7405 Shaker
Satin Etch IG
3'0" x 8'0"



7405 Shaker
WaterBarrier®
with Satin Etch IG
3'0" x 8'0"



7501
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7801
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7501
DHRP and
Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7801
DHRP and Seedy
Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



37598
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



37504
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37802
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37802
DHRP and Seedy
Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



37506
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



37803
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



DOUGLAS FIR EXTERIOR DOORS (CONTINUED)

All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



Boise Cascade®
MILLWORK



37506
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37803
DHRP and Seedy
Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



37508
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



37804
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37508
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37804
DHRP and Seedy
Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



7044
DHRP and
Low-E
2'8", 3'0" x 6'8"



37444
DHRP and
Low-E
2'8", 3'0" x 6'8"



37944
DHRP and
Low-E
2'8", 3'0" x 6'8"



6801
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker
FP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



36802
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker
FP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



36804
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7130
DHRP
2'8", 3'0" x 6'8"



9541 Denti Shelf

AVAILABLE WITH MATCHING FIR MILLWORK

All Douglas fir doors come available with beautiful vertical grain matching millwork.

SINGLE RABBET KERFED JAMB



10002

Brickmould



10020

Mull Post



10123

2-1/2" x 4-3/8"

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING
FP = 3/4" FLAT PANEL

Simpson®
Door Company

KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7701
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7501
DHRP and Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7801
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7501
DHRP and Seedy Baroque IG
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7801
DHRP and Seedy Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



37504
DHRP and Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37802
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504
DHRP and Seedy Baroque IG
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37802
DHRP and Seedy Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



37506
DHRP and Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37803
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506
DHRP and Seedy Baroque IG
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37803
DHRP and Seedy Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



37508
DHRP and Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37804
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



KNOTTY ALDER EXTERIOR DOORS (CONTINUED)

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



Boise Cascade®
MILLWORK



37508
DHRP and Seedy Baroque IG
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37804
DHRP and Seedy Baroque IG
12", 14" x 6'8"
12", 14" x 8'0"



6801
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6175
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



6801 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6801
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36802
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36802
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36802 Shaker
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36803
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36804
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



© Great NW Homes

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING
FP = 3/4" FLAT PANEL

Simpson®
Door Company

MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002

Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7403 Shaker

Satin Etch IG
3'0" x 6'8"



7404 Shaker

Satin Etch IG
3'0" x 6'8"



7405 Shaker

Satin Etch IG
3'0" x 8'0"



7501 Shaker

DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7504 Shaker

DHRP and Bevel
Low-E
3'0" x 6'8"
3'0" x 8'0"



7506 Shaker

DHRP and Bevel
Low-E
3'0" x 6'8"
3'0" x 8'0"



6801

DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"

**AVAILABLE WITH
MATCHING MAHOGANY
MILLWORK**

All Okoume Mahogany doors come available with beautiful matching millwork.

SINGLE RABBET KERFED JAMB

10002

Brickmould

10020

Mull Post

1-1/2"

10123
2-1/2" x 4-3/8"



Boise Cascade®
MILLWORK

Boise, ID

boisemillwork@bc.com | millwork.bc.com

DOUGLAS FIR INTERIOR DOORS

Douglas Fir interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



Boise Cascade[®]
MILLWORK



720 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



701 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



702 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



703 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



760 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



700 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



755 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



705 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



55 *
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9255 *
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"



66 *
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9266 *
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"



1501
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501
White Laminate SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




© Rob Karosis | RobKarosis.com

* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION
SG = 1/8" SINGLE GLAZED
FP = FLAT PANEL
RP = DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING

Simpson[®]
Door Company

KNOTTY ALDER INTERIOR DOORS

Knotty Alder interior doors are stocked 1-3/8" thick - unless otherwise noted - and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



720 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



701 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



702 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"




730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



703 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



760 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



700 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



755 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



705 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



82
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



43 Bifold
3/4" RP
2'0", 2'6", 3'0" x 6'8"



82*
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282*
V-Groove 1-3/4"
Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



43 Bifold*
V-Groove 3/4" RP
2'0", 2'6", 3'0" x 6'8"



465
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



45 Bifold
3/4" RP
2'0", 2'6", 3'0" x 6'8"



465*
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265*
V-Groove 1-3/4"
Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



45 Bifold*
V-Groove 3/4" RP
2'0", 2'6", 3'0" x 6'8"



KNOTTY ALDER INTERIOR DOORS (CONTINUED)

Knotty Alder interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



Boise Cascade[®]
MILLWORK




7282
1-3/4"
1-7/16" RP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



7282 *
1-3/4"
V-Groove 1-7/16" RP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



7465
1-3/4"
1-7/16" RP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



7465 *
1-3/4"
V-Groove 1-7/16" RP
16", 20", 24", 26",
28", 30" x 6'8"
16", 20", 24", 26",
28", 30" x 8'0"



80801 Shaker
Barn Door with
V-Groove
30", 36" x 7'0"
30", 36" x 8'4"



80812 Shaker
Barn Door with
V-Groove
30", 36" x 7'0"
30", 36" x 8'4"



80815 Shaker
Barn Door with
V-Groove
30", 36" x 7'0"
30", 36" x 8'4"



1501
Clear SG
20", 24", 26",
28", 30" x 6'8"
20", 24", 26",
28", 30" x 8'0"



© Great NW Homes

* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION
SG = 1/8" SINGLE GLAZED
FP = FLAT PANEL
RP = DOUBLE HIP-RAISED PANEL

Simpson[®]
Door Company

REDI-PRIME® DOORS

Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8720 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8701 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



8782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8702 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



8730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8703 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



8760 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 2'10", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 2'10", 3'0" x 8'0"



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8700 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



8755 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8705 Shaker Bifold
3/8" FP
2'0", 2'6", 3'0" x 6'8"



© Property Brothers | Buying + Selling



Boise Cascade
MILLWORK

Boise, ID


boisemillwork@bc.com | millwork.bc.com

REDI-PRIME® DOORS (CONTINUED)


Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



Boise Cascade®
MILLWORK




89934
Flush Grooved
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89234
1-3/4" Fire-Rated
Flush Grooved
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89935
Flush Grooved
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89235
1-3/4" Fire-Rated
Flush Grooved
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89801 Shaker*
Barn Door with
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



89812 Shaker*
Barn Door with
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



89815 Shaker*
Barn Door with
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



8001
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8411
White Laminate SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8733 Shaker
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8733 Shaker
White Laminate SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8735 Shaker
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8735 Shaker
White Laminate SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8010
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8012
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION
SG = 1/8" SINGLE GLAZED
FP = FLAT PANEL

REDI-SHIP® INTERIOR IN STOCK AT SIMPSON

Simpson stocks today's most popular interior (both 1-3/8" and 1-3/4") door designs as part of their Redi-Ship® special order program, which delivers the doors to you in 2-3 weeks. Below is a sample of the doors available in the Redi-Ship program. Contact your Boise Cascade Millwork representative or visit simpsondoor.com/rediship for a complete list of designs and sizes. If you can't find what you need in stock at Boise Cascade Millwork, look to Redi-Ship.

DOUGLAS FIR AND WESTERN HEMLOCK

Choose from over 130 Douglas Fir or Western Hemlock door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



82 RP



720



465 RP



760



1645



1501 Shaker
With Heavy Water



1592



1596

KNOTTY ALDER

Choose from over 70 Knotty Alder door designs, both 1-3/8" and 1-3/4" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



760 (8'0)



782 (8'0)



1590 (8'0)




1501 (8'0)



1596



1501
With Rain



1501 Shaker
With Narrow Reed



1501 Shaker
With Heavy Water



HARDWOOD OPTIONS

Choose from over 50 interior hardwood panel doors available in maple, red oak and poplar. All stocked 1-3/8" and in a variety of widths and heights




Boise Cascade[®]
MILLWORK



760 Maple



782 Maple



44 Oak



66 Oak



782 Poplar

REDI-PRIME[®]

Choose from over 200 Redi-Prime[®] door designs, both 1-3/8" and 1-3/4" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



8020 Ovolo



8120 Ovolo



8030 Ovolo



8055 Ovolo



8720 (7'0")



8760 (7'0")



8009 Ovolo



8282 Ovolo




8082 RP
Ovolo



80465 RP
Ovolo



8770 Louver



8784 Shaker



8762 Shaker



8499 Mirror



8182 Shaker




8734 Shaker

RP =RAISED PANEL

Simpson[®]
Door Company



Boise Cascade[®]
MILLWORK



© Rill Architects



Boise Cascade[®]
MILLWORK

Boise, ID
208-384-7700
boisemillwork@bc.com
millwork.bc.com



Simpson[®]
Door Company

SIMPSONDOOR COM | 800 SIMPSON | #SIMPSONDOOR

©2024 Simpson Door Company. Printed in USA Catalog and door designs covered by copyright. All rights reserved. June 2024.